INDEXES TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 77, 1994

AUTHOR INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY INCLUDING ADVANCES IN CERAMICS AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal*; numbers following are *page* numbers.

Abe, Hidekazu See Kanai, Hideyuki
Abe, Toshio See Mori, Masashi
Abe, Yoshihiro See Li, Guangming
Adams, Jane W. See Zutshi, Ajoy
Adams, Paul M. See Derderian, Garo J.
Adler, Thomas A.
Elastic–plastic indentation of hard, brittle materials with spherical indenters. (12) 3177
Ado, Kazuaki See Takeuchi, Tomonari
Aggarwal, Ishwar D. See Jewell, John M.
Aghajanian, Michael K.; Biel, John P.; and Smith, Russell G.
AlN matrix composites fabricated via an infiltration and reaction approach. (7) 1917
Aglietti, Esteban F. See Scian, Alberto N.
Agrawal, Dinesh See Harshé, Girish
Agrawal, Ranchhor D. See Tandon, Sashi
Aitchison, Kenneth A. See Derderian, Garo J.
Akbar, Sheikh A. See Azad, Abdul M.
Akimune, Yoshio See Hirosaki, Naoto; Ogasawara, Toshio
Akinc, Mufit See Han, Yong; Tas, A. Cuneyt; Voiles, E. Todd
Aksay, Ilhan A. See Shih, Wei-Heng
Alexander, Kathleen B. See Wang, Xun-Li
Alexander, Kathleen B.; Becher, Paul F.; Waters, Shirley B.; and Bleier, Alan
Grain growth kinetics in alumina–zirconia (CeZTA) composites. (4) 939
Alim, Mohammad A. See Azad, Abdul M.
Allen, Carlton See Nazeri, Azar
Allix, Olivier See Aubard, Xavier
Almaleh-Rockman, Sylvie See Chaim, Rachman
Anderson, Marc A. See Xu, Qunyin
Angel, Paul J. See Vance, Eric R.
Anghaie, Samim See Erkmen, Z. Engin
Antony, Michael M. See Schmutzler, Hans J.
Aoki, Katsumi See Fukuda, Koichiro
Aoyagi, Eiji See Pezzotti, Giuseppe
Arashi, Haruo See Yashima, Masatomo
Arashi, Tomohiro See Yamashita, Kimihiro
Argyriou, Dimitri N.; Howard, Christopher J.; and Smith, Ronald I.
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia. (12) 3073
Arturo Domínguez See Fernández, Julian Martínez
Asai, Takashi See Takeuchi, Tomonari
Aubard, Xavier; Lamon, Jacques; and Allix, Olivier
Model of the nonlinear mechanical behavior of 2D SiC–SiC chemical vapor infiltration composites. (8) 2118
Awai, Ikuo See Fukuda, Koichi
Azad, Abdul M.; Akbar, Sheikh A.; Younkman, Lora B.; and Alim, Mohammad A.
High-temperature immittance response in anatase-based sensor materials. (12) 3145
Azad, Abdul M.; Younkman, Lora B.; Akbar, Sheikh A.; and Alim, Mohammad A.
Characterization of TiO_2-based sensor materials using immittance spectroscopy. (2) 481
Backhaus-Ricoult, Monika; Hagège, Serge; Peyrot, Aurélie; and Moreau, Patrick
Internal reduction of chromium-doped α-alumina. (2) 423
Bae, Seung-Young; Miyayama, Masaru; and Yanagida, Hiroaki
Electrical properties of β-$Li_xV_2O_5$ thin layers prepared by the sol–gel process. (4) 891
Bae, So Ik; and Baik, Sunggi
Critical concentration of MgO for the prevention of abnormal grain growth in alumina. (10) 2499
Baik, Sunggi See Bae, So Ik; Kim, Sangsub
Baik, Youngmin; Shaaker, Kartik; McDermid, Joseph R.; and Drew, Robin A. L.
Carbothermal synthesis of aluminum nitride using sucrose. (8) 2165
Balachandran, Uthamalingam See Kirkpatrick, Kelly S.; Varma, Hari Krishna
Balkanli, Batu See Ungan, Aydin
Ball, Cliff J. See Mitamura, Hisayoshi
Balmer, Mari Lou; Lange, Fred F.; and Levi, Carlos G.
Metastable phase selection and partitioning for $Zr_{(1-x)}Al_xO_{(2-x/2)}$ materials synthesized with liquid precursors. (8) 2069
Bamberger, Carlos E.; Haverlock, Tamara J.; and Kopp, Otto C.
Synthesis and characterization of $Sr_2Ce_2Ti_5O_{16}$ in the system $SrO–CeO_2–TiO_2$. (6) 1659
Bandopadhyay, Amitava See DebRoy, Tarasankar
Banerjee, Aditi; and DebRoy, Tarasankar
Effect of pressure on plasma-assisted chemical vapor deposition of silicon oxide(s). (5) 1366
Barlage, Douglas R. See Parthasarathy, Triplicane A.
Barrie, James D. See Derderian, Garo J.
Baskaran, Suresh; and Halloran, John W.
Fibrous monolithic ceramics: III, Mechanical properties and oxidation behavior of the silicon carbide/boron nitride system. (5) 1249
Baskaran, Suresh; Nunn, Stephen D.; and Halloran, John W.
Fibrous monolithic ceramics: IV, Mechanical properties and oxidation behavior of the alumina/nickel system. (5) 1256
Beardsley, Brad See Wesling, Kevin F.
Becher, Paul F. See Alexander, Kathleen B.; Lin, Hua-Tay; Wang, Xun-Li
Becher, Paul F.; and Warwick, Wilbur H.
Fracture strength–fracture resistance response and damage resistance of sintered $Al_2O_3–ZrO_2$ (12 mol% CeO_2) composites. (10) 2689
Begg, Bruce D.; Vance, Eric R.; and Nowotny, Janusz
Effect of particle size on the room-temperature crystal structure of barium titanate. (12) 3186
Behrens, Gesa See Kaliszewski, Mary S.
Belnap, J. Daniel See Tsai, Jing-Fong
Bender, Barry See Nazeri, Azar
Bentz, Dale P. See Lewis, Jennifer A.; Skamser, Daniel J.
Beran, Anton See Gutzov, Stoyan
Berkstresser, G. W. See O'Bryan, Henry M.
Besmann, Theodore M. See Gallois, Bernard M.
Besmann, Theodore M.; Miller, James H.; Cooley, Kevin M.; Lowden, Richard A.; and Starr, Thomas L.
Chemical vapor infiltration of TiB_2-matrix composites. (9) 2395
Bestgen, Harro See Chaim, Rachman
Beyers, Robert B. See MacManus-Driscoll, Judith L.
Bhatt, Ramakrishna T. See Singh, Dileep
Bheemineni, Veerabhadrarao; Chang, Edward K.; Lal, Misri; Harmer, Martin P.; and Smyth, Donald M.
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres. (12) 3173
Biel, John P. See Aghajanian, Michael K.
Blackford, Mark G. See Vance, Eric R.
Blanchard, Cheryl R.; and Schwab, Stuart T.
X-ray diffraction analysis of the pyrolytic conversion of perhydropolysilazane into silicon nitride. (7) 1729
Blau, Peter J. See Srinivasan, Sreeram R.
Bleier, Alan See Alexander, Kathleen B.
Bleise, Detlef; and Steinbrech, Rolf W.
Flat *R*-curve from stable propagation of indentation cracks in coarse-grained alumina. (2) 315
Blendell, John E. See Kim, Doh-Yeon
Boatner, Lynn A. See Rankin, Janet
Boccaccini, A. R.
Effective elastic moduli of porous ceramic materials—comment. (10) 2779
Boch, Philippe See Nadaud, Nicolas
Bohac, Petr See Suzuki, Ryosuke O.
Boilot, Jean-Pierre See Renoult, Oliver
Boncoeur, Marcel See Renoult, Oliver
Bonen, David
Calcium hydroxide deposition in the near interfacial zone in plain concrete. (1) 193
Bonen, David; and Diamond, Sidney
Interpretation of compositional patterns found by quantitative energy dispersive X-ray analysis for cement paste constituents. (7) 1875
Booth, Andrew S.; and Roberts, Steven G.
Dislocation activity, stable crack motion, and the warm-prestressing effect in magnesium oxide. (6) 1457
Borchardt, Günter See Kiessling, Uta
Borchelt, Fred See Rice, Roy W.
Boulanger, Jean See Marple, Basil R.
Boutz, Michel M. R.; Chen, Chu Sheng; Winnubst, Louis; and Burggraaf, Anthonie
Characterization of grain boundaries in superplastically deformed Y-TZP ceramics. (10) 2632
Bowen, H. Kent See Higgins, Richard J.
Bowman, Keith J. See Lee, Farnjeng; Sandlin, Michael S.
Boyer, Michelle See Lewis, Jennifer A.
Braun, Linda M. See Xu, Hockin H. K.
Braun, Paul V. See Keddie, Joseph L.
Bravman, John C. See MacManus-Driscoll, Judith L.
Brennan, John J. See Sun, Ellen Y.
Breval, Else; Hammond, Michael; and Pantano, Carlo G.
Nanostructural characterization of silicon oxycarbide glasses and glass-ceramics. (11) 3012
Brimacombe, J. Keith See Cockcroft, Steven L.
Brinkman, C. R. See Ding, Jow-Lian
Brito, Manuel E. See Hirao, Kiyoshi
Brodeur, Russell P.; Gachigi, Kamau wa; Pruna, Philip M.; and Shrout, Thomas R.
Ultra-high strain ceramics with multiple field-induced phase transitions. (11) 3042
Brooks, Keith See Reaney, Ian M.
Brosha, Eric L.; Garzon, Fernando H.; Raistrick, Ian D.; and Davies, Peter K.
Low-temperature synthesis and phase equilibria in the Y-Cu-O binary system. (5) 1139
Brough, Adrian R.; Dobson, Christopher M.; Richardson, Ian G.; and Groves, Geoffrey W.
Application of selective ^{29}Si isotopic enrichment to studies of the structure of calcium silicate hydrate (C-S-H) gels. (2) 593

Brown, David D.; and Green, David J.
Investigation of strut crack formation in open cell alumina ceramics. (6) 1467
Brown, Jesse J., Jr. See Sun, Tawei
Brownlow, Darryl L. See Gupta, Prabhat K.
Brøndsted, Povl See Heredia, Fernando E.
Brøndsted, Povl; Heredia, Fernando E.; and Evans, Anthony G.
In-plane shear properties of 2-D ceramic matrix composites. (10) 2569
Bruley, John See Tanaka, Isao
Bruley, John; Hoche, Thomas; Kleebe, Hans-Joachim; and Rühle, Manfred
Recent attempts to detect magnesium in a heavily doped sapphire bicrystal by spatially resolved electron energy-loss spectroscopy. (9) 2273
Buijs, Maarten
Erosion of glass as modeled by indentation theory. (6) 1676
Bullard, Jeffrey W. See Searcy, Alan W.
Bullard, Jeffrey W.; Glaeser, Andreas M.; and Searcy, Alan W.
Shape changes by {100} lithium fluoride ridge-channel arrays and of lithium fluoride particles at sintering temperatures. (9) 2319
Burdette, Harold E. See Li, Zhaohui
Burggraaf, Anthonie J. See Boutz, Michel M. R.; den Exter, Peter
Burlitch, James M. See Park, Dong Gon
Burton, Benjamin P. See Rawn, Claudia J.
Butler, Leslie G. See Schilling, Paul J.
Butt, Darryl P.; Wantuck, Paul J.; and Sappey, Andrew D.
Laser diagnostics of zirconium carbide vaporization. (6) 1411
Caballero, Angel See Liu, Kuo-Chung
Cable, Michael See Frade, Jorge R.
Cáceres, Carlos H. See Plucknett, Kevin P.
Caceres, Pablo G.; and Schmid, Herbert K.
Morphology and crystallography of aluminum nitride whiskers. (4) 977
Cagliostro, Domenick E.; Riccitiello, Salvatore R.; Ren, Jian; and Zaghi, Farshad
Comparison of the pyrolysis products of dichlorodimethylsilane in the chemical vapor deposition of silicon carbide on silica in hydrogen or argon. (10) 2721
Cai, Jie; Xie, Xiao-ming; Zhang, Liu-wan; Li, Xiang-ting; Tian, Yong-lai; Chen, Ting-guo; and Guo, Jing-kun
Microwave joining of yttrium-based superconductor and its microstructure features. (4) 1090
Camus, Gérald See Filipuzzi, Ludovic; Lamouroux, Franck; Prouhet, Stéphane
Cannon, Rowland M. See Chiang, Yet-Ming; Handwerker, Carol A.
Cannon, W. Roger See Skandan, Ganesh
Cao, Hengchu; and Evans, Anthony G.
Electric-field-induced fatigue crack growth in piezoelectrics. (7) 1783
Cao, Wenwu See Jiang, Qiyue
Caracoche, María C. See Scian, Alberto N.
Carda, Juan; Monrós, Guillermo; Tena, Ma. Angeles; Escribano, Purificación; and Rincón, Jesús Ma.
Composition microheterogeneity of uvarovite–grossularite garnets. (8) 2097
Carountzos, George See Kontoyannis, Christos G.
Carter, C. Barry See Kotula, Paul G.
Cassidy, David J. See Vance, Eric R.
Castaing, Jacques See Lagerlöf, K. Peter D.
Cauchetier, Michel; Croix, Odette; Herlin, Nathalie; and Luce, Michel
Nanocomposite Si/C/N powder production by laser–aerosol interaction. (4) 993
Cavin, O. Burl See Park, Dong Gon
Chabert, Françoise See Chatain, Dominique
Chaim, Rachman; Almaleh-Rockman, Sylvie; Gal-Or, Leah; and Bestgen, Harro
Electrochemical chromium(III) oxide coatings on non-oxide ceramic substrates. (12) 3202
Chaim, Rachman; and Heuer, Arthur H.
Crystallization in a barium-containing magnesium aluminosilicate glass-ceramic—correction. (5) 1406
Chan, Helen M. See French, Jonathan D.
Chang, Edward K. See Bheemineni, Veerabhadrarao
Chang, Jeanne C.; Lange, Fred F.; and Pearson, Dale S.
Viscosity and yield stress of alumina slurries containing large concentrations of electrolyte. (1) 19
Chang, Jeanne C.; Lange, Fred F.; Pearson, Dale S.; and Pollinger, John P.
Pressure sensitivity for particle packing of aqueous Al_2O_3 slurries vs interparticle potential. (5) 1357
Chang, Yen-Hwei See Yen Tsung-Fu
Chatain, Dominique; Chabert, Françoise; Ghetta, Véronique; and Fouletier, Jacques
New experimental setup for wettability characterization under monitored oxygen activity: II, Wettability of sapphire by silver–oxygen melts. (1) 197
Chayahara, Akiyoshi See Fukumi, Kohei
Chen, Christina H.; and Kumar, Binod
Superconductivity in the $(YBa_2Cu_3)_{1-x}Na_xO_{7-\delta}$ system. (4) 1025
Chen, Chu Sheng See Boutz, Michel M. R.
Chen, Hsi-Kuei; Lin, Chun-I; and Lee, Chiapyng
Kinetics of the reduction of carbon/alumina powder mixture in a flowing nitrogen stream. (7) 1753
Chen, I-Wei See Chen, Pei-Lin; Chen, San-Yuan; Hwang, Shyh-Lung; Jacobs, David S.; Li, Ping; Liu, Shih-Yu
Chen, Pei-Lin; and Chen, I-Wei
Role of defect interaction in boundary mobility and cation diffusivity of CeO_2. (9) 2289
Chen, Qitao T. See Li, Deyu Y.
Chen, San-Yuan; and Chen, I-Wei
Temperature–time texture transition of $Pb(Zr_{1-x}Ti_x)O_3$ thin films: I, Role of Pb-rich intermediate phases. (9) 2332; Temperature–time texture transition of $Pb(Zr_{1-x}Ti_x)O_3$ thin films: II, Heat treatment and compositional effects. (9) 2337
Chen, Ting-guo See Cai, Jie
Chen, Weizhe See Sun, Qingping
Chen, Wei; Pechenik, Alexander; Dapkunas, Stanley J.; Piermarini, Gasper J.; and Malghan, Subhas G.
Novel equipment for the study of the compaction of fine powders. (4) 1005
Cheng, Hsiu-Fung
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.7}Ba_{0.3})TiO_3$ ceramics—reply. (4) 1115
Cheng, H. S. See Liu, Hiyan
Cheng, Yi-Bing; and Thompson, Derek P.
Aluminum-containing nitrogen melilite phases. (1) 143
Chiang, Yet-Ming; Silverman, Lee A.; French, Roger H.; and Cannon, Rowland M.
Thin glass film between ultrafine conductor particles in thick-film resistors. (5) 1143
Ching, W. Y.; and Xu, Yong-Nian
First-principles calculation of electronic, optical, and structural properties of α-Al_2O_3. (2) 404
Chinn, Richard
Grain sizes of ceramics by automatic image analysis. (2) 589
Chiou, Bi-Shiou; Hsieh, Shu-Ta; and Wu, Wen-Fa
Deposition of indium tin oxide films on acrylic substrates by radiofrequency magnetron sputtering. (7) 1740
Chiou, Song; and Hahn, H. Thomas
Ultrasonic sol/gel processing of aluminoborosilicate glass and its composite with carbon fiber reinforcement. (1) 155
Chiu, Hung-Liang See Huang, Jow-Lay
Cho, Seong-Jai See Lee, Dong-Han
Cho, Seong-Jai; Huh, Yong-Hak; Yoon, Kyung-Jin; and Ogawa, Tomeyoshi
Aspects in grinding of ceramics. (9) 2443
Choi, Sung R; and Salem, Jonathan A.
Thermal shock behavior of silicon nitride flexure beam specimens with indentation cracks. (3) 835; Crack-growth resistance of *in situ*-toughened silicon nitride. (4) 1042
Chou, Tsu-Wei See Tai, Nyan-Hwa
Chou, Yeong-Shyung; Ramberg, C. Eric; and Hellmann, John R.
Fabrication of continuous-fiber-reinforced polycrystalline oxide composites via molten salt infiltration. (5) 1361
Christensen, Bruce J.; Coverdale, R. Tate; Olson, Rudolf A.; Ford, Steven J.; Garboczi, Edward J.; Jennings, Hamlin M.; and Mason, Thomas O.
Impedance spectroscopy of hydrating cement-based materials: Measurement, interpretation, and application. (11) 2789
Christoffersen, Roy; Davies, Peter K.; Wei, Xiaohan; and Negas, Taki
Effect of Sn substitution on cation ordering in $(Zr_{1-x}Sn_x)TiO_4$ microwave dielectric ceramics. (6) 1441
Chumbley, L. Scott See Han, Yong; Voiles, E. Todd
Chung, D. D. L. See Zhu, Mingguang
Chung, Su-Jin See Park, Bong Mo; Park, Seung-Eek
Chung, Yau-Don; and Schlesinger, Mark E.
Interaction of CaO–FeO–SiO_2 slags with partially stabilized zirconia. (3) 611
Cima, Michael J. See Higgins, Richard J.; Lewis, Jennifer A.
Cinibulk, Michael K. See Tanaka, Isao
Clarke, David R. See Drennan, John; Ducker, William A.; Ma, Qing; Tanaka, Isao
Claus, Jürgen See Kiessling, Uta
Claussen, Nils See Holz, Dietmar; Schön, Stefan; Wu, Suxing
Cochran, Gene A. See Weimer, Alan W.
Cochran, Joe K. See Meyer, Richard, Jr.
Cockcroft, Steven L.; Brimacombe, J. Keith; Walrod, Dennis G.; and Myles, Thomas A.
Thermal stress analysis of fused-cast AZS refractories during production: Part I, Industrial study. (6) 1505; Thermal stress analysis of fused-cast AZS refractories during production: Part II, Development of thermo-elastic stress model. (6) 1512
Cook, Lawrence P. See Wong-Ng, Winnie
Cook, Robert F.
Deformation and fracture by sharp rolling contacts. (5) 1263
Cook, Robert F.; Liniger, Eric G.; Steinbrech, Rolf W.; and Deuerler, Friederike
Sigmoidal indentation–strength characteristics of polycrystalline alumina. (2) 303
Cooley, Kevin M. See Besmann, Theodore M.
Cooper, Elizabeth A.; and Nastasi, Michael
Ion-beam mixing of iron oxide marker layers in doped and undoped alumina thin films. (1) 268
Cooper, George A. See Lin, Tze-Pin
Cooper, Reid F. See King, Todd T.
Corradi, Anna Bonamartini; Manfredini, Tiziano; Pellacani, Gian Carlo; and Pozzi, Paolo
Deflocculation of concentrated aqueous clay suspensions with sodium polymethacrylates. (2) 509
Coté, Bertrand See Poe, Brent T.
Coutures, Jean-Pierre See Poe, Brent T.
Coverdale, R. Tate See Christensen, Bruce J.; Skamser, Daniel J.
Cowdin, Eric See Singh, Dileep
Cox, Brian N. See Morris, Winfred L.
Croix, Odette See Cauchetier, Michel
Cross, L. Eric See Jiang, Qiyue; Kushida, Keiko; Oh, Ki-Young
Cumbrera, Francisco L. See Kaliszewski, Mary S.
Curran, Sean See van Weeren, Remco
Curtin, William A.
Strength versus gauge length in ceramic-matrix composites. (4) 1072; *In situ* fiber strengths in ceramic-matrix composites from fracture mirrors. (4) 1075
Dadras, Parviz; and Mehrotra, Gopal M.
Joining of carbon–carbon composites by graphite formation. (6) 1419
Dai, Fuloon See Sun, Qingping
Daigleish, Brian J. See Rogers, Kirk A.
Damjanovic, Dragan See Troilo, Louis M.
Damodaran, Alathoor D. See Varma, Hari Krishna
Danforth, Stephen C. See van Weeren, Remco
Dapkunas, Stanley J. See Chen, Wei
Davies, Peter K. See Brosha, Eric L.; Christoffersen, Roy; Zhang, Yan
Davison, Terry S. See Eldridge, Jeffrey I.
Day, Delbert E. See Huang, Wen-Hai
DebRoy, Tarasankar See Banerjee, Aditi; Venugopalan, Hari
DebRoy, Tarasankar; Bandopadhyay, Amitava; and Roy, Rustum
Oxide matrix composite by directional oxidation of a commercial aluminum–magnesium alloy. (5) 1296
Deki, Shigehito See Hashimoto, Noboru
Delikouras, Evangelos A.; and Perlmutter, Daniel D.
Characterization of PLZT films deposited by spray pyrolysis. (12) 3142
den Exter, Peter; Winnubst, Louis; Leuwerink, Theo H. P.; and Burggraaf, Anthonie J.
Effect of calcination on the sintering of gel-derived, zirconia-toughened alumina. (9) 2376
Derby, Brian See Xiao, Ping
Derderian, Garo J.; Barrie, James D.; Aitchison, Kenneth A.; Adams, Paul M.; and Mecartney, Martha L.
Microstructure/process relations in sol-gel-prepared $KNbO_3$ thin films on (100) MgO. (3) 820
Desu, Seshu B. See Peng, Chien H.
Deuerler, Friederike See Cook, Robert F.
de Aza, Salvador See Liu, Kuo-Chung
de Baranda, Pedro Sainz; Knudsen, Arne K.; and Ruh, Edwin
Effect of yttria on the thermal conductivity of aluminum nitride. (7) 1846
de Groot, Klaas See Li, Panjian
De Jonghe, Lutgard C. See Lu, Chung-Hsin; Ohji, Tatsuki
De Vita, Alessandro See Kruse, Carsten
Dhalenne, Guy See Dravid, Vinayak P.
Diamond, Sidney See Bonen, David
Dickerson, Robert M.; Laraia, Vincent J.; and Heuer, Arthur H.
Precipitate coarsening by liquid film migration in (Mg,Ca)-PSZ's. (10) 2657
Dieckmann, Rüdiger See Solmon, Hélène
Dimos, Duane See Warren, William L.
Dimos, Duane; Schwartz, Robert W; and Lockwood, Steven J.
Control of leakage resistance in $Pb(Zr,Ti)O_3$ thin films by donor doping. (11) 3000
Ding, Jow-Lian; Liu, Kenneth C.; More, Karren L.; and Brinkman, C. R.
Creep and creep rupture of an advanced silicon nitride ceramic. (4) 867
Ding, Yong; Miura, Yoshinari; and Osaka, Akiyoshi
Polar-oriented crystallization of fresnoite ($Ba_2TiSi_2O_8$) on glass surface due to ultrasonic treatment with suspensions. (11) 2905
Ding, Yong; Osaka, Akiyoshi; and Miura, Yoshinari
Enhanced surface crystallization of β-barium borate on glass due to ultrasonic treatment. (3) 749
Dobson, Christopher M. See Brough, Adrian R.
Domergue, J.-M. See Evans, Anthony G.
Dominguez-Rodriguez, Arturo See Dransmann, Gerhard W.; Kaliszewski, Mary S.
Donaldson, Kimberly Y. See Hasselman, D. P. H.
Dougherty, Joseph P. See Wang, Sea Fue
Dransmann, Gerhard W. See Kaliszewski, Mary S.
Dransmann, Gerhard W.; Steinbrech, Rolf W.; Pajares, Antonia; Guiberteau, Fernando; Dominguez-Rodriguez, Arturo; and Heuer, Arthur H.
Indentation studies on Y_2O_3-stabilized ZrO_2: II, Toughness determination from stable growth of indentation-induced cracks. (5) 1194
Dravid, Vinayak P. See Hwang, Jin-Ha
Dravid, Vinayak P.; Ravikumar, V.; Notis, Michael R.; Lyman, Charles E.; Dhalenne, Guy; and Revcolevschi, Alexandre
Stabilization of cubic zirconia with manganese oxide. (10) 2758
Drennan, John; Clarke, David R.; Hannink, Richard H. J.; and Shaw, Thomas M.
Effect of oxygen partial pressure during sintering on the microstructure of Mg-PSZ with strontia and silica additions. (8) 2001
Drew, Robin A. L. See Baik, Youngmin
Drobeck, David L. See Fung, Kuan Zong
Du, Yong; Yashima, Masatomo; Kakihana, Masato; Koura, Toshiaki; and Yoshimura, Masahiro
Thermodynamic properties of cerium oxalate and cerium oxide—comment. (10) 2783

Ducker, William A.; Xu, Z.; Clarke, David R.; and Israelachvili, Jacob N.
Forces between alumina surfaces in salt solutions: Non-DLVO forces and the implications for colloidal processing. (2) 437
Duraud, Jean-Paul See Gautier, Martine
Eaton, Harvill C. See Schilling, Paul J.
Egashira, Makoto; Shimizu, Yasuhiro; Takao, Yuji; Yamaguchi, Ryoji; and Ishikawa, Yasuhiro
Effect of carboxylic acid adsorption on the hydrolysis and sintered properties of aluminum nitride powder. (7) 1793
Egashira, Yasuyuki; Kim, Hee-Joon; and Komiyama, Hiroshi
Cluster size determination in the chemical vapor deposition of aluminum nitride. (8) 2009
Einset, Erik O.; Patibandla, Nag-Bhushan; and Luthra, Krishan L.
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition. (12) 3081
Eisman, Glenn A. See Weimer, Alan W.
Ekström, Thommy; Herbertsson, Harald; James, Matthew; and Fleck, Ian
Nd_2O_3-doped Sialons with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing. (12) 3087
Eldridge, Jeffrey I.; Wiening, Jonathan P.; Davison, Terry S.; and Pindera, Marek-Jerzy
Transverse strength of SCS-6 silicon carbide fibers—correction. (3) 860
Ellis, Donald E.; Guo, Jun; and Lam, Daniel J.
Cluster models of bulk, surface, and impurity structure in α-alumina. (2) 398
Elthon, Don See Tsang, Chi-Fo
Endo, Tadashi See Takizawa, Hirotsugu
Erickson, Dwight D. See Kotula, Paul G.
Erkmen, Z. Engin; and Anghaie, Samim
Interaction of yttria with uranium fluoride gases (UF_n, $n = 4$, 6) at high temperatures. (6) 1624
Escribano, Purificación See Carda, Juan
Evans, Anthony G. See Brøndsted, Povl; Cao, Hengchu; Heredia, Fernando E.; Lam, David C. C.; Sergo, Valter; Spearing, S. Mark; Weber, Christian H.
Evans, Anthony G.; Domergue, J.-M.; and Vagaggini, E.
Methodology for relating the tensile constitutive behavior of ceramic-matrix composites to constituent properties. (6) 1425
Evans, Julian R. G. See Song, Jin-Hua
Faber, K. T. See Paulik, Steven W.
Fahrenholtz, William G.; and Smith, Douglas M.
Densification and microstructure of sodium-doped colloidal mullite. (5) 1377
Fan, Jiwei; and Freer, Robert
Deep level transient spectroscopy of zinc oxide varistors doped with aluminum oxide and/or silver oxide. (10) 2663
Fang, Ho T. See Menon, Mamballykalathil N.
Fargeot, Dominique See Huger, Marc
Farneth, William E. See Higgins, Richard J.
Farris, Richard J. See Maden, Michele A.; Tong, Quinn K.
Feke, Donald L. See Wernet, Judith
Feng, Man; and Goodenough, John B.
Improving stabilized zirconia with strontium gallate. (7) 1954
Ferber, Mattison K. See Lin, Hua-Tay; Menon, Mamballykalathil N.; Zutshi, Ajoy
Ferber, Mattison K.; Jenkins, Michael G.; Nolan, Theodore A.; and Yeckley, Russell L.
Comparison of the creep and creep rupture performance of two HIPed silicon nitride ceramics. (3) 657
Fernández, Julian Martínez; Melendo, Manuel Jiménez; Rodríguez, Arturo Domínguez; Heuer, Arthur H.; and Hayakawa, Motozo
An unusual twin structure in transformed precipitates in Y-PSZ single crystals. (1) 57; An unusual twin structure in transformed precipitates in Y-PSZ single crystals—correction. (3) 862
Fernandez-Baca, Jaime A. See Wang, Xun-Li
Fett, Theo; Munz, Dietrich; Yu, Chang-Te; and Kobayashi, Albert S.
Determination of bridging stresses in reinforced Al_2O_3. (12) 3267
Filipuzzi, Ludovic; Camus, Gerald; Naslain, Roger; and Thebault, Jacques
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: I, An experimental approach. (2) 459
Filipuzzi, Ludovic; and Naslain, Roger
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: II, Modeling. (2) 467
Fine, Morris E. See Liu, Haiyan
Finlayson, Trevor R.; Gross, Anita K.; Griffiths, John R.; and Kisi, Erich H.
Creep of Mg-PSZ at room temperature. (3) 617
Finnis, Michael W. See Kruse, Carsten
Flagan, Richard C. See Rulison, Aaron J.
Fleck, Ian See Ekström, Thommy
Fleischer, Maximilian See Lohwasser, Werner
Folsom, Craig A.; Zok, Frank W.; and Lange, Fred F.
Flexural properties of brittle multilayer materials: I, Modeling. (3) 689; Flexural properties of brittle multilayer materials: II, Experiments. (8) 2081
Ford, Steven J. See Christensen, Bruce J.
Fouletier, Jacques See Chatain, Dominique
Frade, Jorge R.; and Cable, Michael
Diffusion-controlled growth or dissolution of spheres with variable temperature. (4) 999
Freer, Robert See Fan, Jiwei
Freiman, Stephen W. See Lindsay, Curtis G.; White, Grady S.
French, Jonathan D.; Zhao, Junhong; Harmer, Martin P.; Chan, Helen M.; and Miller, Gary A.
Creep of duplex microstructures. (11) 2857
French, Roger H. See Chiang, Yet-Ming; Handwerker, Carol A.
French, Roger H.; and Heuer, Arthur H.
International workshop on the science of alumina. (2) 292
French, Roger H.; Jones, David J.; and Loughin, Stephen
Interband electronic structure of α-alumina up to 2167 K. (2) 412
Fuenzalida, Víctor M. See Pilleux, Mauricio E.
Fujii, Kanenaga See Fukumi, Kohei
Fujikawa, Takao See Nanko, Makoto
Fujimoto, Masayuki See Tsuzuku, Koichiro
Fujimoto, Masayuki
Inner stress induced by Cu metal precipitation at grain boundaries in low-temperature-fired Ni-Zn-Cu ferrite. (11) 2873
Fujino, Shigeru See Takebe, Hiromichi
Fujitsu, Satoru; and Hamada, Tomosuke
Electrical properties of manganese-doped titanium dioxide. (12) 3281
Fukai, Seiki See Tanaka, Hiroshi
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi; Yoshida, Hideto; and Aoki, Katsumi
Structure and microtexture changes in phosphorous-bearing Ca_3SiO_5 solid solutions. (10) 2615
Fukuda, Koichiro; Maki, Iwao; Ito, Suketoshi; Yoshida, Hideto; and Kato, Chika
Effect of Al/Fe ratio in belite on the microtexture induced by the remelting reaction. (11) 3027
Fukuda, Koichi; Kitoh, Ryozo; and Awai, Ikuo
Far-infrared reflection spectra of dielectric ceramics for microwave applications. (1) 149
Fukumi, Kohei; Chayahara, Akiyoshi; Makihara, Masaki; Fujii, Kanenaga; Hayakawa, Junji; and Satou, Mamoru
Chemical states of implanted aluminum ions in silica and silicon ions in alumina. (11) 3019
Fuller, Edwin R., Jr. See Paulik, Steven W.; Sridhar, Narayanaswamy
Fung, Kuan Zong; Virkar, Anil V.; and Drobeck, David L.
Massive transformation in the Y_2O_3–Bi_2O_3 system. (6) 1638
Funkenbusch, Paul D. See Zhou, Yiyang
Furukawa, Osamu See Kanai, Hideyuki
Gachigi, Kamau wa See Brodeur, Russell P.
Gagnon, David R. See Vanderah, Terrell A.
Galasso, Francis S. See Shen, Lu
Gallagher, Patrick K. See O'Bryan, Henry M.
Gallas, Marcia R.; Hockey, Bernard; Pechenik, Alexander; and Piermarini, Gasper J.
Fabrication of transparent γ-Al_2O_3 from nanosize particles. (8) 2107
Gallas, Marcia R.; and Piermarini, Gasper J.
Bulk modulus and Young's modulus of nanocrystalline γ-alumina. (11) 2917
Gallois, Bernard M.; Besmann, Theodore M.; and Stott, Michael W.
Chemical etching of silicon (100) by hydrogen. (11) 2949
Gal-Or, Leah See Chaim, Rachman
Garboczi, Edward J. See Christensen, Bruce J.
Garzon, Fernando H. See Brosha, Eric L.
Gasdaska, Charles J.
Tensile creep in an *in situ* reinforced silicon nitride. (9) 2408
Gaskell, David R. See Kim, Jung-Sik
Gauckler, Ludwig J. See Hasselman, D. P. H.; Suzuki, Ryosuke O.
Gault, Christian See Huger, Marc
Gautier, Martine; Renaud, Gilles; Pham Van, Laurent; Villette, Bruno; Pollak, Maud; Thromat, Nathalie; Jollet, François; and Duraud, Jean-Paul
α-Al_2O_3 (0001) surfaces: Atomic and electronic structure. (2) 323
Geiger, Alan L. See Liu, Haiyan
Gerblinger, Josef See Lohwasser, Werner
German, Randall M.
Homogeneity effects on feedstock viscosity in powder injection molding. (1) 283
Ghetta, Véronique See Chatain, Dominique
Giannelis, Emmanuel P. See Keddie, Joseph L.
Giese, Ross F. See Li, Zhaohui
Gillan, Michael J. See Kruse, Carsten; Manassidis, Ioannis
Glaeser, Andreas M. See Bullard, Jeffrey W.
Golini, Donald See Zhou, Yiyang
Goodenough, John B. See Feng, Man
Gorman, Grace See MacManus-Driscoll, Judith L.
Goto, Takashi See Narushima, Takayuki
Grader, Gideon S. See Shter, Gennady E.
Graham, David W.; and Stinton, David P.
Development of tantalum pentoxide coatings by chemical vapor deposition. (9) 2298
Grahmann, Carlos R. See Pilleux, Mauricio E.
Green, David J. See Brown, David D.; Watkins, Thomas R.
Griffiths, John R. See Finlayson, Trevor R.
Grimes, Robin W.
Solution of MgO, CaO, and TiO_2 in α-Al_2O_3. (2) 378
Gross, Anita K. See Finlayson, Trevor R.
Groves, Geoffrey W. See Brough, Adrian R.
Gruy, Frédéric; and Pijolat, Michèle
Kinetics of CeO_2 surface area reduction in a mixture of HCl, H_2O, and O_2. (6) 1537
Gu, Weizhong; Porter, John R.; and Langdon, Terence G.
Evidence for anelastic creep recovery in silicon carbide-whisker-reinforced alumina. (6) 1679
Guette, Alain See Prouhet, Stéphane
Guiberteau, Fernando See Dransmann, Gerhard W.; Kaliszewski, Mary S.
Guiberteau, Fernando; Padture, Nitin P.; and Lawn, Brian R.
Effect of grain size on Hertzian contact damage in alumina. (7) 1825
Guiton, Theresa A. See Weimer, Alan W.
Gülgün, Mehmet A.; Popoola, Oludele O.; and Kriven, Waltraud M.
Chemical synthesis and characterization of calcium aluminate powders. (2) 531; Chemical synthesis and characterization of calcium aluminate powders—correction. (7) 1982
Guo, Jing-kun See Cai, Jie
Guo, Jun See Ellis, Donald E.
Gupta, Prabhat K.; Inniss, Daryl; Kurkjian, Charles R.; and Brownlow, Darryl L.
Determination of crack velocity as a function of stress intensity from static fatigue data. (9) 2445
Gutzov, Stoyan; Ponahlo, Johann; Lengauer, Christian L.; and Beran, Anton
Phase characterization of precipitated zirconia. (6) 1649
Haber, Richard A. See Smith, Peter A.; Zutshi, Ajoy
Hagège, Serge See Backhaus-Ricoult, Monika
Hagiwara, Jun See Narushima, Takayuki
Hague, Douglas C.; and Mayo, Merrilea J.
Controlling crystallinity during processing of nanocrystalline titania. (7) 1957
Hahn, Horst See Skandan, Ganesh
Hahn, H. Thomas See Chiou, Song
Halloran, John W. See Baskaran, Suresh
Hamada, Tomosuke See Fujitsu, Satoru
Hamaguchi, Hiro-o See Kim, Byung-Kook
Hamaji, Yukio See Kajiyoshi, Koji
Hamasaki, Toyohiro; and Ishizaki, Kozo
Qualitative and quantitative evaluation of silicon nitride grain-boundary phase κ_{ij} cryogenic specific heat measurements. (4) 1101
Hammond, Michael See Breval, Else
Han, Yong See Voiles, E. Todd
Han, Yong; Voiles, E. Todd; Chumbley, L. Scott; Akinc, Mufit; Naiini, Ahmad A.; and Verkade, John G.
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders. (12) 3153
Hanaki, Yoshikazu See Nishida, Toshihiko
Handwerker, Carol A. See Kim, Doh-Yeon
Handwerker, Carol A.; Cannon, Rowland, M.; and French, Roger H.
Robert L. Coble: A retrospective. (2) 293
Hannink, Richard H. J. See Drennan, John
Hannink, Richard H. J.; Howard, Christopher J.; Kisi, Erich H.; and Swain, Michael V.
Relationship between fracture toughness and phase assemblage in Mg-PSZ. (2) 571
Hansson, T. See Ramamurty, U.
Harmer, Martin P. See Bheemineni, Veerabhadrarao; French, Jonathan D.
Harshé, Girish; Agrawal, Dinesh; and Limaye, Santosh
High-temperature mechanical properties and chemical stability of $Ba_{1+x}Zr_xP_{6-2x}Si_{2x}O_{24}$ low-thermal-expansion ceramics. (7) 1965
Hart, Kaye P. See Mitamura, Hisayoshi
Hasegawa, Takeshi See Tsuchida, Takeshi
Hashida, Toshiyuki; Li, Victor C.; and Takahashi, Hideaki
New development of the *J*-based fracture testing technique for ceramic-matrix composites. (6) 1553
Hashimoto, Masaaki See Mitamura, Hisayoshi
Hashimoto, Noboru; Deki, Shigehito; Yato, Hisanari; and Kanaji, Yukio
Effect of polynuclear complex content on the synthesis of aluminum nitride from aluminum polynuclear complex. (6) 1633
Hasløv, Peter; Jensen, Knud Bundgaard; and Skovgaard, Niels H.
Degradation of stressed optical fibers in water: New worst-case lifetime estimation model. (6) 1531
Hasselman, D. P. H.; Donaldson, Kimberly Y.; Liu, Jeng; Gauckler, Ludwig J.; and Ownby, P. Darrell
Thermal conductivity of a particulate-diamond-reinforced cordierite matrix composite. (7) 1757
Haverlock, Tamara J. See Bamberger, Carlos E.
Haviar, Miroslav
Influence of oxygen content on formation of yttrium α-SiAlON ceramics. (9) 2425
Hay, Jack C. See White, Kenneth W.
Hay, Randall S.
Kinetics and deformation during the reaction of yttrium-aluminum perovskite and alumina to yttrium-aluminum garnet. (6) 1473
Hayakawa, Junji See Fukumi, Kohei
Hayakawa, Motozo See Fernández, Julian Martínez
Hayashi, Masaru See Kanai, Hideyuki
He, Ming Y. See Heredia, Fernando E.
Heintz, Jean-Marc; Sudre, Olivier; and Lange, Fred F.
Instability of polycrystalline bridges that span cracks in powder films densified on a substrate. (3) 787
Hellmann, John R. See Chou, Yeong-Shyung; Trumbauer, Eric R.
Henager, Charles H., Jr.; and Jones, Russell H.
Subcritical crack growth in CVI silicon carbide reinforced with nicalon fibers: Experiment and model. (9) 2381
Henley, John P. See Weimer, Alan W.
Herbertsson, Harald See Ekström, Thommy
Heredia, Fernando E. See Brøndsted, Povl

Heredia, Fernando E.; Spearing, S. Mark; Mackin, Thomas J.; He, Ming Y.; Evans, Anthony G.; Mosher, Paul; and Brøndsted, Povl
Notch effects in carbon matrix composites. (11) 2817
Herlin, Nathalie See Cauchetier, Michel
Hesse, Kenneth See Kinsman, Karin M.
Heuer, Arthur H. See Chaim, Rachman; Dickerson, Robert M.; Dransmann, Gerhard W.; Fernández, Julian Martínez; French, Roger H.; Kaliszewski, Mary S.; Lagerlöf, K. Peter D.; Powell-Dogan, Cynthia A.; Unal, Ozer
Hibino, Takeshi; Tsuyuki, Naomitsu; and Ishida, Hideki
Effect of treatment of reactive aggregate by H_2O_2 on the alkali–silica reaction. (6) 1522
Higby, Paige L. See Jewell, John M.
Higgins, Richard J.; Rhine, Wendell E.; Cima, Michael J.; Bowen, H. Kent; and Farneth, William E.
Ceramic surface reactions and carbon retention during non-oxidative binder removal: Al_2O_3/poly(methyl methacrylate) at 20°–700°C. (9) 2243
Hikita, Kazuyasu; Miyayama, Masaru; and Yanagida, Hiroaki
New gas-sensing method for detecting carbon monoxide by use of the complex impedance of a CuO/ZnO heterocontact under a dc bias voltage. (7) 1961
Hill, Michael D. See Rawn, Claudia J.; Wong-Ng, Winnie
Hirai, Hisako; and Kondo, Ken-ichi
Shock-compacted Si_3N_4 nanocrystalline ceramics: Mechanisms of consolidation and of transition from α- to β-form. (2) 487
Hirai, Toshio See Narushima, Takayuki
Hirano, Takeshi See Ohji, Tatsuki
Hirao, Kiyoshi; Nagaoka, Takaaki; Brito, Manuel E.; and Kanzaki, Shuzo
Microstructure control of silicon nitride by seeding with rod-like β-silicon nitride particles. (7) 1857
Hirayama, Shigekazu See Nakamura, Yoshikazu
Hirosaki, Naoto See Ogasawara, Toshio
Hirosaki, Naoto; Akimune, Yoshio; and Mitomo, Mamoru
Microstructure characterization of gas-pressure-sintered β-silicon nitride containing large β-silicon nitride seeds. (4) 1093
Hirose, Seiji See Takahashi, Sadayuki
Hirota, Ken See Ishida, Koji; Kimoto, Shinya; Yamakata, Kōji
Ho, In-Chyuan
Semiconducting barium titanate ceramics prepared by boron-containing liquid-phase sintering. (3) 829
Höche, Thomas See Bruley, John
Höche, Thomas; Kenway, Philip R.; Kleebe, Hans-Joachim; Rühle, Manfred; and Morris, Patricia A.
High-resolution transmission electron microscopy studies of a near Σ11 grain boundary in α-alumina. (2) 339
Hockey, Bernard See Gallas, Marcia R.; Kim, Doh-Yeon
Holmes, John W.; Wu, Xin; and Sørensen, Bent F.
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite. (12) 3284
Holz, Dietmar; Wu, Suxing; Scheppokat, Sven; and Claussen, Nils
Effect of processing parameters on phase and microstructure evolution in RBAO ceramics. (10) 2509
Hong, Gye-Won See Lee, Hee-Gyoun
Hong, Kug Sun See Park, Seung-Eek
Honma, Itaru See Kundu, Debtosh
Hood, Michael See Lin, Tze-Pin
Hook, Bruce D. See Weimer, Alan W.
Hou, Tien I; and Kriven, Waltraud M.
Mechanical properties and microstructure of Ca_2SiO_4–$CaZrO_3$ composites. (1) 65
Howard, Christopher J. See Argyriou, Dimitri N.; Hannink, Richard H. J.
Howell, F. Scott See Itatani, Kiyoshi
Hsieh, Shu-Ta See Chiou, Bi-Shiou
Hsu, Jen-Yan See Lin, Wen-yi; Sundaram, S. Kamakshi
Hsu, Stephen M. See Zutshi, Ajoy
Hu, Chen-Ti See Lee, Chengkuo
Hu, Ching-Li; and Rahaman, Mohamed N.
Dense Al_2O_3/ZrO_2 particulate composites by free sintering of coated powders. (3) 815
Hu, Zhuang-qi See Li, Ya-li
Huang, Chao M. See Xu, Youren
Huang, Chao M.; Kuo, Dong H.; Kim, Youn J.; and Kriven, Waltraud M.
Phase stability of chemically derived enstatite ($MgSiO_3$) powders. (10) 2625
Huang, Jow-Lay; Chiu, Hung-Liang; and Lee, Ming-Tung
Microstructure and chemical reaction in a Si_3N_4–TiC composite. (3) 705
Huang, Wen-Hai; Ray, Chandra S.; and Day, Delbert E.
Color and selected properties of PbO–$BiO_{1.5}$–$GaO_{1.5}$ glasses. (4) 1017
Huang, Yong See Zhang, Zongtao
Huang, Zhen-Kun; Nunn, Steve D.; Peterson, Irene; and Tien, Tseng-Ying
Formation of N-phase and phase relationships in MgO–Si_3N_4O–Al_2O_3 system. (12) 3251
Huang, Zhen-Kun; and Tien, Tseng-Ying
Solid–liquid reaction in the system Si_3N_4–$Y_3Al_5O_{12}$–$Y_2Si_2O_7$ under 1 MPa of nitrogen. (10) 2763
Hubbard, Camden R. See Menon, Mamballykalathil N.; Park, Dong Gon; Wang, Xun-Li
Huebner, Wayne See Stevenson, Jeffry W.; Wang, Sea Fue
Huger, Marc; Fargeot, Dominique; and Gault, Christian
Ultrasonic characterization of oxidation mechanisms in Nicalon/C/SiC composites. (10) 2554
Hughes, Christopher See Plucknett, Kevin P.
Hughes, Neal N. See Moyer, John R.
Huh, Yong-Hak See Cho, Seong-Jai
Huybrechts, Ben; Ishizaki, Kozo; and Takata, Masasuke
Proposed phenomenological PTCR model and accompanying phenomenological PTCR chart. (1) 286
Huybrechts, Ben; Takata, Masasuke; and Ishizaki, Kozo
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—comment. (4) 1113
Hwang, Jin-Ha; Mason, Thomas O.; and Dravid, Vinayak P.
Microanalytical determination of ZnO solidus and liquidus boundaries in the ZnO–Bi_2O_3 system. (6) 1499
Hwang, Shyh-Lung; and Chen, I-Wei
Reaction hot pressing of α′- and β′-SiAlON (1) 165; Nucleation and growth of α′-SiAlON on α-Si_3N_4. (7) 1711; Nucleation and growth of β′-SiAlON. (7) 1719; Superplastic forming of SiAlON ceramics. (10) 2575
Hyun, Sang-Hoon See Kim, Dae-Joon
Hyun, Sang-Hoon.; and Kang, Beom S.
Synthesis of nanoparticulate silica composite membranes by the pressurized sol–gel technique. (12) 3093
Igashira, Ken'ichiro See Tanaka, Isao
Iguchi, Yasutaka See Narushima, Takayuki
Inagaki, Michio See Tsuchida, Takeshi
Inamura, Suguru See Ishida, Koji; Kimoto, Shinya; Yamakata, Kōji
Inman, Richard V. See Morris, Winfred L.
Inniss, Daryl See Gupta, Prabhat K.
Inniss, Daryl; Zhong, Qian; and Kurkjian, Charles R.
Chemically corroded pristine silica fibers: Blunt or sharp flaws? (3) 861
Inoue, Satoru; Nukui, Akihiko; Soga, Kohei; and Makishima, Akio
Effect of Yb^{3+}-codoping on the upconversion emission intensity in Er^{3+}-doped ZBLAN fluoride glasses under 800-nm excitation. (9) 2433
Inoue, Takayuki See Kashihara, Seiichi
Ishida, Atsumu; Miyayama, Masaru; and Yanagida, Hiroaki
Prediction of fracture and detection of fatigue in ceramic composites from electrical resistivity measurements. (4) 1057
Ishida, Hideki See Hibino, Takeshi; Isu, Norifumi; Okada, Yoshihiko
Ishida, Koji; Hirota, Ken; Yamaguchi, Osamu; Kume, Hideki; Inamura, Suguru; and Miyamoto, Hiroki
Formation of zirconia solid solutions containing alumina prepared by new preparation method. (5) 1391
Ishihara, Tatsumi; Kudo, Takanari; Matsuda, Hideaki; and Takita, Yusaku
Doped perovskite oxide, $PrMnO_3$, as a new cathode for solid-oxide fuel cells that decreases the operating temperature. (6) 1682
Ishikawa, Yasuhiro See Egashira, Makoto
Ishizaki, Kozo See Hamasaki, Toyohiro; Huybrechts, Ben; Nanko, Makoto
Isobe, Tetsuhiko See Komatsubara, Satoru
Israelachvili, Jacob N. See Ducker, William A.
Isu, Norifumi; Sasaki, Kaori; Ishida, Hideki; and Mitsuda, Takeshi
Mechanical property evolution during autoclaving process of aerated concrete using slag: I, Tobermorite formation and reaction behavior of slag. (8) 2088
Isu, Norifumi; Teramura, Satoshi; Ishida, Hideki; and Mitsuda, Takeshi
Mechanical property evolution during autoclaving process of aerated concrete using slag: II, Fracture toughness and microstructure. (8) 2093
Itatani, Kiyoshi; Nishioka, Toshio; Seike, Satoru; Howell, F. Scott; Kishioka, Akira; and Kinoshita, Makio
Sinterability of β-calcium orthophosphate powder prepared by spray-pyrolysis. (3) 801
Ito, Suketoshi See Fukuda, Koichiro
Itoh, Hibiki See Mori, Masashi
Iwasaki, Katsuhiro See Komatsu, Masao
Jacob, K. Thomas See Mathews, Tom
Jacob, K. Thomas; and Waseda, Yoshio
High-temperature stability of $Ca_2ZrSi_4O_{12}$. (11) 3033
Jacobs, David S.; and Chen, I-Wei
Mechanical and environmental factors in the cyclic and static fatigue of silicon nitride. (5) 1153
Jacobs, Patrick W. M.; and Kotomin, Eugene
Modeling of point defects in corundum crystals. (10) 2505
Jagota, Anand See Maden, Michele A.; Tong, Quinn K.
Jagota, Anand
Simulation of the viscous sintering of coated particles. (8) 2237
Jahanmir, Said See Xu, Hockin H. K.
James, Matthew See Ekström, Thommy
James, Michael R. See Morris, Winfred L.
Jang, Byung-Koog; and Kishi, Teruo
Fabrication and microstructure of Al_2O_3–SiC–YAG hybrid composites prepared by particulate dispersion. (5) 1375
Jang, Sei-Joo See Takada, Takahiro
Janssen, Rolf See Schön, Stefan
Jenkins, Michael G. See Ferber, Mattison K.; Menon, Mamballykalathil N.
Jennings, Hamlin M. See Christensen, Bruce J.; Skamser, Daniel J.
Jennings, Hamlin M.; and Tennis, Paul D.
Model for the developing microstructure in portland cement pastes. (12) 3161
Jensen, Knud Bundgaard See Hasløv, Peter
Jeon, Jae-Ho; and Kang, Suk-Joong L.
Effect of sintering atmosphere on interface migration of niobium-doped strontium titanate during infiltration of oxide melts. (6) 1688
Jero, Paul D. See Parthasarathy, Triplicane A.
Jewell, John M.; Higby, Paige L.; and Aggarwal, Ishwar D.
Properties of BaO–R_2O_3–Ga_2O_3–GeO_2 (R = Y, Al, La, and Gd) glasses. (3) 697
Jiang, Qiyue; Cao, Wenwu; and Cross, L. Eric
Electric fatigue in lead zirconate titanate ceramics. (1) 211
Jiang, Zuozhao See Zhang, Zongtao
Jimbo, Genji See Kamiya, Hidehiro
Johnson, D. Lynn See Skamser, Daniel J.
Johnson, William C.
Thermodynamic equilibria in two-phase, elastically stressed ionic crystals. (6) 1581
Jollet, François See Gautier, Martine
Jones, David J. See French, Roger H.
Jones, Russell H. See Henager, Charles H., Jr.
Joshi, Pankaj N.; and McCauley, Ronald A.
Metal-organic surfactants as sintering aids for silicon nitride in an aqueous medium. (11) 2926
Jouin, Jean-Marie See Lamouroux, Franck
Jovanovic, Zoran; and Kimura, Shoichi
Use of two-phase standards of unknown compositions to determine calibration constants for powder XRD by linear regression. (8) 2226
Jovanovic, Zoran; Kimura, Shoichi; and Levenspiel, Octave
Effects of hydrogen and temperature on the kinetics of the fluidized-bed nitridation of silicon. (1) 186
Kageyama, Hiroyuki See Takeuchi, Tomonari
Kahn, Manfred See Nazeri, Azar
Kajiyoshi, Koji; Tomono, Kunisaburo; Hamaji, Yukio; Kasanami, Toru; and Yoshimura, Masahiro
Growth of strontium titanate thin films of controlled thickness by the hydrothermal–electrochemical method. (11) 2889
Kakihana, Masato See Du, Yong; Yashima, Masatomo
Kaliszewski, Mary S.; Behrens, Gesa; Heuer, Arthur H.; Shaw, Michael C.; Marshall, David B.; Dransmann, Gerhard W.; Steinbrech, Rolf W.; Pajares, Antonia; Guiberteau, Fernando; Cumbrera, Francisco L.; and Dominguez-Rodriguez, Arturo
Indentation studies on Y_2O_3-stabilized ZrO_2: I, Development of indentation-induced cracks. (5) 1185
Kamata, Kiichiro; Nishino, Junichi; Ohshio, Shigeo; Maruyama, Kazunori; and Ohtuki, Motohiko
Rapid formation of zinc oxide films by an atmospheric-pressure chemical vapor deposition method. (2) 505
Kamiya, Hidehiro; Sakakibara, Masato; Sakurai, Yukio; Jimbo, Genji; and Wada, Shigetaka
Erosion wear properties of tetragonal ZrO_2(Y_2O_3)-toughened Al_2O_3 composites. (3) 666
Kamiya, Kanichi See Katagiri, Yuji
Kanai, Hideyuki; Furukawa, Osamu; Abe, Hidekazu; and Yamashita, Yohachi
Dielectric properties of $(Pb_{1-x}X_x)(Zr_{0.7}Ti_{0.3})O_3$ (X = Ca, Sr, Ba) ceramics. (10) 2620
Kanai, Hideyuki; Yoshiki, Masahiko; Hayashi, Masaru; Kuwae, Ryosho; and Yamashita, Yohachi
Grain-boundary-phase identification of a lead-based relaxor by X-ray photoelectron spectroscopy. (8) 2229
Kanai, Ken See Yamaguchi, Takashi
Kanaji, Yukio See Hashimoto, Noboru
Kanazawa, Hiroyuki See Mitamura, Hisayoshi
Kang, Beom S. See Hyun, Sang H.
Kang, Suk-Joong L. See Jeon, Jae-Ho; Lee, Ho Yong
Kangasniemi, Ilkka See Li, Panjian
Kansal, Pallavi; and Laine, Richard M.
Pentacoordinate silicon complexes as precursors to silicate glasses and ceramics. (4) 875; Pentacoordinate silicon complexes as precursors to silicate glasses and ceramics—correction. (12) 3292
Kanzaki, Shuzo See Hirao, Kiyoshi
Kapoor, Madan L. See Tandon, Sashi
Karen, Pavel; and Kjekshus, Arne
Citrate-gel syntheses in the Y(O)–Ba(O)–Cu(O) system. (2) 547
Kasanami, Toru See Kajiyoshi, Koji
Kashihara, Seiichi; Yamanaka, Shozo; Inoue, Takayuki; Komatsu, Takahiro; and Toyoshima, Hideo
Quantum chemical determination of the Al-substituted site in tobermorite. (11) 3023
Kashiwagi, Kazumi See Kitaoka, Satoshi
Kasori, Mitsuo; Ueno, Fumio; and Tsuge, Akihiko
Effects of transition-metal additions on the properties of AlN. (8) 1991
Katagiri, Yuji; Nasu, Hiroyuki; Matsuoka, Jun; and Kamiya, Kanichi
Sol–gel preparation and optical nonlinearity of lead(II) oxide–titanium(IV) oxide amorphous monoliths. (3) 673
Kato, Chika See Fukuda, Koichiro
Kato, Etsuro See Kobayashi, Yuichi
Kato, Hitoshi See Okada, Kaoru
Katoh, Toshio See Kitaoka, Satoshi
Kawamoto, Hiroshi See Kishimoto, Hidehiro
Kawasaki, Kenji See Taketomi, Susamu
Keddie, Joseph L.; Braun, Paul V.; and Giannelis, Emmanuel P.
Interrelationship between densification, crystallization, and chemical evolution in sol–gel titania thin films. (6) 1592
Keizer, Klaas See Kumar, Krishnankutty-Nair P.
Keller, Joseph See Smith, Peter A.
Kenway, Philip R. See Höche, Thomas
Kenway, Philip R.
Calculated structures and energies of grain boundaries in α-Al_2O_3. (2) 349
Kerans, Ronald J. See Parthasarathy, Triplicane A.
Kerch, Helen M. See Li, Zhaohui; Smith, Peter A.
Keswani, Santosh T. See King, Alan G.

Khandl, V. See Majling, Jan
Kiessling, Uta; Claus, Jürgen; Borchardt, Günter; Weber, Sylvain; and Scherrer, Stanislas
Oxygen tracer diffusion in lanthanum-doped single-crystal strontium titanate. (8) 2188
Kim, Byung-Kook; Park, Soon Ja; and Hamaguchi, Hiro-o
Raman spectrometric determination of the oxygen self-diffusion coefficients in oxides. (10) 2648
Kim, Chong Hee See Lee, Seung Kun
Kim, Dae-Joon; Hyun, Sang-Hoon; Kim, Seung-Goo; and Yashima, Masatomo
Effective ionic radius of Y^{3+} determined from lattice parameters of fluorite-type HfO_2 and ZrO_2 solid solutions. (2) 597
Kim, Doh-Yeon See Park, Hyoung-Joon
Kim, Doh-Yeon; Wiederhorn, Sheldon M.; Hockey, Bernard J.; Handwerker, Carol A.; and Blendell, John E.
Stability and surface energies of wetted grain boundaries in aluminum oxide. (2) 444
Kim, Dong Pil See Yoon, Ki Hyun
Kim, Eung Soo See Yoon, Ki Hyun
Kim, Hee-Joon See Egashira, Yasuyuki
Kim, Hyoun-Ee See Lee, Dong-Han; Park, Hyoung-Joon
Kim, Hyoun-Ee; and Moorhead, Arthur J.
Oxidation behavior and flexural strength of aluminum nitride exposed to air at elevated temperatures. (4) 1037
Kim, Hyung-Sun; and Roberts, Steve
Brittle–ductile transiiion and dislocation mobility in sapphire. (12) 3099
Kim, In-Tae See Park, Seung-Eek
Kim, Jung-Sik; and Gaskell, David R.
Stability diagram for the system $YBa_2Cu_3O_{7-x}$. (3) 753
Kim, Kitae T. See Kwon, Young S.
Kim, Kwang Ho; Lee, Soo Won; Shin, Dong Won; and Park, Chan Gyung
Effect of antimony addition on electrical and optical properties of tin oxide film. (4) 915
Kim, Myung Jin; and Matijević, Egon
Preparation of uniform submicrometer particles of calcium titanate and lead niobate by replacement reactions. (7) 1950
Kim, Sangsub; and Baik, Sunggi
Rutherford backscattering and channeling studies of cleaved, polished, and annealed MgO (100) single crystals. (1) 230
Kim, Seong-Il See Shih, Wei-Heng
Kim, Seung-Goo See Kim, Dae-Joon
Kim, Youn J. See Huang, Chao M.
Kimoto, Shinya; Hirota, Ken; Yamaguchi, Osamu; Kume, Hideki; Inamura, Suguru; and Miyamoto, Hiroki
Formation and sintering of yttria-doped tetragonal zirconia with 50 mol% alumina prepared by the hydrazine method. (6) 1694
Kimura, Shoichi See Jovanovic, Zoran
King, Alan G.; and Keswani, Santosh T.
Colloid mills: Theory and experiment. (3) 769
King, Todd T.; and Cooper, Reid F.
Ambient-temperature mechanical response of alumina–fluoromica laminates. (7) 1699
Kinoshita, Makio See Itatani, Kiyoshi
Kinsman, Karin M.; McKittrick, Joanna; Sluzky, Esther; and Hesse, Kenneth
Phase development and luminescence in chromium-doped yttrium aluminum garnet (YAG:Cr) phosphors. (11) 2866
Kirkpatrick, Kelly S.; Mason, Thomas O.; Balachandran, Uthamalingam; and Poeppel, Roger B.
Impedance spectroscopy study of sintering in bi-doped ZnO. (6) 1493
Kirkpatrick, R. James See Thomas, Elizabeth S.
Kishi, Teruo See Jang, Byung-Koog
Kishimoto, Hidehiro; Ueno, Akira; Okawara, Seiji; and Kawamoto, Hiroshi
Crack propagation behavior of polycrystalline alumina under static and cyclic load. (5) 1324
Kishioka, Akira See Itatani, Kiyoshi
Kisi, Erich H. See Finlayson, Trevor R.; Hannink, Richard H. J.
Kitagaki, Kazuhisa See Yamashita, Kimihiro
Kitaoka, Satoshi; Tsuji, Toshihide; Katoh, Toshio; Yamaguchi, Yoshimi; and Kashiwagi, Kazumi
Tribological characteristics of SiC ceramics in high-temperature and high-pressure water. (7) 1851
Kitaoka, Satoshi; Tsuji, Toshihide; Katoh, Toshio; Yamaguchi, Yoshimi; and Sato, Kōji
Tribological characteristics of Si_3N_4 ceramic in high-temperature and high-pressure water. (2) 580
Kitoh, Ryozo See Fukuda, Koichi
Kjekshus, Arne See Karen, Pavel
Kleebe, Hans-Joachim See Bruley, John; Höche, Thomas; Tanaka, Isao
Klein, Lisa C. See van Weeren, Remco
Klemm, Hagen; and Pezzotti, Giuseppe
Fracture toughness and time-dependent strength behavior of low-doped silicon nitrides for applications at 1400°C. (2) 553
Klissurska, Radosveta See Reaney, Ian M.
Knudsen, Arne K. See de Baranda, Pedro Sainz; Weimer, Alan W.
Kobayashi, Albert S. See Fett, Theo
Kobayashi, Hidehiko See Mori, Toshiyuki
Kobayashi, Yuichi; and Kato, Etsuro
Low-temperature fabrication of anorthite ceramics. (3) 833
Kohlstedt, David L. See Versteeg, Vera A.
Kokubo, Tadashi See Li, Panjian; Tanahashi, Masami
Komarneni, Sridhar See Liu, Chunling; Majling, Jan
Komatsu, Masao; Mori, Hirotaro; and Iwasaki, Katsuhiro
Design of a hot tensile stage for an ultra-high-voltage electron microscope and its application to *in situ* deformation of sapphire at 1620 and 1720 K. (3) 839
Komatsu, Takahiro See Kashihara, Seiichi
Komatsubara, Satoru; Isobe, Tetsuhiko; and Senna, Mamoru
Effect of preliminary mechanical treatment on the microhomogenization during heating of hydrous gels as precursors for lead titanate. (1) 278
Komiyama, Hiroshi See Egashira, Yasuyuki; Kundu, Debtosh
Kondo, Ken-ichi See Hirai, Hisako
Kondo, Yoshihito; Tsukuda, Akira; Takada, Atsushi; and Okada, Shojiro
Grinding forces and elastic recovery in ceramic materials. (6) 1653
Kontoyannis, Christos G.; and Carountzos, George
Quantitative determination of the cubic-to-monoclinic phase transformation in fully stabilized zirconias by Raman spectroscopy. (8) 2191
Koo, Horng-Show; Tu, George C.; and Tseng, Tseung-Yuen
Preparation and characterization of Tl-Ba-Ca-Cu-O superconducting films by spray pyrolysis and Tl-diffusion technique. (1) 27
Kopp, Otto C. See Bamberger, Carlos E.
Koss, Donald A. See Trumbauer, Eric R.
Kotomin, Eugene See Jacobs, Patrick W. M.
Kotula, Paul G.; Erickson, Dwight D.; and Carter, C. Barry
Use of thin-film substrates to study enhanced solid-state phase transformations. (12) 3287
Koumoto, Kunihito See Ohara, Yoshinobu
Koura, Toshiaki See Du, Yong
Kovar, Desiderio; and Readey, Michael J.
Role of grain size in strength variability of alumina. (7) 1928
Kramer, Thomas M. See Luther, Erik P.
Kramer, Thomas M.; and Lange, Fred F.
Rheology and particle packing of chem- and phys-adsorbed, alkylated silicon nitride powders. (4) 922
Krause, Ralph F., Jr.
Flat and rising *R*-curves for elliptical surface cracks from indentation and superposed flexure. (1) 172
Kreidler, Eric R.; and Park, Hee Dong
Activity of NiO in (Ni,Mg)O solid solutions. (9) 2491
Krell, Andreas
Features of notch preparation for fracture toughness measurements in partially stabilized zirconia. (2) 600
Kriven, Waltraud M. See Gülgün, Mehmet A.; Hou, Tien I; Huang, Chao M.; Xu, Youren
Krueger, Susan See Smith, Peter A.
Krupanidhi, S. B. See Kushida, Keiko
Kruse, Carsten; Finnis, Michael W.; Milman, Victor Y.; Payne, Michael C.; De Vita, Alessandro; and Gillan, Michael J.
First-principles calculations for niobium atoms on a sapphire surface. (2) 431
Kudesia, Rajiv; McHale, Anna E.; and Snyder, Robert L.
Effects of La_2O_3/ZnO additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics. (12) 3215
Kudo, Takanari See Ishihara, Tatsumi
Kumar, Binod See Chen, Christina H.
Kumar, Jalajakumari See Kumar, Krishnankutty-Nair P.
Kumar, Krishnankutty-Nair P.; Kumar, Jalajakumari; and Keizer, Klaas
Effect of peptization on densification and phase-transformation behavior of sol–gel-derived nanostructured titania. (5) 1396
Kumar, Suresh; and Messing, Gary L.
Metal organic resin derived barium titanate: II, Kinetics of $BaTiO_3$ formation. (11) 2940
Kumar, Susmit See Reddy, Srinivas K.
Kume, Hideki See Ishida, Koji; Kimoto, Shinya; Yamakata, Kōji
Kumta, Prashant N. See Sriram, Mandyam A.
Kundu, Debtosh; Honma, Itaru; Osawa, Toshio; and Komiyama, Hiroshi
Preparation and optical nonlinear property of sol–gel-derived Cu–SiO_2 thin films. (4) 1110
Kuo, Dong H. See Huang, Chao M.
Kupperman, David S. See Singh, Dileep
Kurkjian, Charles R. See Gupta, Prabhat K.; Inniss, Daryl; Rondinella, Vincenzo V.
Kuromitsu, Yoshirou; Wang, Sea Fue; Yoshikawa, Shoko; and Newnham, Robert E.
Interaction between barium titanate and binary glasses. (2) 493; Evolution of interfacial microstructure between barium titanate and binary glasses. (3) 852
Kushida, Keiko; Udayakumar, K. R.; Krupanidhi, S. B.; and Cross, L. Eric
Origin of orientation in sol–gel-derived lead titanate films—correction. (8) 2240
Kuwae, Ryosho See Kanai, Hideyuki
Kwon, Young S.; Son, Geonseog; Suh, Jeong; and Kim, Kitae T.
Densification and grain growth of porous alumina compacts. (12) 3137
Labrugère, Christine See Prouhet, Stéphane
Lagerlöf, K. Peter D. See Ünal, Özer
Lagerlöf, K. Peter D.; Heuer, Arthur H.; Castaing, Jacques; Rivière, Jean P.; and Mitchell, Terence E.
Slip and twinning in sapphire (α-Al_2O_3). (2) 385
Lai, Chun-Hung See Lu, Yuh-Yih
Lai, Chun-Hung; and Tseng, Tseung-Yuen
Investigation of resistivity and permittivity for (Ba,Pb)TiO_3 PTCR ceramics. (9) 2419
Laine, Richard M. See Kansal, Pallavi
Lakshmikantha, Medamaranahally; and Sekhar, Jainagesh Akkaraju
Analytical modeling of the propagation of a thermal reaction front in condensed systems. (1) 202; Analytical modeling of the propagation of thermal reaction front in condensed systems—correction. (7) 1980
Lal, Misri See Bheemineni, Veerabhadrarao
Lam, Daniel J. See Ellis, Donald E.
Lam, David C. C.; and Lange, Fred F.
Microstructural observations on constrained densification of alumina powder containing a periodic array of sapphire fibers. (7) 1976
Lam, David C. C.; Lange, Fred F.; and Evans, Anthony G.
Mechanical properties of partially dense alumina produced from powder compacts. (8) 2113
Lamon, Jacques See Aubard, Xavier
Lamouroux, Franck; Camus, Gérald; and Thébault, Jacques
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: I, Experimental approach. (8) 2049
Lamouroux, Franck; Naslain, Roger; and Jouin, Jean-Marie
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: II, Theoretical approach. (8) 2058
Langdon, Terence G. See Gu, Weizhong
Lange, Fred F. See Balmer, Mari Lou; Chang, Jeanne C.; Folsom, Craig A.; Heintz, Jean-Marc; Kramer, Thomas; Lam, David C. C.; Luther, Erik P.; Velamakanni, Bhaskar V.
Laraia, Vincent J. See Dickerson, Robert M.
Law, Chung K. See Makino, Atsushi
Lawn, Brian R. See Guiberteau, Fernando; Padture, Nitin P.
Lee, Chengkuo; Lin, I-Nan; and Hu, Chen-Ti
Evolution of microstructure and V-shaped positive temperature coefficient of resistivity of $(Pb_{0.6}Sr_{0.4})TiO_3$ materials. (5) 1340
Lee, Chiapyng See Chen, Hsi-Kuei
Lee, Dong-Han; Kim, Hyoun-Ee; and Cho, Seong-Jai
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker. (12) 3270
Lee, Farnjeng; and Bowman, Keith J.
Texture development via grain rotation in β-silicon nitride. (4) 947
Lee, Hee-Gyoun; Lim, Dae-Ho; Song, Myoung-Youp; Park, Jong-Hyun; Won, Dong-Yeon; and Hong, Gye-Won
Effects of melt composition on the growth behavior of 211 particles in the Y-Ba-Cu-O system. (8) 2223
Lee, Ho Yong; Kang, Suk-Joong L.; and Yoon, Duk Yong
Coherency strain energy and the direction of chemically induced grain boundary migration in Al_2O_3–Cr_2O_3 and Al_2O_3–Fe_2O_3. (5) 1301
Lee, Ming-Tung See Huang, Jow-Lay
Lee, Sang-Ho See Piciacchio, Alan
Lee, Sang-Min See Yoo, Han-Ill
Lee, Seung Kun; and Kim, Chong Hee
Effects of α-SiC versus β-SiC starting powders on microstructure and fracture toughness of SiC sintered with Al_2O_3–Y_2O_3 additives. (6) 1655
Lee, Soo Won See Kim, Kwang Ho
Lee, Yih-Shing See Yen, Ann-Jeng
Lengauer, Christian L. See Gutzov, Stoyan
Leone, Edgar A. See van Weeren, Remco
Leuwerink, Theo H. P. See den Exter, Peter
Levenspiel, Octave See Jovanovic, Zoran
Levi, Carlos G. See Balmer, Mari Lou
Lewis, Jennifer A.; Boyer, Michelle; and Bentz, Dale P.
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics. (3) 711; Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics—correction. (5) 1407
Lewis, Jennifer A.; Cima, Michael J.; and Rhine, Wendell E.
Direct observation of preceramic and organic binder decomposition in 2-D model microstructures. (7) 1839
Li, Deyu Y.; O'Connor, Brian H.; Chen, Qitao T.; and Zadnik, Marjan G.
Quantitative powder X-ray diffractometry phase analysis of silicon nitride materials by a multiline, mean-normalized-intensity method. (8) 2195
Li, Guangming; Nogami, Masayuki; and Abe, Yoshihiro
Preparation by a sol-gel process of borosilicate glasses containing microcrystals of tellurium and zinc telluride. (11) 2885
Li, Panjian; Kangasniemi, Ilkka; de Groot, Klaas; and Kokubo, Tadashi
Bonelike hydroxyapatite induction by a gel-derived titania on a titanium substrate. (5) 1307
Li, Ping; Chen, I-Wei; and Penner-Hahn, James E.
Effect of dopants on zirconia stabilization—An X-ray absorption study: I, Trivalent dopants. (1) 118; Effect of dopants on zirconia stabilization—An X-ray absorption study: II, Tetravalent dopants. (5) 1281; Effect of dopants on zirconia stabilization—An X-ray absorption study: III, Charge-compensating dopants. (5) 1289
Li, Victor C. See Hashida, Toshiyuki
Li, Xiang-ting See Cai, Jie
Li, Ya-li; Liang, Yong; Zheng, Fen; and Hu, Zhuang-qi
Carbon dioxide laser synthesis of ultrafine silicon carbide powders from diethoxydimethylsilane. (6) 1662
Li, Zhaohui; Giese, Ross F.; van Oss, Carel J.; Kerch, Helen M.; and Burdette, Harold E.
Wicking technique for determination of pore size in ceramic materials. (8) 2220
Liang, Yong See Li, Ya-li

Lim, Dae-Ho See Lee, Hee-Gyoun
Limaye, Santosh See Harshé, Girish
Lin, Chun-I See Chen, Hsi-Kuei
Lin, Hua-Tay; Becher, Paul F.; and Ferber, Mattison K.
Improvement of tensile creep displacement measurements. (10) 2767
Lin, I-Nan See Lee, Chengkuo
Lin, Jiu-Nun See Wu, Tai-Bor
Lin, Tze-Pin; Hood, Michael; Cooper, George A.; and Smith, Redd H.
Residual stresses in polycrystalline diamond compacts. (6) 1562
Lin, Wen-yi; Hsu, Jen-Yan; and Speyer, Robert F.
Stability of molybdenum disilicide in combustion gas environments. (5) 1162
Lindquist, Arne See Zhou, Yiyang
Lindsay, Curtis G.; White, Grady S.; Freiman, Stephen W.; and Wong-Ng, Winnie
Molecular orbital study of an environmentally enhanced crack growth process in silica. (8) 2179
Liniger, Eric G. See Cook, Robert F.
Liou, Yi-Cheng; and Wu, Long
Effect of heating rate on the dielectric properties of the PMN-PT relaxor ceramics. (12) 3255
Lipp, Roland See Loest, Hagen
Liu, Chunling; Komarneni, Sridhar; and Roy, Rustum
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses. (12) 3105
Liu, Haiyan; Fine, Morris E.; Cheng, H. S.; and Geiger, Alan L.
Lubricated rolling wear of SiC-whisker-reinforced Al_2O_3 composites against M2 tool steel. (1) 179
Liu, Jeng See Hasselman, D. P. H.
Liu, Kenneth C. See Ding, Jow-Lian
Liu, Kuo-Chung; Thomas, Gareth; Caballero, Angel; Moya, Jose S; and de Aza, Salvador
Time–temperature–transformation curves for kaolinite–α-alumina. (6) 1545
Liu, Shih-Yu; and Chen, I-Wei
Plasticity-induced fatigue damage in ceria-stabilized tetragonal zirconia polycrystals. (8) 2025
Liu, Shih-Yu; Chen, I-Wei; and Tien, Tseng-Ying
Fatigue crack growth of silicon nitride at 1400°C: A novel fatigue-induced crack-tip bridging phenomenon. (1) 137
Liu, Tianshun
Characterization of three-dimensional through-thickness transformation zone in 9-mol%-Ce–TZP ceramics. (8) 2203
LLorca, Javier See Ogawa, Takeshi
Lloyd, Isabel K. See Xu, Hockin H. K.
Lockwood, Steven J. See Dimos, Duane
Loehman, Ronald E.; and Tomsia, Antoni P.
Wetting and joining of mullite ceramics by active-metal braze alloys. (1) 271
Loest, Hagen; Lipp, Roland; and Mitsoulis, Evan
Numerical flow simulation of viscoplastic slurries and design criteria for a tape casting unit. (1) 254
Löfvander, Jan P. A. See Weber, Christian H.
Lohwasser, Werner; Fleischer, Maximilian; Gerblinger, Josef; and Meixner, Hans
High-temperature Hall measurements on cerium dioxide thin films. (7) 1969
Long, Gabrielle G. See Smith, Peter A.
López García, Alberto R. See Scian, Alberto N.
Loughin, Stephen See French, Roger H.
Lowden, Richard A. See Besmann, Theodore M.
Lowe-Ma, Charlotte K. See Vanderah, Terrell A.
Lu, Chung-Hsin
Compositional effect on the liquid-phase formation in lead iron tungstate ferroelectric ceramics. (10) 2529
Lu, Chung-Hsin; and De Jonghe, Lutgard C.
Influence of Nd_2O_3 doping on the reaction process and sintering behavior of $BaCeO_3$ ceramics. (10) 2523
Lu, Yuh-Yih; Lai, Chun-Hung; and Tseng, Tseung-Yuen
Effect of soaking time on the temperature coefficient of resistivity of semiconducting barium titanate PTCR ceramics. (9) 2461
Luce, Michel See Cauchetier, Michel
Luther, Erik P.; Kramer, Thomas M.; Lange, Fred F.; and Pearson, Dale S.
Development of short-range repulsive potentials in aqueous, silicon nitride slurries. (4) 1047
Luthra, Krishan L. See Einset, Erik O.
Lutz, Ekkehard H.
Microstructure and properties of plasma ceramics. (5) 1274; Predictability of the mechanical properties of inclusion-containing ceramics. (7) 1901
Lyman, Charles E. See Dravid, Vinayak P.
Lyons, Jed S.; and Starr, Thomas L.
Strength and toughness of slip-cast fused-silica composites. (6) 1673
Ma, Chen-Chi, M. See Tai, Nyan-Hwa
Ma, Qing; and Clarke, David R.
Piezospectroscopic determination of residual stresses in polycrystalline alumina. (2) 298
Mackin, Thomas J. See Heredia, Fernando E.
MacManus-Driscoll, Judith L.; Bravman, John C.; Savoy, Richard J.; Gorman, Grace; and Beyers, Robert B.
Effects of silver and lead on the phase stability of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ above and below the solidus temperature. (9) 2305
Maden, Michele A. See Tong, Quinn K.
Maden, Michele A.; Jagota, Anand; Mazur, Stephen; and Farris, Richard J.
Vibrational technique for stress measurement in films: I, Ideal membrane behavior. (3) 625
Mai, Yiu-Wing See Zhou, Li-Min
Majling, Jan; Znášik, P.; Khandl, V.; and Komarneni, Sridhar
Porosimeter as a means to measure the compactibility of powders. (5) 1369
Majumdar, Saurin See Singh, Dileep
Maki, Iwao See Fukuda, Koichiro
Makihara, Masaki See Fukumi, Kohei
Makino, Atsushi; and Law, Chung K.
SHS combustion characteristics of several ceramics and intermetallic compounds. (3) 778
Makishima, Akio See Inoue, Satoru
Makovec, Darko; and Trontelj, Marija
Extended defects in ZnO ceramics containing $Bi_4Ti_3O_{12}$ additive. (5) 1202
Malghan, Subhas G. See Chen, Wei
Manassidis, Ioannis; and Gillan, Michael J.
Structure and energetics of alumina surfaces calculated from first principles. (2) 335
Manfredini, Tiziano See Corradi, Anna Bonamartini
Mani, Themanam Veetil See Varma, Hari Krishna
Manthiram, Arumugam See Zhu, Yuntian T.
Marcheselli, Giancarlo See Polini, Riccardo
Marple, Basil R.; and Boulanger, Jean
Graded casting of materials with continuous gradients. (10) 2747
Marshall, David B. See Kaliszewski, Mary S.; Morris, Winfred L.
Martin, Eric See Prouhet, Stéphane
Martin, M. Hogan E. See Park, Dong Gon
Martys, Nick See Skamser, Daniel J.
Maruyama, Kazunori See Kamata, Kiichiro
Mason, Thomas O. See Christensen, Bruce J.; Hwang, Jin-Ha; Kirkpatrick, Kelly S.; Shen, Li
Masquelier, Christian See Takeuchi, Tomonari
Massiot, Dominique See Poe, Brent T.
Mathews, Tom; and Jacob, K. Thomas
Phase relations in the system Cu–Ho–O and stability of $Cu_2Ho_2O_5$. (1) 133
Matijević, Egon See Kim, Myung Jin
Matsuda, Hideaki See Ishihara, Tatsumi
Matsuda, Ohsaku See Watari, Takanori
Matsumoto, Seiichiro See Mitamura, Hisayoshi
Matsuoka, Jun See Katagiri, Yuji
Matthewson, M. John See Rondinella, Vincenzo V.
Mayo, Merrilea J. See Hague, Douglas C.
Mazur, Stephen See Maden, Michele A.
McCauley, Ronald A. See Joshi, Pankaj N.
McDermid, Joseph R. See Baik, Youngmin
McGlinn, Peter A. See Vance, Eric R.
McHale, Anna E. See Kudesia, Rajiv
McKittrick, Joanna See Kinsman, Karin M.; Tunaboylu, Bahadir
McMillan, Paul F. See Poe, Brent T.
Mecartney, Martha L. See Derderian, Garo J.
Meen, James K. See Tsang, Chi-Fo
Mehrotra, Gopal M. See Dadras, Parviz
Meixner, Hans See Lohwasser, Werner
Melendo, Manuel Jiménez See Fernández, Julian Martínez
Menon, Mamballykalathil N.; Fang, Ho T.; Wu, David C.; Jenkins, Michael G.; and Ferber, Mattison K.
Creep and stress rupture behavior of an advanced silicon nitride: Part II, Creep rate behavior. (5) 1228; Creep and stress rupture behavior of an advanced silicon nitride: Part III, Stress rupture and the Monkman–Grant relationship. (5) 1235
Menon, Mamballykalathil N.; Fang, Ho T.; Wu, David C.; Jenkins, Michael G.; Ferber, Mattison K.; More, Karren L.; Hubbard, Camden R.; and Nolan, Theodore A.
Creep and stress rupture behavior of an advanced silicon nitride: Part I, Experimental observations. (5) 1217
Meriani, Sergio See Sergo, Valter
Messing, Gary L. See Kumar, Suresh; Piciacchio, Alan; Shaklee, Charles A.; Wu, Mianxue
Meyer, Richard, Jr.; Weitzing, Holger; Xu, Qichang; Zhang, Qiming; Newnham, Robert E.; and Cochran, Joe K.
Lead zirconate titanate hollow-sphere transducers. (6) 1669
Miller, Gary A. See French, Jonathan D.
Miller, James H. See Besmann, Theodore M.
Miller, Kelly T.; and Zukoski, Charles F.
Osmotic consolidation of suspensions and gels. (9) 2473
Mills, Lynne K. See Weimer, Alan W.
Millman, Victor Y. See Kruse, Carsten
Minoda, Masahiko See Tanahashi, Masami
Mitamura, Hisayoshi; Matsumoto, Seiichiro; Stewart, Martin W. A.; Tsuboi, Takashi; Hashimoto, Masaki; Vance, Eric R.; Hart, Kaye P.; Togashi, Yoshihiro; Kanazawa, Hiroyuki; Ball, Cliff J.; and White, Timothy J.
α-decay damage effects in curium-doped titanate ceramic containing sodium-free high-level nuclear waste. (9) 2255
Mitamura, Takashi See Mori, Toshiyuki
Mitchell, Terence E. See Lagerlöf, K. Peter D.; Unal, Ozer
Mitomo, Mamoru See Hirosaki, Naoto
Mitsoulis, Evan See Loest, Hagen
Mitsuda, Takeshi See Isu, Norifumi; Okada, Yoshihiko
Miura, Yoshinari See Ding, Yong
Miyajima, Hideki See Taketomi, Susamu
Miyamoto, Hiroki See Ishida, Koji; Kimoto, Shinya; Yamakata, Kōji
Miyamoto, Takeaki See Tanahashi, Masami
Miyase, Akira See Wong, Ming-Shih
Miyayama, Masaru See Bae Seung-Young; Hikita, Kazuyasu; Ishida, Atsumu
Modest, Michael F. See Trubelja, Mladen F.
Monrós, Guillermo See Carda, Juan
Monteiro, Paulo J. M. See Scrivener, Karen L.
Moon, Anthony R.; and Phillips, Matthew R.
Defect clustering and color in Fe,Ti: α-Al_2O_3. (2) 356
Moore, William G. See Weimer, Alan W.
Moorhead, Arthur J. See Kim, Hyoun-Ee
More, Karren L. See Ding, Jow-Lian; Menon, Mamballykalathil N.
Moreau, Patrick See Bacchaus-Ricoult, Monika
Mori, Hirotaro See Komatsu, Masao
Mori, Koichiro See Watari, Takanori
Mori, Masashi; Yoshikawa, Masahiro; Itoh, Hibiki; and Abe, Toshio
Effect of alumina on sintering behavior and electrical conductivity of high-purity yttria-stabilized zirconia. (8) 2217
Mori, Toshiyuki; Yamamura, Hiroshi; Ogino, Hiroyuki; Kobayashi, Hidehiko; and Mitamura, Takashi
Influence of oxygen ion conduction on nitric oxide decomposition. (10) 2771
Morinaga, Kenji See Nageno, Yoshikazu; Takebe, Hiromichi
Morinaga, Kenji; Yoshida, Hideki; and Takebe, Hiromichi
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses. (12) 3113
Morris, Patricia A. See Höche, Thomas
Morris, Winfred L.; Cox, Brian N.; Marshall, David B.; Inman, Richard V.; and James, Michael R.
Fatigue mechanisms in graphite/SiC composites at room and high temperature. (3) 792
Mosher, Paul See Heredia, Fernando E.
Moya, Jose S. See Liu, Kuo-Chung
Moyer, John R.; and Hughes, Neal N.
A catalytic process for mullite whiskers. (4) 1083
Moyer, John R.; and Rudolf, P. R.
Stoichiometry of fluorotopaz and of mullite made from fluorotopaz. (4) 1087
Mukherjee, Binu K. See Sherrit, Stewart
Müller, Gerd See Sternitzke, Martin
Munz, Dietrich See Fett, Theo
Myles, Thomas A. See Cockcroft, Steven L.
Nadaud, Nicolas; Nanot, Monique; and Boch, Philippe
Sintering and electrical properties of titania- and zirconia-containing In_2O_3–SnO_2 (ITO) ceramics. (3) 843
Nagai, Masayuki; Ogawa, Kenji; and Nishino, Tadashi
Preferred orientation of β-lead fluoride grains formed within micropores of porous alumina. (9) 2470
Nagao, Yoshihiko See Tanaka, Hiroshi
Nagaoka, Takaaki See Hirao, Kiyoshi
Nagasawa, Mitsuru See Suyama, Yoko
Nageno, Yoshikazu See Takebe, Hiromichi
Nageno, Yoshikazu; Takebe, Hiromichi; Morinaga, Kenji
Correlation between radiative transition probabilities of Nd^{3+} and composition in silicate, borate, and phosphate glasses—correction. (5) 1408
Nalini, Ahmad A. See Han, Yong
Nakahira, Atsushi See Ohji, Tatsuki
Nakajima, Keihachiro See Okada, Kaoru
Nakamura, Osamu See Takeuchi, Tomonari
Nakamura, Takashi See Tanahashi, Masami
Nakamura, Yoshikazu; Watanabe, Yoshihisa; Suefuji, Yoshihito; and Hirayama, Shigekazu
Observation of hydrogenated amorphous carbon films by atomic force microscopy. (5) 1385
Nanko, Makoto; Ishizaki, Kozo; and Fujikawa, Takao
Porous ceramic filters produced by hot isostatic pressing. (9) 2437
Nanot, Monique See Nadaud, Nicolas
Narushima, Takayuki; Goto, Takashi; Hagiwara, Jun; Iguchi, Yasutaka; and Hirai, Toshio
High-temperature oxidation of chemically vapor-deposited silicon nitride in a carbon monoxide–carbon dioxide atmosphere. (11) 2921
Narushima, Takayuki; Goto, Takashi; Yokoyama, Yoshio; Hagiwara, Jun; Iguchi, Yasutaka; and Hirai, Toshio
High-temperature active oxidation and active-to-passive transition of chemically vapor-deposited silicon nitride in N_2–O_2 and Ar–O_2 atmospheres. (9) 2369
Narushima, Takayuki; Goto, Takashi; Yokoyama, Yoshio; Takeuchi, Masahito; Iguchi, Yasutaka; and Hirai, Toshio
Active-to-passive transition and bubble formation for high-temperature oxidation of chemically vapor-deposited silicon carbide in CO–CO_2 atmosphere. (4) 1079
Naslain, Roger See Filipuzzi, Ludovic; Lamouroux, Franck
Nastasi, Michael See Cooper, Elizabeth A.
Nasu, Hiroyuki See Katagiri, Yuji
Nazeri, Azar; Kahn, Manfred; Bender, Barry; and Allen, Carlton
Microstructure of $KTa_xNb_{1-x}O_3$ thin films on MgO (100) single crystals. (9) 2450
Negas, Taki See Christoffersen, Roy
Nellis, W. J. See Tunaboylu, Bahadir
Ness, Eric A.; and Rafaniello, William
Origin of density gradients in sintered β-silicon carbide parts. (11) 2879
Newcomb, Stephen A.; and Tressler, Richard E.
Slow crack growth in sapphire fibers at 800° to 1500°C—correction. (9) 2495; High-temperature fracture toughness of sapphire. (11) 3030
Newnham, Robert E. See Kuromitsu, Yoshirou; Meyer, Richard, Jr.; Takada, Takahiro; Troilo, Louis M.
Nicholas, Nicholas R. See Weimer, Alan W.

Nicolaescu, Ion V.; Tardos, Gabriel; and Riman, Richard E.
Thermogravimetric determination of carbon, nitrogen, and oxygen in aluminum nitride. (9) 2265
Niesz, Dale E. See Zutshi, Ajoy
Niihara, Koichi See Ohji, Tatsuki
Nikolopoulos, Panagiotis See Tsoga, Anna
Nishida, Toshihiko; Hanaki, Yoshikazu; and Pezzotti, Giuseppe
Effect of notch-root radius on the fracture toughness of a fine-grained alumina. (2) 606
Nishino, Junichi See Kamata, Kiichiro
Nishino, Tadashi See Nagai, Masayuki
Nishioka, Toshio See Itatani, Kiyoshi
Nogami, Masayuki See Li, Guangming
Nolan, Theodore A. See Ferber, Mattison K.; Menon, Mambalykalathil N.
Notis, Michael R. See Dravid, Vinayak P.
Nowotny, Janusz See Begg, Bruce D.
Nukui, Akihiko See Inoue, Satoru
Nunn, Stephen D. See Baskaran, Suresh; Huang, Zhen-Kun
Nutt, Steven R. See Sun, Ellen Y.; Tunaboylu, Bahadir
Ober, Christopher K. See Park, Dong Gon
O'Bryan, Henry M. See Powell-Dogan, Cynthia A.
O'Bryan, Henry M.; Gallagher, Patrick K.; and Berkstresser, G.W.
Thermal expansion of Y_2SiO_5 single crystals—correction. (7) 1979
O'Connor, Brian H. See Li, Deyu Y.
Ogasawara, Toshio; Hirosaki, Naoto; and Akimune, Yoshio
Statistical analysis of the fatigue life distribution of monolithic silicon nitride. (2) 514
Ogawa, Kenji See Nagai, Masayuki; Yamashita, Kimihiro
Ogawa, Takeshi; and LLorca, Javier
Stable crack growth in polycrystalline magnesia under monotonic and cyclic loads. (4) 961
Ogawa, Tomeyoshi See Cho, Seong-Jai
Ogino, Hiroyuki See Mori, Toshiyuki
Oh, Ki-Young; Uchino, Kenji; and Cross, L. Eric
Optical study of domains in $Ba(Ti,Sn)O_3$ ceramics. (11) 2809
Ohara, Yoshinobu; Koumoto, Kunihito; and Yanagida, Hiroaki
Effect of crystal-axis orientation on dielectric properties of ceramics prepared from fibrous barium titanate. (9) 2327
Ohji, Taksuki; and De Jonghe, Lutgard C.
Presintering heat treatment, densification, and mechanical properties of silicon carbide. (6) 1685
Ohji,Tatsuki; Nakahira, Atsushi; Hirano, Takeshi; and Niihara, Koichi
Tensile creep behavior of alumina/silicon carbide nanocomposite. (12) 3259
Ohji, Tatsuki; and Yamauchi, Yukihiko
Diffusional crack growth and creep rupture of silicon carbide doped with alumina. (3) 678; Tensile creep and creep rupture behavior of monolithic and SiC-whisker-reinforced silicon nitride ceramics—correction. (7) 1981
Ohshio, Shigeo See Kamata, Kiichiro
Ohtake, Katsuya See Yashima, Masatomo
Ohtuki, Motohiko See Kamata, Kiichiro
Okada, Kaoru; Kato, Hitoshi; and Nakajima, Keihachiro
Preparation of silicon carbide fiber from activated carbon fiber and gaseous silicon monoxide. (6) 1691
Okada, Shojiro See Kondo, Yoshihito
Okada, Yoshihiko; Ishida, Hideki; and Mitsuda, Takeshi
^{29}Si NMR spectroscopy of silicate anions in hydrothermally formed C-S-H. (3) 765; Thermal decomposition of tricalcium silicate hydrate. (9) 2277
Okada, Yoshihiko; Ishida, Hideki; Sasaki, Kaori; Young, J. Francis; and Mitsuda, Takeshi
Characterization of C-S-H from highly reactive β-dicalcium silicate prepared from hillebrandite. (5) 1313
Okada, Yoshihiko; Sasaki, Kaori; Zhong, Baiqian; Ishida, Hideki; and Mitsuda, Takeshi
Formation processes of β-C_2S by the decomposition of hydrothermally prepared C-S-H with $Ca(OH)_2$. (5) 1319
Okawara, Seiji See Kishimoto, Hidehiro
Olson, Rudolf A. See Christensen, Bruce J.
Opila, Elizabeth J.
Oxidation kinetics of chemically vapor-deposited silicon carbide in wet oxygen. (3) 730
Opila, Elizabeth J.; and Tuller, Harry L.
Thermogravimetric analysis and defect models of the oxygen nonstoichiometry in $La_{2-x}Sr_xCuO_{4-y}$. (10) 2727
Ortiz-Longo, Carlos R.; and White, Kenneth W.
Elevated-temperature fracture characterization of advanced fibrous ceramic thermal insulators. (10) 2703
Osaka, Akiyoshi See Ding, Yong
Osawa, Toshio See Kundu, Debtosh
Ostertag, Claudia P. See Xu, Hockin H. K.
Otani, Suglo See Oya, Asao
Otani, Yoshichika See Taketomi, Susamu
Owaby, P. Darrell See Hasselman, D. P. H.
Oya, Asao; Saito, Tsutomu; and Otani, Sugio
Thermal degradation behavior of WOP_2O_7/phenanthroline complex. (10) 2536
Ozaki, Yoshiharu See Taketomi, Susamu
Padture, Nitin P. See Guiberteau, Fernando
Padture, Nitin P.
In Situ-Toughened Silicon Carbide. (2) 519
Padture, Nitin P.; and Lawn, Brian R.
Toughness properties of a silicon carbide with an *in situ* induced heterogeneous grain structure. (10) 2518
Pajares, Antonia See Dransmann, Gerhard W.; Kaliszewski, Mary S.
Pandey, Dhananjai See Tiwari, Vidya S.
Pantano, Carlo G. See Breval, Else
Paretzkin, Boris See Wong-Ng, Winnie
Park, Bong Mo; and Chung, Su Jin
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution. (12) 3193
Park, Chan Gyung See Kim, Kwang Ho
Park, Dong Gon; Martin, M. Hogan E.; Ober, Christopher K.; Burlitch, James M.; Cavin, O. Burl; Porter, Wallace D.; and Hubbard, Camden R.
Crystallization of precursors to forsterite and chromium-doped forsterite. (1) 33
Park, Hee Dong See Kreidler, Eric R.
Park, Hyoung-Joon; Kim, Hyoun-Ee; and Kim, Doh-Yeon
Evaluation of whisker alignment in axisymmetric SiC_w-reinforced Al_2O_3 composite materials. (11) 2828
Park, Jong-Hyun See Lee, Hee-Gyoun
Park, Seung-Eek; Chung, Su-Jin; Kim, In-Tae; and Hong, Kug Sun
Nonstoichiometry and the long-range cation ordering in crystals of $(Na_{1/2}Bi_{1/2})TiO_3$. (10) 2641
Park, Soon Ja See Kim, Byung-Kook; Song, Kug-Hyun
Parthasarathy, Triplicane A.; Barlage, Douglas R.; Jero, Paul D.; and Kerans, Ronald J.
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite. (12) 3232
Pasquevich, Alberto F. See Scian, Alberto N.
Patibandla, Nag-Bhushan See Einset, Erik O.
Paulik, Steven W.; Faber, K. T.; and Fuller, Edwin R., Jr.
Development of textured microstructures in ceramics with large thermal expansion anisotropy. (2) 454
Pawlaczyk, Czeslaw See Reaney, Ian M.
Payli, Resat U. See Ungan, Aydin
Payne, David A. See Tani, Toshihiko
Payne, Michael C. See Kruse, Carsten
Pearson, Dale S. See Chang, Jeanne C.; Luther, Erik P.; Velamakanni, Bhaskar V.
Pechenik, Alexander See Chen, Wei; Gallas, Marcia R.
Pellacani, Gian Carlo See Corradi, Anna Bonamartini
Pells, George Philip
Radiation damage effects in alumina. (2) 368
Peng, Chien H.; and Desu, Seshu B.
Modified envelope method for obtaining optical properties of weakly absorbing thin films and its application to thin films of $Pb(Zr,Ti)O_3$ solid solutions. (4) 929; Structure development study of $Pb(Zr,Ti)O_3$ thin films by an optical method. (6) 1486; Metalorganic chemical vapor deposition of ferroelectric $Pb(Zr, Ti)O_3$ thin films. (7) 1799
Penner-Hahn, James E. See Li, Ping
Pepin, John G. See Wang, Sea Fue
Perlmutter, Daniel D. See Delikouras, Evangelos A.
Peterson, Chad R. See Sandlin, Michael S.
Peterson, Irene See Huang, Zhen-Kun
Petrovic, John J. See Ramamurty, Upadrasta
Peyrot, Aurélie See Backhaus-Ricoult, Monika
Pezzotti, Giuseppe See Klemm, Hagen; Nishida, Toshihiko
Pezzotti, Giuseppe; Aoyagi, Eiji; Suzuki, Toshiko; and Sakai, Mototsugu
Electron channeling pattern of ceramic platelets. (9) 2465
Pezzotti, Giuseppe; and Sakai, Mototsugu
Effect of a silicon carbide "nano-dispersion" on the mechanical properties of silicon nitride. (11) 3039
Pham Van, Laurent See Gautier, Martine
Phillips, Matthew R. See Moon, Anthony R.
Piciacchio, Alan; Lee, Sang-Ho; and Messing, Gary L.
Processing and microstructure development in alumina–silicon carbide intragranular particulate composites. (8) 2157
Pickrell, Gary R. See Sun, Tawei
Piermarini, Gasper J. See Chen, Wei; Gallas, Marcia R.
Pijolat, Michèle See Gruy, Frédéric
Pillai, P. Krishna See Varma, Hari Krishna
Pilleux, Mauricio E.; Grahmann, Carlos R.; and Fuenzalida, Víctor M.
Hydrothermal strontium titanate films on titanium: An XPS and AES depth-profiling study. (6) 1601
Pindera, Marek-Jerzy See Eldridge, Jeffrey I.
Pluckneti, Kevin P.; Cáceres, Carlos H.; Hughes, Christopher; and Wilkinson, David S.
Tape casting of fine alumina/zirconia powders for composite fabrication. (8) 2137
Plucknett, Kevin P.; Cáceres, Carlos H.; and Wilkinson, David S.
Processing of tape-cast laminates prepared from fine alumina/zirconia powders. (8) 2145
Poe, Brent T.; McMillan, Paul F.; Coté, Bertrand; Massiot, Dominique; and Coutures, Jean-Pierre
Structure and dynamics in calcium aluminate liquids: High-temperature ^{27}Al NMR and Raman spectroscopy. (7) 1832
Poeppel, Roger B. See Kirkpatrick, Kelly S.
Polini, Riccardo; Marcheselli, Giancarlo; and Traversa, Enrico
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments. (8) 2043
Pollak, Maud See Gautier, Martine
Pollinger, John P. See Chang, Jeanne C.
Pollini, Riccardo; Marcheselli, Giancarlo; and Traversa, Enrico
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments—correction. (12) 3293
Ponahlo, Johann See Gutzov, Stoyan
Popoola, Oludele O. See Gülgün, Mehmet A.
Porter, John R. See Gu, Weizhong
Porter, Wallace D. See Park, Dong Gon
Powell-Dogan, Cynthia A.; Heuer, Arthur H.; and O'Bryan, Henry M.
Devitrification of the grain boundary glassy phase in a high-alumina ceramic substrate. (10) 2593
Pozzi, Paolo See Corradi, Anna Bonamartini
Prasad, S. Eswar See Sherrit, Stewart
Prielipp, Helge See Schön, Stefan
Prouhet, Stéphane; Camus, Gérald; Labrugère, Christine; Guette, Alain; and Martin, Eric
Mechanical characterization of Si-C(O) fiber/SiC (CVI) matrix composites with a BN-interphase. (3) 649
Pruna, Philip M. See Brodeur, Russell P.
Qing, Xinglin See Sun, Qingping
Quesnel, David J. See Zhou, Yiyang
Rafaniello, William See Ness, Eric A.
Rahaman, Mohamed N. See Hu, Ching-Li
Raistrick, Ian D. See Brosha, Eric L.
Ramakrishnan, N.
Effective elastic moduli of porous ceramic materials—reply. (10) 2782
Ramamurty, Upadrasta; Suresh, Subra; and Petrovic, John J.
Effect of carbon addition on elevated temperature crack growth resistance in $(Mo,W)Si_2$–SiC_p composite. (10) 2681
Ramamurty, U.; Hansson, T.; and Suresh, S.
High-temperature crack growth in monolithic and SiC_w-reinforced silicon nitride under static and cyclic loads. (11) 2985
Ramanathan, Sriram See Trubelja, Mladen F.
Ramberg, C. Eric See Chou, Yeong-Shyung
Rankin, Janet; and Boatner, Lynn A.
Unstable neck formation during initial-stage sintering. (8) 1987
Ravichandran, Guruswami; and Subhash, Ghatuparthi
Critical appraisal of limiting strain rates for compression testing of ceramics in a split Hopkinson pressure bar. (1) 263
Ravichandran, Kakkaveri S.
Elastic properties of two-phase composites. (5) 1178
Ravikumar, V. See Dravid, Vinayak P.
Rawn, Claudia J.; Roth, Robert S.; Burton, Benjamin P.; Hill, Michael D.
Phase equilibria and crystal chemistry in portions of the system SrO–CaO–$\frac{1}{2}Bi_2O_3$–CuO: V. The system SrO–CaO–$\frac{1}{2}Bi_2O_3$. (8) 2173
Ray, Chandra S. See Huang, Wen-Hai
Raynes, Alan S. See White, Grady S.
Readey, Michael J. See Kovar, Desiderio
Reaney, Ian M.; Brooks, Keith; Klissurska, Radosveta; Pawlaczyk, Czeslaw; and Setter, Nava
Use of transmission electron microscopy for the characterization of rapid thermally annealed, solution-gel, lead zirconate titanate films. (5) 1209
Reddy, Srinivas K.; Kumar, Susmit; and Singh, Raj N.
Residual stresses in silicon carbide–zircon composites from thermal expansion measurements and fiber pushout tests. (12) 3221
Reidmeyer, Mary R. See Stevenson, Jeffry W.
Reimanis, Ivar E. See Rogers, Kirk A.
Ren, Jian See Cagliostro, Domenick E.
Renaud, Gilles See Gautier, Martine
Renoult, Oliver; Boilot, Jean-Pierre; and Boncoeur, Marcel
Alkoxide–hydroxide route for the preparation of γ-$LiAlO_2$-based ceramics. (1) 249
Revcolevschi, Alexandre See Dravid, Vinayak P.
Rhine, Wendell E. See Higgins, Richard J.; Lewis, Jennifer A.
Riccitiello, Salvatore R. See Cagliostro, Domenick E.
Rice, Roy W.
Porosity effects on machining direction—Strength anisotropy and failure mechanisms. (8) 2232; Crack-shape–wake-area effects on ceramic fracture toughness and strength. (9) 2479
Rice, Roy W.; Wu, Carl Cm.; and Borchelt, Fred
Hardness–grain-size relations in ceramics. (10) 2539
Richardson, Ian G. See Brough, Adrian R.
Riman, Richard E. See Nicolaescu, Ion V.
Rincón, Jesús Ma. See Carda, Juan
Rivas, Patricia C. See Scian, Alberto N.
Rivière, Jean P. See Lagerlöf, K. Peter D.
Roberts, Steve See Kim, Hyung-Sun
Roberts, Steven G. See Booth, Andrew S.
Robinson, David See Solmon, Hélène
Roddy, Mike See Skandan, Ganesh
Rödel, Jürgen See Schön, Stefan
Rodríguez, Arturo Domínguez See Fernández, Julian Martínez
Rogers, Kirk A.; Trumble, Kevin P.; Dalgleish, Brian J.; Reimanis, Ivar E.
Role of oxygen in microstructure development at solid-state diffusion-bonded Cu/α-Al_2O_3 interfaces. (8) 2036
Rondinella, Vincenzo V.; Matthewson, M. John; and Kurkjian, Charles R.
Coating additives for improved mechanical reliability of optical fiber. (1) 73
Roth, Robert S. See Rawn, Claudia J.
Rouxel, Tanguy; Wakai, Fumihiro; and Sakaguchi, Shuji
R-Curve behavior and stable crack growth at elevated temperature (1500°–1650°C) in a Si_3N_4/SiC nanocomposite. (12) 3237
Rowcliffe, David See Zeng, Kaiyang
Roy, Amitava See Schilling, Paul J.
Roy, Rustum See DebRoy, Tarasankar; Liu, Chunling
Rudolf, P. R. See Moyer, John R.
Ruh, Edwin See de Baranda, Pedro Sainz
Rühle, Manfred See Bruley, John; Höche, Thomas; Tanaka, Isao
Rulison, Aaron J.; and Flagan, Richard C.
Synthesis of yttria powders by electrospray pyrolysis. (12) 3244

Saito, Tsutomu See Oya, Asao
Saito, Yuria See Takeuchi, Tomonari
Sakaguchi, Shuji See Rouxel, Tanguy
Sakai, Mototsugu See Pezzotti, Giuseppe
Sakakibara, Masato See Kamiya, Hidehiro
Sakamoto, Akira See Tanaka, Hiroshi
Sakuma, Taketo See Yamamoto, Takahisa
Sakurai, Yukio See Kamiya, Hidehiro
Salem, Jonathan A. See Choi, Sung R.
Salvador, Paul A. See Shen, Li
Sandhage, Kenneth H. See Schmutzler, Hans J.
Sandlin, S. Michael; Peterson, Ciiad R.; and Bowman, Keith J.
Texture measurement on materials containing platelets using stereology. (8) 2127
Sappey, Andrew D. See Butt, Darryl P.
Sasaki, Kaori See Isu, Norifumi; Okada, Yoshihiko
Sato, Kōji See Kitaoka, Satoshi
Satou, Mamoru See Fukumi, Kohei
Savin, Chris R. See Sherrit, Stewart
Savoy, Richard J. See MacManus-Driscoll, Judith L.
Sawamura, Kentaro See Uchikoba, Fumio
Sawaoka, Akira B. See Yamada, Kenjiro
Scheppokat, Sven See Holz, Dietmar
Scherrer, Stanislas See Kiessling, Uta
Schilling, Paul J.; Butler, Leslie G.; Roy, Amitava; and Eaton, Harvill C.
^{29}Si and ^{27}Al MAS-NMR of NaOH-activated blast-furnace slag. (9) 2363
Schilling, Paul J.; Roy, Amitava; and Eaton, Harvill C.
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—reply. (4) 1117
Schlesinger, Mark E. See Chung, Yau-Don
Schmid, Chiara See Sergo, Valter
Schmid, Herbert K. See Caceres, Pablo G.
Schmutzler, Hans J.; Antony, Michael M.; and Sandhage, Kenneth H.
A novel reaction path to $BaTiO_3$ by the oxidation of a solid metallic precursor. (3) 721
Schön, Stefan; Prielipp, Helge; Janssen, Rolf; Rödel, Jürgen; and Claussen, Nils
Effect of microstructural scale on thermal shock resistance of aluminum-reinforced alumina. (3) 701
Schwab, Stuart T. See Blanchard, Cheryl R.
Schwartz, Robert W. See Dimos, Duane
Scian, Alberto N.; Aglietti, Esteban F.; Caracoche, María C.; Rivas, Patricia C.; Pasquevich, Alberto F.; and López García, Alberto R.
Phase transformations in monoclinic zirconia caused by milling and subsequent annealing. (6) 1525
Scrivener, Karen L. See Wang, Shao-Dong
Scrivener, Karen L.; and Monteiro, Paulo J. M.
The alkali–silica reaction in a monolithic opal. (11) 2849
Searcy, Alan W. See Bullard, Jeffrey W.
Searcy, Alan W.; Bullard, Jeffrey W.
Thermodynamics and kinetics of surface area changes of faceted particles. (9) 2314
Seetharaman, Seshadri See Zhang, Ping
Seike, Satoru See Itatani, Kiyoshi
Sekhar, Jainagesh Akkaraju See Lakshmikantha, Medamaranahally
Senna, Mamoru See Komatsubara, Satoru
Sergo, Valter; Schmid, Chiara; Meriani, Sergio; and Evans, Anthony G.
Mechanically induced zone darkening of alumina/ceria-stabilized zirconia composites. (11) 2971
Setter, Nava See Reaney, Ian M.
Shaklee, Charles A.; and Messing, Gary L.
Growth of α-Al_2O_3 platelets in the HF–γ-Al_2O_3 system. (11) 2977
Shang, Jian-Ku See Yao, Daping
Shanker, Kartik See Baik, Youngmin
Shaw, Michael C. See Kaliszewski, Mary S.
Shaw, Thomas M. See Drennan, John
Shelleman, David L. See Trumbauer, Eric R.
Shen, Li; Salvador, Paul A.; and Mason, Thomas O.
Point defect modeling of La_2CuO_4-based superconductors. (1) 81
Shen, Lu; Tan, Beng Jit; Willis, William S.; Galasso, Francis S.; and Suib, Steven L.
Characterization of dip-coated boron nitride on silicon carbide fibers. (4) 1011
Sherrit, Stewart; Savin, Chris R.; Wiederick, Harvey D.; Mukherjee, Binu K.; and Prasad, S. Eswar
Plasma-sprayed lead zirconate titanate-glass composites. (7) 1973
Shetty, Dinesh K. See Tsai, Jing-Fong
Sheu, Tzer-Shin
Infiltration of reaction-bonded silicon nitride with equilibrium Y-Si-O-N Melt. (2) 499; Microstructure and mechanical properties of the *in situ* β-Si_3N_4/α'-SiAlON composite. (9) 2345
Shih, Wan Y. See Shih, Wei-Heng
Shih, Wei-Heng; Shih, Wan Y.; Kim, Seong-Il; and Aksay, Ilhan A.
Equilibrium-state density profiles of centrifuged cakes. (2) 540
Shimada, Masahiko See Takizawa, Hirotsugu
Shimizu, Yasuhiro See Egashira, Makoto
Shimoyashiki, Kazuo See Takizawa, Hirotsugu
Shin, Dong Won See Kim, Kwang Ho
Shin, Dong-Woo; and Tanaka, Hidehiko
Low-temperature processing of ceramic woven fabric/ceramic matrix composites. (1) 97
Shrout, Thomas R. See Brodeur, Russell P.
Shter, Gennady E.; and Grader, Gideon S.
YBCO oxalate coprecipitation in alcoholic solutions. (6) 1436; YBCO oxalate coprecipitation in alcoholic solutions—correction. (9) 2494
Silverman, Lee A. See Chiang, Yet-Ming
Singh, Dileep; Singh, Jitendra P.; Majumdar, Saurin; Kupperman, David S.; Cowdin, Eric; and Bhatt, Ramakrishna T.
Effect of processing variables on interfacial properties of an SiC-fiber-reinforced reaction-bonded Si_3N_4 matrix composite. (10) 2561
Singh, Jitendra P. See Singh, Dileep
Singh, Neelam See Tiwari, Vidya S.
Singh, Raj N. See Reddy, Srinivas K.
Skakle, J. M. S.; and West, Anthony R.
Subsolidus relations in the La_2O_3–CuO–CaO phase diagram and the La_2O_3–CuO binary join. (8) 2199
Skamser, Daniel J.; Bentz, Dale P.; Coverdale, R. Tate; Spotz, Mark S.; Martys, Nick; Jennings, Hamlin; and Johnson, D. Lynn
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers. (10) 2669; Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—correction. (12) 3294
Skandan, Ganesh; Hahn, Horst; Roddy, Mike; and Cannon, W. Roger
Ultrafine-grained dense monoclinic and tetragonal zirconia. (7) 1706
Skovgaard, Niels H. See Hasløv, Peter
Skowroński, Raymund P.
Glass-ceramic coatings for titanium aluminides. (4) 1098
Sluzky, Esther See Kinsman, Karin M.
Smith, Douglas M. See Fahrenholtz, William G.
Smith, Peter A.; Kerch, Helen; Krueger, Susan; Long, Gabrielle G.; Keller, Joseph; and Haber, Richard A.
Pore sizes and filtration rates from two alumina slips. (7) 1777
Smith, Redd H. See Lin, Tze-Pin
Smith, Ronald I. See Argyriou, Dimitri N.
Smith, Russell G. See Aghajanian, Michael K.
Smyth, Donald M. See Bheemineni, Veerabhadrarao; Warren, William L.
Snyder, Robert L. See Kudesia, Rajiv
Sobolik, Jeffrey L.; Wang, Hong; and Thomson, William J.
Effect of particle size on binary reactions common to the Y-Ba-Cu-O system. (10) 2738
Socie, Darrell F. See Wesling, Kevin F.
Soga, Kohei See Inoue, Satoru
Solmon, Hélène; Robinson, David; and Dieckmann, Rüdiger
Oxygen transport in aluminum nitride substrates. (11) 2841
Son, Geonseog See Kwon, Young S.
Song, Jin-Hua; and Evans, Julian R. G.
A die pressing test for the estimation of agglomerate strength. (3) 806
Song, Kug-Hyun; and Park, Soon Ja
Factors determining the carbon monoxide sensing properties of tin oxide thick films calcined at different temperatures. (11) 2935
Song, Myoung-Youp See Lee, Hee-Gyoun
Sørensen, Bent F. See Holmes, John W.
Spearing, Dane R.; and Stebbins, Jonathan F.
Oxygen displacement through the ferroelectric phase transition of barium titanate—High-temperature ^{17}O NMR. (12) 3263
Spearing, S. Mark See Heredia, Fernando E.
Spearing, S. Mark; Zok, Frank W.; and Evans, Anthony G.
Stress corrosion cracking in a unidirectional ceramic-matrix composite. (2) 562
Speyer, Robert F. See Lin, Wen-yi; Sundaram, S. Kamakshi
Spooner, Steve See Wang, Xun-Li
Spotz, Mark S. See Skamser, Daniel J.
Sridhar, Narayanaswamy; Yang, Wuhua; Srolovitz, David J.; and Fuller, Edwin R., Jr.
Microstructural mechanics model of anisotropic-thermal-expansion-induced microcracking. (5) 1123
Srinivasan, Sreeram R.; and Blau, Peter J.
Effect of relative humidity on repetitive impact behavior of machined silicon nitride. (3) 683
Sriram, Mandyam A.; and Kumta, Prashant N.
Thio sol–gel process For the synthesis of titanium disulfide. (5) 1381
Srolovitz, David J. See Sridhar, Narayanaswamy
Stalick, Judith K. See Wong-Ng, Winnie
Starr, Thomas L. See Besmann, Theodore M.; Lyons, Jed S.
Stebbins, Jonathan F. See Spearing, Dane R.
Steif, Paul S.; and Trojnacki, Andrzej
Bend strength versus tensile strength of fiber-reinforced ceramics. (1) 221
Steinbrech, Rolf W. See Bleise, Detlef; Cook, Robert F.; Dransmann, Gerhard W.; Kaliszewski, Mary S.
Sternitzke, Martin; and Müller, Gerd
EELS study of oxygen diffusion in aluminum nitride. (3) 737
Sterns, Meta See Thomas, Elizabeth S.
Stevenson, Jeffry W.; Reidmeyer, Mary R.; and Huebner, Wayne
Fabrication and characterization of PZT/thermoplastic polymer composites for high-frequency phased linear arrays. (9) 2481
Stewart, Martin W. A. See Mitamura, Hisayoshi; Vance, Eric R.
Stinton, David P. See Graham, David W.
Stojaković, Djordje R. See Vasović, Dušanka D.
Stott, Michael W. See Gallois, Bernard M.
Stubican, Vladimir S. See Trubelja, Mladen F.
Su, Shi-Mei; Zhang, Liang-Ying; Sun, Hong-Tao; and Yao, Xi
Preparation of porous $BaTiO_3$ PTC thermistors by adding graphite porosifiers. (8) 2154
Subhash, Ghatuparthi See Ravichandran, Guruswami
Sudre, Olivier See Heintz, Jean-Marc
Suefuji, Yoshihito See Nakamura, Yoshikazu
Suh, Jeong See Kwon, Young S.
Suib, Steven L. See Shen, Lu
Suito, Hideaki See Takaoka, Hidemitsu
Sun, Ellen Y.; Nutt, Steven R.; and Brennan, John J.
Interfacial microstructure and chemistry of SiC/BN dual-coated nicalon-fiber-reinforced glass-ceramic matrix composites. (5) 1329
Sun, Hong-Tao See Su, Shi-Mei
Sun, Qingping; Zhao, Zhijun; Chen, Weizhe; Qing, Xinglin; Xu, Xiaojian; and Dai, Fuloon
Experimental study of stress-induced localized transformation plastic zones in tetragonal zirconia polycrystalline ceramics. (5) 1352
Sun, Tawei; Pickrell, Gary R.; and Brown, Jesse J., Jr.
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors. (12) 3209
Sundaram, S. Kamakshi; Hsu, Jen-Yan; and Speyer, Robert F.
Molten glass corrosion resistance of immersed combustion-heating tube materials in soda–lime–silicate glass. (6) 1613
Suresh, Subra See Ramamurty, Upadrasta
Suyama, Yoko; and Nagasawa, Mitsuru
Synthesis of single-crystal barium titanium isopropoxide complex to form barium titanate. (2) 603
Suzuki, Ryosuke O.; Bohac, Petr; and Gauckler, Ludwig J.
Thermodynamics and phase equilibria in the Ca–Cu–O system. (1) 41
Suzuki, Toshiko See Pezzotti, Giuseppe
Swain, Michael V. See Hannink, Richard H. J.
Tabata, Masahiro See Tsuji, Masamichi
Tai, Nyan-Hwa; Chou, Tsu-Wei; and Ma, Chen-Chi M.
Effects of deposition mechanisms in the modeling of forced-flow/temperature-gradient chemical vapor infiltration. (3) 849
Takada, Atsushi See Kondo, Yoshihito
Takada, Takahiro; Wang, Sea Fue; Yoshikawa, Shoko; Jang, Sei-Joo; and Newnham, Robert E.
Effect of glass additions on BaO–TiO_2–WO_3 microwave ceramics. (7) 1909; Effects of glass additions on $(Zr,Sn)TiO_4$ for microwave applications. (9) 2485
Takahashi, Hideaki See Hashida, Toshiyuki
Takahashi, Sadayuki; Hirose, Seiji; and Uchino, Kenji
Stability of PZT piezoelectric ceramics under vibration level change. (9) 2429
Takao, Yuji See Egashira, Makoto
Takaoka, Hidemitsu; and Suito, Hideaki
Magnetoplumbite–corundum phase equilibria in the system Sr-Fe-Al-O at 1100°C. (1) 244
Takashina, Hiroyuki See Yashima, Masatomo
Takata, Masasuke See Huybrechts, Ben
Takebe, Hiromichi See Morinaga, Kenji; Nageno, Yoshikazu
Takebe, Hiromichi; Fujino, Shigeru; and Morinaga, Kenji
Refractive-index dispersion of tellurite glasses in the region from 0.40 to 1.71 μm. (9) 2455
Takebe, Hiromichi; Nageno, Yoshikazu; and Morinaga, Kenji
Effect of network modifier on spontaneous emission probabilities of Er^{3+} in oxide glasses. (8) 2132
Taketomi, Susumu; Kawasaki, Kenji; Ozaki, Yoshiharu; Yuasa, Sinji; Otani, Yoshichika; and Miyajima, Hideki
Characteristics of yttrium iron garnet ultrafine particles prepared by the alkoxide method. (7) 1787
Takeuchi, Masahito See Narushima, Takayuki
Takeuchi, Tomonari; Ado, Kazuaki; Asai, Takashi; Kageyama, Hiroyuki; Saito, Yuria; Masquelier, Christian; and Nakamura, Osamu
Thickness of cubic surface phase on barium titanate single-crystalline grains. (6) 1665
Takita, Yusaku See Ishihara, Tatsumi
Takizawa, Hirotsugu; Shimada, Masahiko; Shimoyashiki, Kazuo; and Endo, Tadashi
Stress-induced phase transformation in the systems $(Ho_{1-x}La_x)_2Al_2O_6$ and $(Y_{1-x}La_x)_2Al_2O_6$. (9) 2489
Tamaura, Yutaka See Tsuji, Masamichi
Tan, Beng Jit See Shen, Lu
Tanahashi, Masami; Yao, Takeshi; Kokubo, Tadashi; Minoda, Masahiko; Miyamoto, Takeaki; Nakamura, Takashi; and Yamamuro, Takao
Apatite coating on organic polymers by a biomimetic process. (11) 2805
Tanaka, Hidehiko See Shin, Dong-Woo
Tanaka, Hiroshi; Fukai, Seiki; Uchida, Nozomu; Uematsu, Keizo; Sakamoto, Akira; and Nagao, Yoshihiko
Effect of moisture on the structure and fracture strength of ceramic green bodies. (12) 3077
Tanaka, Isao; Igashira, Ken'ichiro; Kleebe, Hans-Joachim; and Rühle, Manfred
High-temperature strength of fluorine-doped silicon nitride. (1) 275
Tanaka, Isao; Kleebe, Hans-Joachim; Cinibulk, Michael K.; Bruley, John; Clarke, David R.; and Ruhle, Manfred
Calcium concentration dependence of the intergranular film thickness in silicon nitride. (4) 911
Tandon, Sashi; Agrawal, Ranchhlor D.; and Kapoor, Madan L.
Viscosity of molten Na_2O–B_2O_3 slags. (4) 1032

Tani, Toshihiko; and Payne, David A.
Lead oxide coatings on sol–gel-derived lead lanthanum zirconium titanate thin layers for enhanced crystallization into the perovskite structure. (5) 1242
Tankala, Kanishka See Venugopalan, Hari
Tanner, Cameron W.; and Virkar, Anil V.
Electrochemical liquid deposition of ceria. (8) 2209
Tardos, Gabriel See Nicolaescu, Ion V.
Tas, A. Cuneyt; and Akinc, Mufit
Phase relations in the system Ce_2O_3–$Ce_2Si_2O_7$ in the temperature range 1150° to 1970°C in reducing and inert atmospheres. (11) 2953; Phase relations in the system Ce_2O_3–Al_2O_3 in inert and reducing atmospheres. (11) 2961; Crystal structures of the high-temperature forms of $Ln_2Si_2O_7$ (Ln = La, Ce, Pr, Nd, Sm) revisited. (11) 2968
Tena, Ma. Angeles See Carda, Juan
Tennis, Paul D. See Jennings, Hamlin M.
Teramura, Satoshi See Isu, Norifumi
Thébault, Jacques See Filipuzzi, Ludovic; Lamouroux, Franck
Thomas, Elizabeth S.; Thompson, John G.; Withers, Ray L.; Sterns, Meta; Xiao, Yuehui; and Kirkpatrick, R. James
Further investigation of the stabilization of β-cristobalite. (1) 49
Thomas, Gareth See Liu, Kuo-Chung
Thompson, Derek P. See Cheng, Yi-Bing
Thompson, John G. See Thomas, Elizabeth S.
Thomson, William J. See Sobolik, Jeffrey L.
Thromat, Nathalie See Gautier, Martine
Tian, Yong-lai See Cai, Jie
Tien, Tseng-Ying See Huang, Zhen-Kun; Liu, Shih-Yu; Wisnudel, Michele
Ting, Jyh-Ming
Sintering of silicon carbide/molybdenum disilicide composites using boron oxide as an additive. (10) 2751
Tiwari, Vidya S.; and Pandey, Dhananjai
Structure and properties of (Ba,Ca)TiO_3 ceramics prepared using (Ba,Ca)CO_3 precursors: II, Diffuse phase transition behavior. (7) 1819
Tiwari, Vidya S.; Singh, Neelam; and Pandey, Dhananjai
Structure and properties of (Ba,Ca)TiO_3 ceramics prepared using (Ba,Ca)CO_3 precursors: I, Crystallographic and microstructural studies. (7) 1813
Togashi, Yoshihiro See Mitamura, Hisayoshi
Tomono, Kunisaburo See Kajiyoshi, Koji
Tomsia, Antoni P. See Loehman, Ronald E.
Tong, Quinn K.; Maden, Michele A.; Jagota, Anand; and Farris, Richard J.
Vibrational technique for stress measurement in films: II, Extensions and complicating effects. (3) 636
Torikai, Toshio See Watari, Takanori
Toyoshima, Hideo See Kashihara, Seiichi
Traversa, Enrico See Poilini, Riccardo
Tressler, Richard E. See Newcomb, Stephen A.
Troilo, Louis M.; Damjanovic, Dragan; and Newnham, Robert E.
Modified lead calcium titanate ceramics with a relatively large dielectric constant for hydrophone applications. (3) 857
Trojnacki, Andrzej See Steif, Paul S.
Trontelj, Marija See Makovec, Darko
Trubelja, Mladen F.; Ramanathan, Sriram; Modest, Michael F.; and Stubican, Vladimir S.
Carbon dioxide laser cutting of a carbon-fiber–silicon carbide-matrix composite. (1) 89
Trumbauer, Eric R.; Hellmann, John R.; Shelleman, David L.; and Koss, Donald A.
Effect of cleaning and abrasion-induced damage on the Weibull strength distribution of sapphire fiber. (8) 2017
Trumble, Kevin P. See Rogers, Kirk A.
Tsai, Jing-Fong; Belnap, J. Daniel; and Shetty, Dinesh K.
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens. (1) 105; Crack shielding in Ce-TZP/Al_2O_3 composites: comparison of fatigue and sustained load crack growth specimens. (4) 1119
Tsang, Chi-Fo; Meen, James K.; and Elthon, Don
Phase equilibria of the bismuth oxide–copper oxide system in oxygen at 1 atm. (12) 3119
Tseng, Tseung-Yuen See Koo, Horng-Show; Lai, Chun-Hung; Lu, Yuh-Yih; Yen, Ann-Jeng
Tsoga, Anna; and Nikolopoulos, Panagiotis
Groove angles and surface mass transport in polycrystalline alumina. (4) 954
Tsuboi, Takashi See Mitamura, Hisayoshi
Tsuchida, Takeshi; Hasegawa, Takeshi; and Inagaki, Michio
Self-combustion reactions induced by mechanical activation: Formation of aluminum nitride from aluminum–graphite powder mixture. (12) 3227
Tsuge, Akihiko See Kasori, Mitsuo
Tsuji, Masamichi; Tabata, Masahiro; and Tamaura, Yutaka
CO_2 decomposition by oxide ceramics intercalated in layered compound. (1) 161
Tsuji, Toshihide See Kitaoka, Satoshi
Tsukuda, Akira See Kondo, Yoshihito
Tsuyuki, Naomitsu See Hibino, Takeshi
Tsuzuku, Koichiro; and Fujimoto, Masayuki
Temperature-stable lead-relaxor-based ceramic dielectrics with chemical inhomogeneity. (6) 1451
Tu, George C. See Koo, Horng-Show
Tuller, Harry L. See Opila, Elizabeth J.
Tunaboylu, Bahadir; McKittrick, Joanna; Nellis, W.J.; and Nutt, Steven R.
Dynamic compaction of Al_2O_3–ZrO_2 compositions. (6) 1605
Tuttle, Bruce A. See Warren, William L.
Uchida, Nozomu See Tanaka, Hiroshi
Uchikoba, Fumio; and Sawamura, Kentaro
Domain structure in excess-WO_3 lead complex perovskite. (5) 1345
Uchino, Kenji See Oh, Ki-Young; Takahashi, Sadayuki
Udayakumar, K. R. See Kushida, Keiko
Uematsu, Keizo See Tanaka, Hiroshi
Ueno, Akira See Kishimoto, Hidehiro
Ueno, Fumio See Kasori, Mitsuo
Umegaki, Takao See Yamashita, Kimihiro
Ünal, Özer; and Lagerlöf, K. Peter D.
Tensile properties of alumina fibers using hot-grips. (10) 2609
Unal, Ozer; Mitchell, Terrence E.; and Heuer, Arthur H.
Microstructures of Y_2O_3-stabilized ZrO_2 electron beam-physical vapor deposition coatings on Ni-base superalloys. (4) 984
Ungan, Aydin; Payli, Resat U.; and Balkanli, Batu
Numerical model of polydispersed silica grain dissolution in glass melting furnaces. (7) 1921
Vagaggini, E. See Evans, Anthony G.
Vance, Eric R. See Begg, Bruce D.; Mitamura, Hisayoshi
Vance, Eric R.; Angel, Paul J.; Cassidy, David J.; Stewart, Martin W.A.; Blackford, Mark G.; and McGlinn, Peter A.
Freudenbergite: A possible synroc phase for sodium-bearing high-level waste. (6) 1576
Vanderah, Terrell A.; Lowe-Ma, Charlotte K.; and Gagnon, David R.
Synthesis and dielectric properties of substituted lanthanum aluminate. (12) 3125
van Oss, Carel J. See Li, Zhaohui
van Weeren, Remco; Leone, Edgar A.; Curran, Sean; Klein, Lisa C.; and Danforth, Stephen C.
Synthesis and characterization of amorphous Si_2N_2O. (10) 2699
Varma, Hari Krishna; Mani, Themanam Veetil; Damodaran, Alathoor D.; Warrier, Krishna Gopakumar; and Balachandran, Uthamalingam
Characteristics of alumina powders prepared by spray-drying of boehmite sol. (6) 1597
Varma, Hari Krishna; Pillai, P. Krishna; Mani, Themanam Veettil; Warrier, Krishna Gopa Kumara; and Damodaran, Alathoor D.
Spray drying of metal alkoxide sol for strontium titanate ceramics. (1) 129
Vasović, Dušanka D.; and Stojaković, Djordje R.
Use of boron phosphate in the solid-state preparation of crystalline iron(III) phosphate and manganese(II) diphosphate. (5) 1372
Vaudin, Mark D. See White, Grady S.
Velamakanni, Bhaskar V.; Lange, Fred F.; Zok, Frank W.; and Pearson, Dale S.
Influence of interparticle forces on the rheological behavior of pressure-consolidated alumina particle slurries. (1) 216
Venugopalan, Hari; Tankala, Kanishka; and DebRoy, Tarasankar
Electrical conductivity of alumina /aluminum composites synthesized by directed metal oxidation. (11) 3045
Verkade, John G. See Han, Yong
Versteeg, Vera A.; and Kohlstedt, David L.
Internal friction in lithium aluminosilicate glass-ceramics. (5) 1169
Villette, Bruno See Gautier, Martine
Virkar, Anil V. See Fung, Kuan Zong; Tanner, Cameron W.
Voiles, E. Todd See Han, Yong
Voiles, E. Todd; Chumbley, L. Scott; Han, Yong; and Akinc, Mufit
TEM examination of heat-treated nanocrystalline ZnS. (12) 3273
Vollmann, Markus; and Waser, Rainer
Grain boundary defect chemistry of acceptor-doped titanates: Space charge layer width. (1) 235
Volmering, James E. See Weimer, Alan W.
Wachtman, John B. See Zutshi, Ajoy
Wada, Shigetaka See Kamiya, Hidehiro
Wakai, Fumihiro See Rouxel, Tanguy
Walrod, Dennis G. See Cockcroft, Steven L.
Wang, Da Yu
Electric and dielectric properties of barium titanate Schottky barrier diodes. (4) 897
Wang, Hong See Sobolik, Jeffrey L.
Wang, Jian N.
Experimental evidence for Harper–Dorn creep in Mn–Zn ferrite. (11) 3036
Wang, Jiasheng See Yu, Jiaqing
Wang, Sea Fue See Kuromitsu, Yoshirou; Takada, Takahiro
Wang, Sea Fue; Dougherty, Joseph P.; Huebner, Wayne; and Pepin, John G.
Silver-palladium thick-film conductors. (12) 3051
Wang, Shao-Dong; and Scrivener, Karen L.
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—comment. (4) 1116
Wang, Su Su See Wong, Ming-Shih
Wang, Xun-Li; Hubbard, Camden R.; Alexander, Kathleen B.; Becher, Paul F.; Fernandez-Baca, Jaime A.; and Spooner, Steve
Neutron diffraction measurements of the residual stresses in Al_2O_3–ZrO_2 (CeO_2) ceramic composites. (6) 1569
Wantuck, Paul J. See Butt, Darryl P.
Warren, William L.; Dimos, Duane; Tuttle, Bruce A.; and Smyth, Donald M.
Electronic and ionic trapping at domain walls in $BaTiO_3$. (10) 2753
Warrier, Krishna Gopa Kumara See Varma, Hari Krishna
Warwick, Wilbur H. See Becher, Paul F.
Waseda, Yoshio See Jacob, K. Thomas
Waser, Rainer See Vollmann, Markus
Watanabe, Yoshihisa See Nakamura, Yoshikazu
Watari, Takanori; Mori, Koichiro; Torikai, Toshio; and Matsuda, Ohsaku
Growth of alumina/metal composites into porous ceramics by the oxidation of aluminum. (10) 2599
Waters, Shirley B. See Alexander, Kathleen B.
Watkins, Thomas R.; and Green, David J.
Fracture behavior of CVD SiC-coated graphite: II, Conditions for the onset of multiple cracking. (3) 717
Weber, Christian H.; Löfvander, Jan P. A.; and Evans, Anthony G.
Creep anisotropy of a continuous-fiber-reinforced silicon carbide/calcium aluminosilicate composite. (7) 1745
Weber, Sylvain See Kiessling, Uta
Wei, Xiaohan See Christoffersen, Roy
Weimer, Alan W.; Cochran, Gene A.; Eisman, Glenn A.; Henley, John P.; Hook, Bruce D.; Mills, Lynne K.; Guiton, Theresa A.; Knudsen, Arne K.; Nicholas, Nicholas R.; Volmering, James E.; and Moore, William G.
Rapid process for manufacturing aluminum nitride powder. (1) 3
Weitzing, Holger See Meyer, Richard, Jr.
Wernet, Judith; and Feke, Donald L.
Effects of solids loading and dispersion schedule on the state of aqueous alumina /zirconia dispersions. (10) 2693
Wesling, Kevin F.; Socie, Darrell F.; and Beardsley, Brad
Fatigue of thick thermal barrier coatings. (7) 1863
West, Anthony R. See Skakle, J. M. S.
White, Grady S. See Lindsay, Curtis G.
White, Grady S.; Raynes, Alan S.; Vaudin, Mark D.; and Freiman, Stephen W.
Fracture behavior of cyclically loaded PZT. (10) 2603
White, Kenneth W. See Ortiz-Longo, Carlos R.
White, Kenneth W.; and Hay, Jack C.
Effect of thermoelastic anisotropy on the *R*-curve behavior of monolithic alumina. (9) 2283
White, Timothy J. See Mitamura, Hisayoshi
Wiederhorn, Sheldon M. See Kim, Doh-Yeon
Wiederick, Harvey D. See Sherrit, Stewart
Wiening, Jonathan P. See Eldridge, Jeffrey I.
Wilkinson, David S. See Plucknett, Kevin P.
Willis, William S. See Shen, Lu
Winnubst, Louis See Boutz, Michel M. R.; den Exter, Peter
Wisnudel, Michele; and Tien, Tseng-Ying
Solid–liquid reactions in the system Si_3N_4–β-SiAlON–$Y_3Al_5O_{12}$. (10) 2653
Withers, Ray L. See Thomas, Elizabeth S.
Won, Dong-Yeon See Lee, Hee-Gyoun
Wong, Ming-Shih; Miyase, Akira; Yuan, Yu-Sheng; and Wang, Su Su
Processing–microstructure–property relationships of Al_2O_3-fiber-reinforced high-temperature superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ composite. (11) 2833
Wong-Ng, Winnie See Lindsay, Curtis G.
Wong-Ng, Winnie; and Cook, Lawrence P.
BaO–½Y_2O_3–CuO_x eutectic melting in air. (7) 1883
Wong-Ng, Winnie; Cook, Lawrence P.; Paretzkin, Boris; Hill, Michael D.; and Stalick, Judith K.
Crystal chemistry and phase equilibrium studies of the BaO-($BaCO_3$)–½R_2O_3–CuO_x systems in air: VI, R = neodymium. (9) 2354
Wu, Carl Cm. See Rice, Roy W.
Wu, David C. See Menon, Mamballykalathil N.
Wu, Long See Liou, Yi-Cheng
Wu, Mianxue; and Messing, Gary L.
Fabrication of oriented SiC-whisker-reinforced mullite matrix composites by tape casting. (10) 2586
Wu, Suxing See Holz, Dietmar
Wu, Suxing; and Claussen, Nils Reaction bonding and mechanical properties of mullite/silicon carbide composites. (11) 2898
Wu, Tai-Bor; and Lin, Jiu-Nun
Transition of compensating defect mode in niobium-doped barium titanate. (3) 759
Wu, Wen-Fa See Chiou, Bi-Shiou
Wu, Xin See Holmes, John W.
Xia, Fei See Yu, Jiaqing
Xiao, Ping; and Derby, Brian
Alumina/aluminum composites formed by the directed oxidation of aluminum using magnesia as a surface dopant. (7) 1761; Alumina/aluminum composites formed by the directed oxidation of aluminum using sodium hydroxide as a surface dopant. (7) 1771
Xiao, Yuehui See Thomas, Elizabeth S.
Xie, Xiao-ming See Cai, Jie
Xu, Hockin H. K.; and Jahanmir, Said
Simple technique for observing subsurface damage in machining of ceramics. (5) 1388
Xu, Hockin H. K.; Ostertag, Claudia P.; Braun, Linda M.; and Lloyd, Isabel K.
Short-crack mechanical properties and failure mechanisms of Si_3N_4-matrix/SiC-fiber composites. (7) 1889; Effects of fiber volume fraction on mechanical properties of SiC-fiber/Si_3N_4-matrix composites. (7) 1897; Short-crack mechanical properties and failure mechanism of Si_3N_4-matrix/SiC fiber composite—correction. (11) 3048
Xu, Qichang See Meyer, Richard, Jr.
Xu, Qunyin; and Anderson, Marc A.
Sol–gel route to synthesis of microporous ceramic membranes: Preparation and characterization of microporous TiO_2 and ZrO_2 xerogels. (7) 1939
Xu, Xiaojian See Sun, Qingping
Xu, Yong-Nian See Ching, W. Y.

Xu, Youren; Huang, Chao M.; Kriven, Waltraud M.; and Zangvil, Avigdor
Residual α-Si_3N_4 in O′ crystals in CeO_2-doped O′ + β′ SiAlON ceramics. (8) 2213
Xu, Z. See Ducker, William A.
Yamada, Kenjiro; and Sawaoka, Akira B.
Nucleation and growth of diamond in detonation products. (4) 1104
Yamada, Shinji See Yamashita, Kimihiro
Yamaguchi, Osamu See Ishida, Koji; Kimoto, Shinya; Yamakata, Kōji
Yamaguchi, Ryoji See Egashira, Makoto
Yamaguchi, Takashi; and Kanai, Ken
Development of cell structure due to Bénard–Marangoni-type convection in RuO_2-glass thick films. (3) 847
Yamaguchi, Yoshimi See Kitaoka, Satoshi
Yamakata, Kōji; Hirota, Ken; Yamaguchi, Osamu; Kume, Hideki; Inamura, Suguru; and Miyamoto, Hiroki
Formation of alumina/zirconia (3 mol% yttria) composite powders prepared by the hydrazine method. (8) 2207
Yamamoto, Takahisa; and Sakuma, Taketo
Fabrication of barium titanate single crystals by solid-state grain growth. (4) 1107
Yamamura, Hiroshi See Mori, Toshiyuki
Yamamuro, Takao See Tanahashi, Masami
Yamanaka, Shozo See Kashihara, Seiichi
Yamashita, Kimihiro; Arashi, Tomohiro; Kitagaki, Kazuhisa; Yamada, Shinji; Umegaki, Takao; and Ogawa, Kenji
Preparation of apatite thin films through rf-sputtering from calcium phosphate glasses. (9) 2401
Yamashita, Yohachi See Kanai, Hideyuki
Yamauchi, Yukihito See Ohji, Tatsuki
Yanagida, Hiroaki See Bae, Seung-Young; Hikita, Kazuyasu; Ishida, Atsumu; Ohara, Yoshinobu
Yang, Wuhua See Sridhar, Narayanaswamy
Yao, Daping; and Shang, Jian-Ku
Anomalous temperature dependence of cyclic fatigue-crack growth in a silicon carbide matrix composite. (11) 2911
Yao, Takeshi See Tanahashi, Masami
Yao, Xi See Su, Shi-Mei
Yashima, Masatomo See Du, Yong; Kim, Dae-Joon
Yashima, Masatomo; Arashi, Haruo; Kakihana, Masato; and Yoshimura, Masahiro
Raman scattering study of cubic–tetragonal phase transition in $Zr_{1-x}Ce_xO_2$ solid solution. (4) 1067
Yashima, Masatomo; Ohtake, Katsuya; Kakihana, Masato; and Yoshimura, Masahiro
Synthesis of metastable tetragonal (*t′*) zirconia–ceria solid solutions by the polymerized complex method. (10) 2773
Yashima, Masatomo; Takashina, Hiroyuki; Kakihana, Masato; and Yoshimura, Masahiro
Low-temperature phase equilibria by the flux method and the metastable–stable phase diagram in the ZrO_2–CeO_2 system. (7) 1869
Yato, Hisanari See Hashimoto, Noboru
Yeckley, Russell L. See Ferber, Mattison K.
Yen, Ann-Jeng; Lee, Yih-Shing; and Tseng, Tseung-Yuen
Electrical properties of multilayer-chip ZnO varistors in a moist-air environment. (11) 3006
Yen, Tsung-Fu; and Chang, Yen-Hwei
Scattering-loss mechanism in CaF_2-film-assisted diffusion bonding of MgF_2 ceramics. (5) 1401
Yokoyama, Yoshio See Narushima, Takayuki
Yoo, Han-Ill; and Lee, Sang-Min
Generation and mobility of electronic charge carriers in $YBa_2Cu_3O_x$. (12) 3131
Yoon, Duk Yong See Lee, Ho Yong
Yoon, Ki Hyun; Kim, Dong Pil; and Kim, Eung Soo
Effect of $BaWO_4$ on the microwave dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics. (4) 1062
Yoon, Kyung-Jin See Cho, Seong-Jai
Yoshida, Hideki See Morinaga, Kenji
Yoshida, Hideto See Fukuda, Koichiro
Yoshikawa, Masahiro See Mori, Masashi
Yoshikawa, Shoko See Kuromitsu, Yoshirou; Takada, Takahiro
Yoshiki, Masahiko See Kanai, Hideyuki
Yoshimura, Masahiro See Du, Yong; Kajiyoshi, Koji; Yashima, Masatomo
Young, J. Francis See Okada, Yoshihiko
Younkman, Lora B. See Azad, Abdul M.
Yu, Chang-Te See Fett, Theo
Yu, Jiaqing; Zhao, Hangwei; Wang, Jiasheng; and Xia, Fei
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$. (4) 1052
Yuan, Yu-Sheng See Wong, Ming-Shih
Yuasa, Sinji See Taketomi, Susamu
Zadnik, Marjan G. See Li, Deyu Y.
Zaghi, Farshad See Cagliostro, Domenick E.
Zangvil, Avigdor See Xu, Youren
Zeng, Kaiyang; and Rowcliffe, David
Experimental measurement of residual stress field around a sharp indentation in glass. (2) 524
Zhang, Liang-Ying See Su, Shi-Mei
Zhang, Liu-wan See Cai, Jie
Zhang, Ping; and Seetharaman, Seshadri
Dissolution of MgO in CaO–"FeO"–CaF_2–SiO_2 slags under static conditions. (4) 970
Zhang, Qiming See Meyer, Richard, Jr.
Zhang, Yan; and Davies, Peter K.
Stabilization of ordered zirconium titanates through the chemical substitution of Ti^{4+} by Al^{3+}/Ta^{5+}. (3) 743
Zhang, Zongtao; Huang, Yong; and Jiang, Zuozhao
Electrophoretic deposition forming of SiC-TZP composites in a nonaqueous sol media. (7) 1946
Zhao, Hangwei See Yu, Jiaqing
Zhao, Junhong See French, Jonathan D.
Zhao, Zhijun See Sun, Qingping
Zheng, Fen See Li, Ya-li
Zhong, Baiqian See Okada, Yoshihiko
Zhong, Qian See Inniss, Daryl
Zhou, Li-Min; and Mai, Yiu-Wing
Analysis of fiber frictional sliding in fiber bundle pushout test. (8) 2076
Zhou, Yiyang; Funkenbusch, Paul D.; Quesnel, David J.; Golini, Donald; and Lindquist, Arne
Effect of etching and imaging mode on the measurement of subsurface damage in microground optical glasses. (12) 3277
Zhu, Hai-Yan
X-ray diffraction study of the *t*-to-*m* phase transformation in 12-mol%-ceria-doped zirconia at low temperatures. (9) 2458
Zhu, Mingguang; and Chung, D. D. L.
Active brazing alloy containing carbon fibers for metal–ceramic joining. (10) 2712
Zhu, Yuntian T.; and Manthiram, Arumugam
A new route for the synthesis of tungsten carbide–cobalt nanocomposites. (10) 2777
Znášik, P. See Majling, Jan
Zok, Frank W. See Folsom, Craig A.; Spearing, S. Mark; Velamakanni, Bhaskar V.
Zukoski, Charles F. See Miller, Kelly T.
Zutshi, Ajoy; Haber, Richard A.; Nicsz, Dale E.; Adams, Jane W.; Wachtman, John B.; Ferber, Mattison K.; and Hsu, Stephen M.
Processing, microstructure, and wear behavior of silicon nitride hot-pressed with alumina and yttria. (4) 883

SUBJECT INDEX TO THE JOURNAL OF THE AMERICAN CERAMIC SOCIETY

INCLUDING ADVANCED CERAMIC MATERIALS AND COMMUNICATIONS

Numbers following titles are *page* numbers.

abrasion,
Effect of cleaning and abrasion-induced damage on the Weibull strength distribution of sapphire fiber.—2017
absorption/absorbents,
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics—Correction.—1407
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—3113
activation,
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—Comment.—1116
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—Reply.—1117
Self-combustion reactions induced by mechanical activation: Formation of aluminum nitride from aluminum–graphite powder mixture.—3227
additives,
Development of short-range repulsive potentials in aqueous, silicon nitride slurries.—1047
adsorption/adsorbents,
Effect of carboxylic acid adsorption on the hydrolysis and sintered properties of aluminum nitride powder.—1793
agglomerates,
A die pressing test for the estimation of agglomerate strength.—806
aggregates,
Effect of treatment of reactive aggregate by H_2O_2 on the alkali–silica reaction.—1522
aging,
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—3073
alkali–silica reaction,
Alkali–silica reaction in a monolithic opal.—2849
Effect of treatment of reactive aggregate by H_2O_2 on the alkali–silica reaction.—1522
alumina,
α-Al_2O_3 (0001) surfaces: Atomic and electronic structures.—323
Alumina/aluminum composites formed by the directed oxidation of aluminum using magnesia as a surface dopant.—1761
Alumina/aluminum composites formed by the directed oxidation of aluminum using sodium hydroxide as a surface dopant.—1771
Ambient-temperature mechanical response of alumina–fluoromica laminates.—1699
Bulk modulus and Young's modulus of nanocrystalline γ-alumina.—2917
Calculated structures and energies of grain boundaries in α-Al_2O_3.—349
Characteristics of alumina powders prepared by spray drying of boehmite sol.—1597
Cluster models of bulk, surface, and impurity structure in α-Al_2O_3.—398
Coherency strain energy and the direction of chemically induced grain-boundary migration in Al_2O_3–Cr_2O_3 and Al_2O_3–Fe_2O_3.—1301
Crack propagation behavior of polycrystalline alumina under static and cyclic load.—1324
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens.—105
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens—Correction.—1119
Creep of duplex microstructures.—2857
Critical concentration of MgO for the prevention of abnormal grain growth in alumina.—2499
Dense Al_2O_3/ZrO_2 particulate composites by free sintering of coated powders.—815
Densification and grain growth of porous alumina compacts.—3137
Determination of bridging stresses in reinforced Al_2O_3.—3267
Devitrification of the grain boundary glassy phase in a high-alumina ceramic substrate.—2593
Dynamic compaction of Al_2O_3–ZrO_2 compositions.—1605
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$.—1052
Effect of alumina on sintering behavior and electrical conductivity of high-purity yttria-stabilized zirconia.—2217
Effect of grain size on Hertzian contact damage in alumina.—1825
Effect of microstructural scale on thermal shock resistance of aluminum-reinforced alumina.—701
Effect of notch-root radius on the fracture toughness of a fine-grained alumina.—606
Effect of processing parameters on phase and microstructure evolution in RBAO ceramics.—2509
Effect of thermoelastic anisotropy on the *R*-curve behavior of monolithic alumina.—2283
Effects of α-SiC versus β-SiC starting powders on microstructure and fracture toughness of SiC sintered with Al_2O_3–Y_2O_3 additives.—1655
Effects of solids loading and dispersion schedule on the state of aqueous alumina/zirconia dispersions.—2693
Electrical conductivity of alumina/aluminum composites synthesized by directed metal oxidation.—3045
Evaluation of whisker alignment in axisymmetric SiC_w-reinforced Al_2O_3 composite materials.—2828
Evidence for anelastic creep recovery in silicon carbide-whisker-reinforced alumina.—1679
Fabrication and microstructure of Al_2O_3–SiC–YAG hybrid composites prepared by particulate dispersion.—1375
Fabrication of continuous-fiber-reinforced polycrystalline oxide composites via molten salt infiltration.—1361
Fabrication of transparent γ-Al_2O_3 from nanosize particles.—2107
Fibrous monolithic ceramics: IV, Mechanical properties and oxidation behavior of the alumina/nickel system.—1256
Flat *R*-curve from stable propagation of indentation cracks in coarse-grained alumina.—315
Flat and rising *R*-curves for elliptical surface cracks from indentation and superposed flexure.—172
Formation and sintering of yttria-doped tetragonal zirconia with 50 mol% alumina prepared by the hydrazine method.—1694
Formation of alumina/zirconia (3 mol% yttria) composite powders prepared by the hydrazine method.—2207
Formation of N-phase and phase relationships in MgO–Si_3N_4–Al_2O_3 system.—3251
Formation of zirconia solid solutions containing alumina prepared by new preparation method.—1391
Fracture strength–fracture resistance response and damage resistance of sintered Al_2O_3–ZrO_2 (12 mol% CeO_2) composites.—2689
Graded casting of materials with continuous gradients.—2747
Groove angles and surface mass transport in polycrystalline alumina.—954
Growth of α-Al_2O_3 platelets in the HF–γ-Al_2O_3 system.—2977
Growth of alumina/metal composites into porous ceramics by the oxidation of aluminum.—2599
High-resolution transmission electron microscopy studies of a near Σ11 grain boundary in α-alumina.—339
Influence of interparticle forces on the rheological behavior of pressure-consolidated alumina particle slurries.—216
Interband electronic structure of α-alumina up to 2167 K.—412
Ion-beam mixing of iron oxide marker layers in doped and undoped alumina thin films.—268
Kinetics and deformation during the reaction of yttrium-aluminum perovskite and alumina to yttrium-aluminum garnet.—1473
Kinetics of the reduction of carbon/alumina powder mixture in a flowing nitrogen stream.—1753
Lubricated rolling wear of SiC-whisker-reinforced Al_2O_3 composites against M2 tool steel.—179
Mechanical properties of partially dense alumina produced from powder compacts.—2113
Mechanically induced zone darkening of alumina/ceria-stabilized zirconia composites.—2971
Metastable phase selection and partitioning for $Zr_{(1-x)}Al_xO_{(2-x/2)}$ materials synthesized with liquid precursors.—2069
Microstructural observations on constrained densification of alumina powder containing a periodic array of sapphire fibers.—1976
Neutron diffraction measurements of the residual stresses in Al_2O_3–ZrO_2 (CeO_2) ceramic composites.—1569
Piezospectroscopic determination of residual stresses in polycrystalline alumina.—298
Pore sizes and filtration rates from two alumina slips.—1777
Preferred orientation of β-lead fluoride grains formed within micropores of porous alumina.—2470
Pressure sensitivity for particle packing of aqueous Al_2O_3 slurries vs interparticle potential.—1357
Processing and microstructure development in alumina–silicon carbide intragranular particulate composites.—2157
Processing of tape-cast laminates prepared from fine alumina/zirconia powders.—2145
Processing–microstructure–property relationships of Al_2O_3-fiber-reinforced high-temperature superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ composite.—2833
Radiation damage effects in alumina.—368
Role of grain size in strength variability of alumina.—1928
Role of oxygen in microstructure development at solid-state diffusion-bonded Cu/α-Al_2O_3 interfaces.—2036
Sigmoidal indentation–strength characteristics of polycrystalline alumina.—303
Solution of MgO, CaO, and TiO_2 in α-Al_2O_3.—378
Stability and surface energies of wetted grain boundaries in aluminum oxide.—444
Structure and energetics of alumina surfaces calculated from first principles.—335
Strut crack formation in open cell alumina ceramics.—1467
Tape casting of fine alumina/zirconia powders for composite fabrication.—2137
Tensile creep behavior of alumina/silicon carbide nanocomposite.—3259
Tensile properties of alumina fibers using hot-grips.—2609
Time–temperature–transformation curves for kaolinite–α-alumina.—1545
Viscosity and yield stress of alumina slurries containing large concentrations of electrolyte.—19
aluminates,
Alkoxide–hydroxide route for the preparation of γ-$LiAlO_2$-based ceramics.—249
Phase relations in the system Ce_2O_3–Al_2O_3 in inert and reducing atmospheres.—2961
Solid–liquid reaction in the system Si_3N_4–$Y_3Al_5O_{12}$–$Y_2Si_2O_7$ under 1 MPa of nitrogen.—2763
Stress-induced phase transformation in the systems $(Ho_{1-x}La_x)_4Al_2O_9$ and $(Y_{1-x}La_x)_4Al_2O_9$.—2489
Synthesis and dielectric properties of substituted lanthanum aluminate.—3125
aluminides,
Glass-ceramic coatings for titanium aluminides.—1098
aluminosilicates,
Creep anisotropy of a continuous-fiber-reinforced silicon carbide/calcium aluminosilicate composite.—1745
Crystallization in a barium-containing magnesium aluminosilicate glass-ceramic—Correction.—1406
Internal friction in lithium aluminosilicate glass-ceramics.—1169
Thermal stress analysis of fused-cast AZS refractories during production: I, Industrial study.—1505
Thermal stress analysis of fused-cast AZS refractories during production: II, Development of thermoelastic stress model.—1512
aluminum,
Alumina/aluminum composites formed by the directed oxidation of aluminum using magnesia as a surface dopant.—1761
Alumina/aluminum composites formed by the directed oxidation of aluminum using sodium hydroxide as a surface dopant.—1771
Chemical states of implanted aluminum ions in silica and silicon ions in alumina.—3019
Electrical conductivity of alumina/aluminum composites synthesized by directed metal oxidation.—3045
Oxide matrix composite by directional oxidation of a commercial aluminum–magnesium alloy.—1296
aluminum nitride,
AlN matrix composites fabricated via an infiltration and reaction approach.—1917

Carbothermal synthesis of aluminum nitride using sucrose.—2165
Cluster size determination in the chemical vapor deposition of aluminum nitride.—2009
EELS study of oxygen diffusion in aluminum nitride.—737
Effect of carboxylic acid adsorption on the hydrolysis and sintered properties of aluminum nitride powder.—1793
Effect of polynuclear complex content on the synthesis of aluminum nitride from aluminum polynuclear complex.—1633
Effect of yttria on the thermal conductivity of aluminum nitride.—1846
Effects of transition-metal additions on the properties of AlN.—1991
Morphology and crystallography of aluminum nitride whiskers.—977
Oxidation behavior and flexural strength of aluminum nitride exposed to air at elevated temperatures.—1037
Oxygen transport in aluminum nitride substrates.—2841
Rapid process for manufacturing aluminum nitride powder.—3
Self-combustion reactions induced by mechanical activation: Formation of aluminum nitride from aluminum–graphite powder mixture.—3227
Thermogravimetric determination of carbon, nitrogen, and oxygen in aluminum nitride.—2265

amorphous solid,
Sol–gel preparation and optical nonlinearity of lead(II) oxide–titanium(IV) oxide amorphous monoliths.—673

anions,
^{29}Si NMR spectroscopy of silicate anions in hydrothermally formed CSH.—765

annealing,
Phase transformations in monoclinic zirconia caused by milling and subsequent annealing.—1525

anorthite,
Low-temperature fabrication of anorthite ceramics.—833

antimony,
Effect of antimony addition on electrical and optical properties of tin oxide film.—915

apatite,
Apatite coating on organic polymers by a biomimetic process.—2805
Preparation of apatite thin films through rf-sputtering from calcium phosphate glasses.—2401

ball mills,
Effect of preliminary mechanical treatment on the microhomogenization during heating of hydrous gels as precursors for lead titanate.—278

baria,
$BaO–1/2Y_2O_3–CuO_x$ eutectic melting in air.—1883

barium,
Influence of Nd_2O_3 doping on the reaction process and sintering behavior of $BaCeO_3$ ceramics.—2523
Polar-oriented crystallization of fresnoite ($Ba_2TiSi_2O_8$) on glass surface due to ultrasonic treatment with suspensions.—2905

barium titanate,
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$.—1052
Effect of crystal-axis orientation on dielectric properties of ceramics prepared from fibrous barium titanate.—2327
Effect of particle size on the room-temperature crystal structure of barium titanate.—3186
Effect of soaking time on the temperature coefficient of resistivity of semiconducting barium titanate PTCR ceramics.—2461
Electric and dielectric properties of barium titanate Schottky barrier diodes.—897
Electronic and ionic trapping at domain walls in $BaTiO_3$.—2753
Evolution of interfacial microstructure between barium titanate and binary glasses.—852
Fabrication of barium titanate single crystals by solid-state grain growth.—1107
Interaction between barium titanate and binary glasses.—493
Metal organic resin derived barium titanate: II, Kinetics of $BaTiO_3$ formation.—2940
Novel reaction path to $BaTiO_3$ by the oxidation of a solid metallic precursor.—721
Optical study of domains in $Ba(Ti,Sn)O_3$ ceramics.—2809
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution:—3193
Oxygen displacement through the ferroelectric phase transition of barium titanate—High-temperature ^{17}O NMR.—3263
Preparation of porous $BaTiO_3$ PTC thermistors by adding graphite porosifiers.—2154
Resistivity and permittivity for $(Ba,Pb)TiO_3$ PTCR ceramics.—2419
Semiconducting barium titanate ceramics prepared by boron-containing liquid-phase sintering.—829
Structure and properties of $(Ba,Ca)TiO_3$ ceramics prepared using $(Ba,Ca)CO_3$ precursors: I, Crystallographic and microstructural studies.—1813
Structure and properties of $(Ba,Ca)TiO_3$ ceramics prepared using $(Ba,Ca)CO_3$ precursors: II, Diffuse phase transition behavior.—1819
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—3173
Synthesis of single-crystal barium titanium isopropoxide complex to form barium titanate.—603
Thickness of cubic surface phase on barium titanate single-crystalline grains.—1665
Transition of compensating defect mode in niobium-doped barium titanate.—759

belite,
Effect of Al/Fe ratio in belite on the microtexture induced by the remelting reaction.—3027

binders/binding,
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics.—711
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics—Correction.—1407
Ceramic surface reactions and carbon retention during nonoxidative binder removal: Al_2O_3/poly(methyl methacrylate) at 20°–700°C.—2243
Direct observation of preceramic and organic binder decomposition in 2-D model microstructure.—1839

bioceramics,
Apatite coating on organic polymers by a biomimetic process.—2805
Bonelike hydroxyapatite induction by a gel-derived titania on a titanium substrate.—1307

bismuth oxide,
Color and selected properties of $PbO–BiO_{1.5}–GaO_{1.5}$ glasses.—1017
Effect of Al_2O_3 and Bi_2O_3 on the formation mechanism of Sn-doped $Ba_2Ti_9O_{20}$.—1052
Impedance spectroscopy study of sintering in Bi-doped ZnO.—1493
Massive transformation in the $Y_2O_3–Bi_2O_3$ system.—1638
Microanalytical determination of ZnO solidus and liquidus boundaries in the $ZnO–Bi_2O_3$ system.—1499
Phase equilibria and crystal chemistry in portions of the system $SrO–CaO–1/2Bi_2O_3–CuO$: V, The system $SrO–CaO–1/2Bi_2O_3$.—2173
Phase equilibria of the bismuth oxide–copper oxide system in oxygen at 1 atm.—3119

bismuth strontium calcium copper oxide (Bi-Sr-Ca-Cu-O),
Effects of silver and lead on the phase stability of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ above and below the solidus temperature.—2305
Processing–microstructure–property relationships of Al_2O_3-fiber-reinforced high-temperature superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ composite.—2833

bismuth titanates,
Extended defects in ZnO ceramics containing $Bi_4Ti_3O_{12}$ additive.—1202
Nonstoichiometry and the long-range cation ordering in crystals of $(Na_{1/2}Bi_{1/2})TiO_3$.—2641

blast-furnace slag,
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—Comment.—1116
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—Reply.—1117
Mechanical properties evolution during autoclaving process of aerated concrete using slag: I, Tobermorite formation and reaction behavior of slag.—2088
Mechanical property evolution during autoclaving process of aerated concrete using slag: II, Fracture toughness and microstructure.—2093
^{29}Si and ^{27}Al MAS-NMR of NaOH-activated blast-furnace slag.—2363

boehmite,
Characteristics of alumina powders prepared by spray drying of boehmite sol.—1597

borates,
Enhanced surface crystallization of ß-barium borate on glass due to ultrasonic treatment.—749

boria,
Sintering of silicon carbide/molybdenum disilicide composites using boron oxide as an additive.—2751
Viscosity of molten $Na_2O–B_2O_3$ slags.—1032

borides,
SHS combustion characteristics of several ceramics and intermetallic compounds.—778

boron,
Use of boron phosphate in the solid-state preparation of crystalline iron(III) phosphate and manganese(II) diphosphate.—1372

boron nitride,
Characterization of dip-coated boron nitride on silicon carbide fibers.—1011
Fibrous monolithic ceramics: III, Mechanical properties and oxidation behavior of the silicon carbide/boron nitride system.—1249
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—3081

borosilicate glass,
Ultrasonic sol/gel processing of aluminoborosilicate glass and its composite with carbon fiber reinforcement.—155

borosilicates,
Preparation by a sol–gel process of borosilicate glasses containing microcrystals of tellurium and zinc telluride.—2885

brittle materials,
Elastic–plastic indentation of hard, brittle materials with spherical indenters.—3177
Flexural properties of brittle multilayer materials: I, Modeling.—689
Flexural properties of brittle multilayer materials: II, Experiments.—2081

bulk modulus,
Bulk modulus and Young's modulus of nanocrystalline γ-alumina.—2917

calcia,
Phase equilibria and crystal chemistry in portions of the system $SrO–CaO–1/2Bi_2O_3–CuO$: V, The system $SrO–CaO–1/2Bi_2O_3$.—2173
Subsolidus relations in the $La_2O_3–CuO–CaO$ phase diagram and the $La_2O_3–CuO$ binary join.—2199

calciners/calcination,
Effect of calcination on the sintering of gel-derived, zirconia-toughened alumina.—2376
Factors determining the carbon monoxide sensing properties of tin oxide thick films calcined at different temperatures.—2935

calcium,
Calcium concentration dependence of the intergranular film thickness in silicon nitride.—911
High-temperature stability of $Ca_2ZrSi_4O_{12}$.—3033
Modified lead calcium titanate ceramics with a relatively large dielectric contant for hydrophone applications.—857
Scattering-loss mechanism in CaF_2-film-assisted diffusion bonding of MgF_2 ceramics.—1401

calcium aluminate,
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics.—711
Chemical synthesis and characterization of calcium aluminate powders.—531
Chemical synthesis and characterization of calcium aluminate powders—Correction.—1982
Structure and dynamics in calcium aluminate liquids: High-temperature ^{27}Al NMR and Raman spectroscopy.—1832

calcium phosphate,
Preparation of apatite thin films through rf-sputtering from calcium phosphate glasses.—2401
Sinterability of ß-calcium orthophosphate powder prepared by spray pyrolysis.—801

calcium silicate,
Characterization of CSH from highly reactive ß-dicalcium silicate prepared from hillebrandite.—1313
Formation processes of ß-C_2S by the decomposition of hydrothermally prepared CSH with $Ca(OH)_2$.—1319
Mechanical properties and microstructure of $Ca_2SiO_4–CaZrO_3$ composites.—65
Structure and microtexture changes in phosphorous-bearing Ca_2SiO_4 solid solutions.—2615

calcium silicate hydrate,
^{29}Si NMR spectroscopy of silicate anions in hydrothermally formed CSH.—765
Application of selective ^{29}Si isotopic enrichment to studies of the structure of calcium silicate hydrate gels.—593
Characterization of CSH from highly reactive ß-dicalcium silicate prepared from hillebrandite.—1313
Formation processes of ß-C_2S by the decomposition of hydrothermally prepared CSH with $Ca(OH)_2$.—1319
Interpretation of compositional patterns found by quantitative energy dispersive X-ray analysis for cement paste constituents.—1875
Thermal decomposition of tricalcium silicate hydrate.—2277

calcium titanate,
Preparation of uniform submicrometer particles of calcium titanate and lead niobate by replacement reactions.—1950

capacitors,
Control of leakage resistance in $Pb(Zr,Ti)O_3$ thin films by donor doping.—3000

carbon,
Ceramic surface reactions and carbon retention during nonoxidative binder removal: Al_2O_3/poly(methyl methacrylate) at 20°–700°C.—2243
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: I, Experiemntal approach.—2049
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: II, Theoretical approach.—2058
Kinetics of the reduction of carbon/alumina powder mixture in a flowing nitrogen stream.—1753
Nanocomposite Si/C/N powder production by laser–aerosol interaction.—993
Notch effects in carbon matrix composites.—2817
Observation of hydrogenated amorphous carbon films by atomic force microscopy.—1385
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: I, An experimental approach.—459
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: II, Modeling.—467
Ultrasonic characterization of oxidation mechanisms in Nicalon/C/SiC composites.—2554

carbon–carbon composites,
Joining of carbon–carbon composites by graphite formation.—1419

carbon dioxide,
Carbon dioxide laser synthesis of ultrafine silicon carbide powders from diethoxydimethylsilane.—1662

carbon fibers,
Active brazing alloy containing carbon fibers for metal–ceramic joining.—2712
Carbon dioxide laser cutting of a carbon-fiber–silicon carbide-matrix composite.—89
Preparation of silicon carbide fiber from activated carbon fiber and gaseous silicon monoxide.—1691
Ultrasonic sol/gel processing of aluminoborosilicate glass and its composite with carbon fiber reinforcement.—155

carbonates,
Structure and properties of $(Ba,Ca)TiO_3$ ceramics prepared using $(Ba,Ca)CO_3$ precursors: I, Crystallographic and microstructural studies.—1813
Structure and properties of $(Ba,Ca)TiO_3$ ceramics prepared using $(Ba,Ca)CO_3$ precursors: II, Diffuse phase transition behavior.—1819

carbothermal reduction,
Carbothermal synthesis of aluminum nitride using sucrose.—2165

catalysts/catalysis,
Catalytic process for mullite whiskers.—1083

cells,
Strut crack formation in open cell alumina ceramics.—1467

cements,
Alkali–silica reaction in a monolithic opal.—2849
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics.—711
Binder distribution in macro-defect-free cements: Relation between percolative properties and moisture absorption kinetics—Correction.—1407
Impedance spectroscopy of hydrating cement-based materials: Measurement, interpretation, and application.—2789

centrifuges,
Equilibrium-state density profiles of centrifuged cakes.—540
ceramic matrix composites,
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—3284
In situ fiber strengths in ceramic matrix composites from fracture mirrors.—1075
In-plane shear properties of 2-D ceramic matrix composites.—2569
Low-temperature processing of ceramic woven fabric/ceramic matrix composites.—97
Methodology for relating the tensile constitutive behavior of ceramic matrix composites to constituent properties.—1425
New development of the *J*-based fracture testing technique for ceramic matrix composites.—1553
Strength versus gauge length in ceramic matrix composites.—1072
Stress corrosion cracking in a unidirectional ceramic-matrix composite.—562
ceramic–metal systems,
Active brazing alloy containing carbon fibers for metal–ceramic joining.—2712
ceramics,
Raman scattering study of cubic–tetragonal phase transition in $Zr_{1-x}Ce_xO_2$ solid solution.—1067
cerates,
Influence of Nd_2O_3 doping on the reaction process and sintering behavior of $BaCeO_3$ ceramics.—2523
ceria,
Characterization of three-dimensional through-thickness transformaton zone in 9-mol% Ce-TZP ceramics.—2203
Electrotechnical liquid deposition of ceria.—2209
High-temperature Hall measurements on cerium dioxide thin films.—1969
Kinetics of CeO_2 surface area reduction in a mixture of HCl, H_2O, and O_2.—1537
Low-temperature phase equilibria by the flux method and the metastable–stable phase diagram in the ZrO_2–CeO_2 system.—1869
Mechanically induced zone darkening of alumina/ceria-stabilized zirconia composites.—2971
Plasticity-induced fatigue damage in ceria-stabilized tetragonal zirconia polycrystals.—2025
Residual α-Si_3N_4 in O′ crystals in CeO_2-doped O′ + ß′ SiAlON ceramics.—2213
Role of defect interaction in boundary mobility and cation diffusivity of CeO_2.—2289
Synthesis of metastable tetragonal (*t*′) zirconia–ceria solid solutions by the polymerized complex method.—2773
Thermodynamic properties of cerium oxalate and cerium oxide—Comment.—2783
X-ray diffraction study of the *t*-to-*m* phase transformation in 12-mol%-ceria-doped zirconia at low temperatures.—2458
cerium,
Grain growth kinetics in alumina–zirconia (CeZTA) composites.—939
Phase relations in the system Ce_2O_3–Al_2O_3 in inert and reducing atmospheres.—2961
Phase relations in the system Ce_2O_3–$Ce_2Sr_2O_7$ in the temperature range 1150° to 1970°C in reducing and inert atmospheres.—2953
Synthesis and characterization of $Sr_2Ce_2Ti_5O_{16}$ in the system SrO–CeO_2–TiO_2.—1659
characterization,
^{29}Si and ^{27}Al MAS-NMR of NaOH-activated blast-furnace slag.—2363
charge,
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—3131
chemical properties,
Temperature-stable lead-relaxor-based ceramic dielectrics with chemical inhomogeneity.—1451
chemical vapor deposition (CVD),
Active-to-passive transition and bubble formation for high-temperature oxidation of chemically vapor deposited silicon carbide in CO–CO_2 atmosphere.—1079
Cluster size determination in the chemical vapor deposition of aluminum nitride.—2009
Comparison of the pyrolysis products of dichlorodimethylsilane in the chemical vapor deposition of silicon carbide on silica in hydrogen or argon.—2721
Development of tantalum pentoxide coatings by chemical vapor deposition.—2298
Effect of pressure on plasma-assisted chemical vapor deposition of silicon oxide(s).—1366
High-temperature active oxidation and active-to-passive transition of chemically vapor-deposited silicon nitride in N_2–O_2 and Ar–O_2 atmospheres.—2369
High-temperature oxidation of chemically vapor-deposited silicon nitride in a carbon monoxide–carbon dioxide atmosphere.—2921
Metalorganic chemical vapor deposition of ferroelectric $Pb(Zr,Ti)O_3$ thin films.—1799
Oxidation kinetics of chemically vapor-deposited silicon carbide in wet oxygen.—730
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—3081
Rapid formation of zinc oxide films by an atmospheric-pressure chemical vapor deposition method.—505
chemical vapor infiltration,
Chemical vapor infiltration of TiB_2-matrix composites.—2395
Effects of deposition mechanisms in the modeling of forced-flow/temperature-gradient chemical vapor infiltration.—849
chromia,
Coherency strain energy and the direction of chemically induced grain-boundary migration in Al_2O_3–Cr_2O_3 and Al_2O_3–Fe_2O_3.—1301
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—3202
chromium,
Phase development and luminescence in chromium-doped yttrium aluminum garnet (YAG:Cr) phosphors.—2866
clays,
Deflocculation of concentrated aqueous clay suspensions with sodium polymethacrylates.—509
clusters,
Cluster size determination in the chemical vapor deposition of aluminum nitride.—2009
coarsening,
Precipitate coarsening by liquid film migration in (Mg,Ca)-PSZs.—2657
coatings,
Coating additives for improved mechanical reliability of optical fiber.—73
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—3202
Microstructures of Y_2O_3-stabilized ZrO_2 electron beam–physical vapor deposition coatings on Ni-base superalloys.—984
Simulation of the viscous sintering of coated particles.—2237
cobalt,
New route for the synthesis of tungsten carbide–cobalt nanocomposites.—2777
colloid chemistry,
Forces between alumina surfaces in salt solutions: Non-DLVO forces and the implications for colloidal processing.—437
colloids,
Colloid mills: Theory and experiment.—769
color/coloring,
Defect clustering and color in Fe,Ti: α-Al_2O_3.—356
combustion,
Stability of molybdenum disilicide in combustion gas environments.—1162
combustion synthesis,
Analytical modeling of the propagation of a thermal reaction front in condensed systems.—202
Analytical modeling of the propagation of thermal reaction front in condensed systems—Correction.—1980
compacts/compaction,
Dynamic compaction of Al_2O_3–ZrO_2 compositions.—1605
Fabrication of transparent γ-Al_2O_3 from nanosize particles.—2107
Mechanical properties of partially dense alumina produced from powder compacts.—2113
Novel equipment for the study of the compaction of fine powders.—1005
Porosimeter as a means to measure the compactibility of powders.—1369
Residual stresses in polycrystalline diamond compacts.—1562
composites,
AlN matrix composites fabricated via an infiltration and reaction approach.—1917
Alumina/aluminum composites formed by the directed oxidation of aluminum using magnesia as a surface dopant.—1761
Alumina/aluminum composites formed by the directed oxidation of aluminum using sodium hydroxide as a surface dopant.—1771
Anomalous temperature dependence of cyclic fatigue-crack growth in a silicon carbide matrix composite.—2911
Apatite coating on organic polymers by a biomimetic process.—2805
Carbon dioxide laser cutting of a carbon-fiber–silicon carbide-matrix composite.—89
Chemical vapor infiltration of TiB_2-matrix composites.—2395
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens.—105
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens.—105
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens—Correction.—1119
Creep anisotropy of a continuous-fiber-reinforced silicon carbide/calcium aluminosilicate composite.—1745
Creep of duplex microstructures.—2857
Dense Al_2O_3/ZrO_2 particulate composites by free sintering of coated powders.—815
Effect of carbon addition on elevated temperature crack growth resistance in (Mo,W)Si_2–SiC_p composite.—2681
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—3232
Effect of processing variables on interfacial properties of an SiC-fiber-reinforced reaction-bonded Si_3N_4 matrix composites.—2561
Effects of fiber volume fraction on mechanical properties of SiC-fiber/Si_3N_4-matrix composites.—1897
Elastic properties of two-phase composites.—1178
Electrophoretic deposition forming of SiC–TZP composites in a nonaqueous sol media.—1946
Evaluation of whisker alignment in axisymmetric SiC_w-reinforced Al_2O_3 composite materials.—2828
Evidence for anelastic creep recovery in silicon carbide-whisker-reinforced alumina.—1679
Fabrication and characterization of PZT/thermoplastic polymer composites for high-frequency phased linear arrays.—2481
Fabrication and microstructure of Al_2O_3–SiC–YAG hybrid composites prepared by particulate dispersion.—1375
Fabrication of continuous-fiber-reinforced polycrystalline oxide composites via molten salt infiltration.—1361
Fabrication of oriented SiC-whisker-reinforced mullite matrix composites by tape casting.—2586
Fatigue mechanisms in graphite/SiC composites at room and high temperature.—792
Formation of alumina/zirconia (3 mol% yttria) composite powders prepared by the hydrazine method.—2207
Fracture strength–fracture resistance response and damage resistance of sintered Al_2O_3–ZrO_2 (12 mol% CeO_2) composites.—2689
Graded casting of materials with continuous gradients.—2747
Grain growth kinetics in alumina–zirconia (CeZTA) composites.—939
Growth of alumina/metal composites into porous ceramics by the oxidation of aluminum.—2599
High-temperature crack growth in monolithic and SiC_w-reinforced silicon nitride under static and cyclic loads.—2985
Interfacial microstructure and chemistry of SiC/BN dual-coated Nicalon fiber-reinforced glass-ceramic matrix composites.—1329
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: I, Experiemntal approach.—2049
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: II, Theoretical approach.—2058
Lubricated rolling wear of SiC-whisker-reinforced Al_2O_3 composites against M2 tool steel.—179
Mechanical characterization of Si-C(O) fiber/SiC (CVI) matrix composites with a BN-interphase.—649
Mechanical properties and microstructure of Ca_2SiO_4–$CaZrO_3$ composites.—65
Mechanically induced zone darkening of alumina/ceria-stabilized zirconia composites.—2971
Microstructure and chemical reaction in an Si_3N_4–TiC composite.—705
Microstructure and mechanical properties of the in situ ß-Si_3N_4/α′-SiAlON composite.—2345
Model of the nonlinear mechanical behavior of 2D SiC–SiC chemical vapor infiltration composites.—2118
Neutron diffraction measurements of the residual stresses in Al_2O_3–ZrO_2 (CeO_2) ceramic composites.—1569
Notch effects in carbon matrix composites.—2817
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: I, An experimental approach.—459
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: II, Modeling.—467
Oxide matrix composite by directional oxidation of a commercial aluminum–magnesium alloy.—1296
Plasma-sprayed lead zirconate titanate–glass composites.—1973
Prediction of fracture and detection of fatigue in ceramic composites from electrical resistivity measurements.—1057
Processing and microstructure development in alumina–silicon carbide intragranular particulate composites.—2157
Processing of tape-cast laminates prepared from fine alumina/zirconia powders.—2145
Processing–microstructure–property relationships of Al_2O_3-fiber-reinforced high-temperature superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ composite.—2833
Reaction bonding and mechanical properties of mullite/silicon carbide composites.—2898
Residual stresses in silicon carbide–zircon composites from thermal expansion measurements and fiber pushout tests.—3221
Short-crack mechanical properties and failure mechanisms of Si_3N_4-matrix/SiC-fiber composites.—1889
Short-crack mechanical properties and failure mechanism of Si_3N_4-matrix/SiC fiber composite—Correction.—3048
Sintering of silicon carbide/molybdenum disilicide composites using boron oxide as an additive.—2751
Strength and toughness of slip-cast fused-silica composites.—1673
Subcritical crack growth in CVI silicon carbide reinforced with Nicalon fibers: Experiment and model.—2381
Tape casting of fine alumina/zirconia powders for composite fabrication.—2137
Tensile creep and creep rupture behavior of monolithic and SiC-whisker-reinforced silicon nitride ceramics—Correction.—1981
Texture measurement on materials containing platelets using stereology.—2127
Thermal conductivity of a particulate-diamond-reinforced cordierite matrix composite.—1757
Ultrasonic characterization of oxidation mechanisms in Nicalon/C/SiC composites.—2554
composition,
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—3113
Interpretation of compositional patterns found by quantitative energy dispersive X-ray analysis for cement paste constituents.—1875
Use of two-phase standards of unknown compositions to determine calibration constants for powder XRD by linear regression.—2226
compressors/compression,
Critical appraisal of limiting strain rates for compression testing of ceramics in split Hopkinson pressure bar.—263
concretes,
Calcium hydroxide deposition in the near interfacial zone in plain concrete.—193
Mechanical properties evolution during autoclaving process of aerated concrete using slag: I, Tobermorite formation and reaction behavior of slag.—2088
Mechanical property evolution during autoclaving process of aerated concrete using slag: II, Fracture toughness and microstructure.—2093
conductivity,
High-temperature Hall measurements on cerium dioxide thin films.—1969
conductors,
Silver–palladium thick-film conductors.—3051
consolidation,
Osmotic consolidation of suspensions and gels.—2473
Shock-compacted Si_3N_4 nanocrystalline ceramics: Mechanisms of consolidation and of transition from α- to ß-form.—487

copper,
Phase relations in the system Cu-Ho-O and stability of $Cu_2Ho_2O_5$.—133
Preparation and optical nonlinear property of sol–gel-derived $Cu–SiO_2$ thin films.—1110
Role of oxygen in microstructure development at solid-state diffusion-bonded $Cu/\alpha-Al_2O_3$ interfaces.—2036
copper oxides,
$BaO–1/2Y_2O_3–CuO_x$ eutectic melting in air.—1883
New gas-sensing method for detecting carbon monoxide by use of the complex impedance of a CuO/ZnO heterocontact under a dc bias voltage.—1961
Phase equilibria of the bismuth oxide–copper oxide system in oxygen at 1 atm.—3119
Subsolidus relations in the $La_2O_3–CuO–CaO$ phase diagram and the $La_2O_3–CuO$ binary join.—2199
coprecipitation,
YBCO oxalate coprecipitation in alcoholic solutions.—1436
YBCO oxalate coprecipitation in alcoholic solutions—Correction.—2494
cordierite,
Thermal conductivity of a particulate-diamond-reinforced cordierite matrix composite.—1757
corrosion,
Chemically corroded pristine silica fibers: Blunt or sharp flaws—Correction.—861
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—3209
Stress corrosion cracking in a unidirectional ceramic-matrix composite.—562
corrosion resistance,
Molten glass corrosion resistance of immersed combustion-heating tube materials in soda–lime–silicate glass.—1613
corundum,
Magnetoplumbite–corundum phase equilibria in the system Sr-Fe-Al-O at 1100°C.—244
Modeling of point defects in corundum crystals.—2505
crack bridging,
Determination of bridging stresses in reinforced Al_2O_3.—3267
Instability of polycrystalline bridges that span cracks in powder films densified on a substrate.—787
crack growth,
Anomalous temperature dependence of cyclic fatigue-crack growth in a silicon carbide matrix composite.—2911
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens.—105
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens—Correction.—1119
Diffusional crack growth and creep rupture of silicon carbide doped with alumina.—678
Dislocation activity, stable crack motion, and the warm-prestressing effect in magnesium oxide.—1457
Electric-field-induced fatigue crack growth in piezoelectrics.—1783
Fatigue crack growth of silicon nitride at 1400°C: A novel fatigue-induced crack-tip bridging phenomenon.—137
High-temperature crack growth in monolithic and SiC_w-reinforced silicon nitride under static and cyclic loads.—2985
Molecular orbital study of an environmentally enhanced crack growth process in silica.—2179
Slow crack growth in sapphire fibers at 800° to 1500°C—Correction.—2495
Stable crack growth in polycrystalline magnesia under monotonic and cyclic loads.—961
Subcritical crack growth in CVI silicon carbide reinforced with Nicalon fibers: Experiment and model.—2381
cracks/cracking,
Crack propagation behavior of polycrystalline alumina under static and cyclic load.—1324
Crack-shape-wake-area effects on ceramic fracture toughness and strength.—2479
Determination of crack velocity as a function of stress intensity from static fatigue data.—2445
Flat *R*-curve from stable propagation of indentation cracks in coarse-grained alumina.—315
Hardness–grain size relation in ceramics.—2539
High-temperature fracture toughness of sapphire.—3030
Indentation studies on Y_2O_3-stabilized ZrO_2: I, Development of indentation-induced cracks.—1185
Indentation studies on Y_2O_3-stabilized ZrO_2: II, Toughness determination from stable growth of indentation-induced cracks.—1194
Stress corrosion cracking in a unidirectional ceramic-matrix composite.—562
Strut crack formation in open cell alumina ceramics.—1467
Thermal shock behavior of silicon nitride flexure beam specimens with indentation cracks.—835
Toughness properties of a silicon carbide with an in situ-induced heterogeneous grain structure.—2518
creep,
Comparison of the creep and creep rupture performance of two HIPed silicon nitride ceramics.—657
Creep and creep rupture of an advanced silicon nitride ceramic.—867
Creep and stress rupture behavior of an advanced silicon nitride: I, Experimental observations.—1217
Creep and stress rupture behavior of an advanced silicon nitride: II, Creep rate behavior.—1228
Creep and stress rupture behavior of an advanced silicon nitride: III, Stress rupture and the Monkman–Grant relationship.—1235
Creep anisotropy of a continuous-fiber-reinforced silicon carbide/calcium aluminosilicate composite.—1745
Creep of duplex microstructures.—2857
Creep of Mg-PSZ at room temperature.—617
Diffusional crack growth and creep rupture of silicon carbide doped with alumina.—678
Evidence for anelastic creep recovery in silicon carbide-whisker-reinforced alumina.—1679
Experimental evidence for Harper–Dorn creep in Mn-Zn ferrite.—3036
Improvement of tensile creep displacement measurements.—2767
Tensile creep and creep rupture behavior of monolithic and SiC-whisker-reinforced silicon nitride ceramics—Correction.—1981
Tensile creep behavior of alumina/silicon carbide nanocomposite.—3259
Tensile creep in an in situ reinforced silicon nitride.—2408
cristobalite,
Further investigation of the stabilization of ß-cristobalite.—49
crystal structure,
Crystal chemistry and phase equilibrium studies of the $BaO(BaCO_3)–1/2R_2O_3–CuO_x$ systems in air: VI, R = neodymium.—2354
Crystal structures of the high-temperature forms of $Ln_2Si_2O_7$ (Ln = La, Ce, Pr, Nd, Sm) revisited.—2968
Effect of particle size on the room-temperature crystal structure of barium titanate.—3186
Structure and microtexture changes in phosphorous-bearing Ca_2SiO_4 solid solutions.—2615
crystalline materials,
Use of two-phase standards of unknown compositions to determine calibration constants for powder XRD by linear regression.—2226
crystallinity,
Controlling crystallinity during processing of nanocrystalline titania.—1957
crystallization,
Crystallization in a barium-containing magnesium aluminosilicate glass-ceramic—Correction.—1406
Crystallization of precursors to forsterite and chromium-doped forsterite.—33
Enhanced surface crystallization of ß-barium borate on glass due to ultrasonic treatment.—749
Lead oxide coatings on sol–gel-derived lead lanthanum zirconium titanate thin layers for enhanced crystallization into the perovskite structure.—1242
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—3105
crystals,
Thermodynamic equilibria in two-phase, elastically stressed ionic crystals.—1581
cuprates,
Low-temperature synthesis and phase equilibria in the Y-Cu-O binary system.—1139
Point defect modeling of La_2CuO_4-based superconductors.—81
Preparation and characterization of Tl-Ba-Ca-Cu-O superconducting films by spray pyrolysis and Tl-diffusion technique.—27
Thermodynamics and phase equilibria in the Ca-Cu-O system.—41
Thermogravimetric analysis and defect models of the oxygen nonstoichiometry in $La_{2-x}Sr_xCuO_{4-y}$.—2727
damage,
α-decay damage effects in curium-doped titanate ceramic containing sodium-free high-level nuclear waste.—2255
Effect of etching and imaging mode on the measurement of subsurface damage in microground optical glasses.—3277
Effect of grain size on Hertzian contact damage in alumina.—18251
Radiation damage effects in alumina.—368
Simple technique for observing subsurface damage in machining of ceramics.—1388
decomposition,
Direct observation of preceramic and organic binder decomposition in 2-D model microstructure.—1839
Formation processes of ß-C_2S by the decomposition of hydrothermally prepared CSH with $Ca(OH)_2$.—1319
Influence of oxygen ion conduction on nitric oxide decomposition.—2771
defects,
Defect clustering and color in Fe,Ti: $\alpha-Al_2O_3$.—356
Extended defects in ZnO ceramics containing $Bi_4Ti_3O_{12}$ additive.—1202
Modeling of point defects in corundum crystals.—2505
Point defect modeling of La_2CuO_4-based superconductors.—81
Role of defect interaction in boundary mobility and cation diffusivity of CeO_2.—2289
Transition of compensating defect mode in niobium-doped barium titanate.—759
deflocculation,
Deflocculation of concentrated aqueous clay suspensions with sodium polymethacrylates.—509
deformation,
Brittle–ductile transition and dislocation mobility in sapphire.—3099
Characterization of grain boundaries in superplastically deformed Y-TZP ceramics.—2632
Deformation and fracture by sharp rolling contacts.—1263
Design of a hot tensile stage for an ultra-high-voltage electron microscope and its application to in situ deformation of sapphire at 1620 and 1720 K.—839
Elastic–plastic indentation of hard, brittle materials with spherical indenters.—3177
In-plane shear properties of 2-D ceramic matrix composites.—2569
degradation,
Thermal degradation behavior of WOP_2O_7/phenanthroline complex.—2536
densification,
Densification and grain growth of porous alumina compacts.—3137
Interrelationship between densification, crystallization, and chemical evolution in sol–gel titania thin films.—1592
Microstructural observations on constrained densification of alumina powder containing a periodic array of sapphire fibers.—1976
Prexintering heat treatment, densification, and mechanical properties of silicon carbide.—1685
density,
Equilibrium-state density profiles of centrifuged cakes.—540
Origin of density gradients in sintered ß-silicon carbide parts.—2879
deposition,
Calcium hydroxide deposition in the near interfacial zone in plain concrete.—193
Deposition of indium tin oxide films on acrylic substrates by radio-frequency magnetron sputtering.—1740
Effects of deposition mechanisms in the modeling of forced-flow/temperature-gradient chemical vapor infiltration.—849
Electrochemical chromium(III) oxide coatings on nonoxide ceramic substrates.—3202
Electrotechnical liquid deposition of ceria.—2209
devitrification,
Devitrification of the grain boundary glassy phase in a high-alumina ceramic substrate.—2593
diamonds,
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments.—2043
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments—Correction.—3293
Nucleation and growth of diamond in detonation products.—1104
Residual stresses in polycrystalline diamond compacts.—1562
Thermal conductivity of a particulate-diamond-reinforced cordierite matrix composite.—1757
dielectric materials/dielectrics,
Effect of glass additions on $BaO–TiO_2–WO_3$ microwave ceramics.—1909
Effects of glass additions on $(Zr,Sn)TiO_4$ for microwave applications.—2485
Far-infrared reflection spectra of dielectric ceramics for microwave applications.—149
Grain-boundary-phase identification of a lead-based relaxor by X-ray photoelectron spectroscopy.—2229
Temperature-stable lead-relaxor-based ceramic dielectrics with chemical inhomogeneity.—1451
dielectric properties,
Dielectric properties of $(Pb_{1-x}X_x)(Zr_{0.7}Ti_{0.3})O_3$ (X = Ca, Sr, Ba) ceramics.—2620
Effect of $BaWO_4$ on the microwave dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics.—1062
Effect of crystal-axis orientation on dielectric properties of ceramics prepared from fibrous barium titanate.—2327
Effect of heating rate on the dielectric properties of the PMN–PT relaxor ceramics.—3255
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—3215
Electric and dielectric properties of barium titanate Schottky barrier diodes.—897
Modified lead calcium titanate ceramics with a relatively large dielectric constant for hydrophone applications.—857
Synthesis and dielectric properties of substituted lanthanum aluminate.—3125
diffusion,
Dissolution of MgO in CaO–"FeO"–CaF_2–SiO_2 slags under static conditions.—970
EELS study of oxygen diffusion in aluminum nitride.—737
Oxygen tracer diffusion in lanthanum-doped single-crystal strontium titanate.—2188
Oxygen transport in aluminum nitride substrates.—2841
Raman spectrometric determination of the oxygen self-diffusion coefficients in oxides.—2648
diffusivity,
Role of defect interaction in boundary mobility and cation diffusivity of CeO_2.—2289
dislocations,
Dislocation activity, stable crack motion, and the warm-prestressing effect in magnesium oxide.—1457
dispersants/dispersion,
Effects of solids loading and dispersion schedule on the state of aqueous alumina/zirconia dispersions.—2693
dissolution,
Diffusion-controlled growth or dissolution of spheres with variable temperature.—999
domains,
Optical study of domains in $Ba(Ti,Sn)O_3$ ceramics.—28096
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution.—3193
dopants/doping,
Deep level transient spectroscopy of zinc oxide varistors doped with aluminum oxide and/or silver oxide.—2663
Effect of dopants on zirconia stabilization—An X-ray absorption study: I, Trivalent dopants.—118
Effect of dopants on zirconia stabilization—An X-ray absorption study: II, Tetravalent dopants.—1281
Effect of dopants on zirconia stabilization—An X-ray absorption study: III, Charge-compensating dopants.—1289
Effect of Yb^{3+}-codoping on the upconversion emission intensity in Er^{3+}-doped ZBLAN fluoride glasses under 800-nm excitation.—2433
Fracture toughness and time-dependent strength behavior of low-doped silicon nitrides for applications at 1400°C.—553
Grain-boundary defect chemistry of acceptor-doped titanates: Space charge layer width.—235
Internal reduction of chromium-doped α-alumina.—423
Nd_2O_3-doped SiAlONs with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—3087
Transition of compensating defect mode in niobium-doped barium titanate.—759
elastic properties,
Elastic properties of two-phase composites.—1178

elasticity,
Grinding forces and elastic recovery in ceramic materials.—1653
electric field,
Electric-field-induced fatigue crack growth in piezoelectrics.—1783
electrical conductivity,
Electrical conductivity of alumina/aluminum composites synthesized by directed metal oxidation.—3045
electrical properties,
Control of leakage resistance in $Pb(Zr,Ti)O_3$ thin films by donor doping.—3000
Effect of antimony addition on electrical and optical properties of tin oxide film.—915
Electric and dielectric properties of barium titanate Schottky barrier diodes.—897
Electric fatigue in lead zirconate titanate ceramics.—211
Electrical properties of ß-$Li_xV_2O_5$ thin layers prepared by the sol–gel process.—891
Electrical properties of manganese-doped titanium dioxide.—3281
Electrical properties of multilayer-chip ZnO varistors in a moist-air environment.—3006
High-temperature immittance response in anatase-based sensor materials.—3145
Sintering and electrical properties of titania- and zirconia-containing In_2O_3–SnO_2 (ITO) ceramics.—843
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—3173
electrical resistivity,
Prediction of fracture and detection of fatigue in ceramic composites from electrical resistivity measurements.—1057
electrochemistry,
Electrotechnical liquid deposition of ceria.—2209
Growth of strontium titanate thin films of controlled thickness by the hydrothermal–electrochemical method.—28897
electron microscopy,
Design of a hot tensile stage for an ultra-high-voltage electron microscope and its application to in situ deformation of sapphire at 1620 and 1720 K.—839
electronic properties,
Electronic and ionic trapping at domain walls in $BaTiO_3$.—2753
First-principles calculation of electronic, optical, and structural properties of α-Al_2O_3.—404
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—3131
electronic structure,
α-Al_2O_3 (0001) surfaces: Atomic and electronic structures.—323
Interband electronic structure of α-alumina up to 2167 K.—412
electrophoresis,
Electrophoretic deposition forming of SiC–TZP composites in a nonaqueous sol media.—1946
emission,
Effect of network modifier on spontaneous emission probabilities of Er^{3+} in oxide glasses.—2132
Laser diagnostics of zirconium carbide vaporization.—1411
enstatite,
Phase stability of chemically derived enstatite ($MgSiO_3$) powders.—2625
equations,
Equilibrium-state density profiles of centrifuged cakes.—540
equilibrium,
Thermodynamic equilibria in two-phase, elastically stressed ionic crystals.—1581
equipment,
Novel equipment for the study of the compaction of fine powders.—1005
erbium,
Effect of network modifier on spontaneous emission probabilities of Er^{3+} in oxide glasses.—2132
erosion,
Erosion of glass as modeled by indentation theory.—1676
etchants/etching,
Chemical etching of silicon (100) by hydrogen.—2949
Effect of etching and imaging mode on the measurement of subsurface damage in microground optical glasses.—3277
explosive processing,
Nucleation and growth of diamond in detonation products.—1104
fabrication,
Low-temperature fabrication of anorthite ceramics.—833
fatigue,
Determination of crack velocity as a function of stress intensity from static fatigue data.—2445
Electric fatigue in lead zirconate titanate ceramics.—211
Fatigue crack growth of silicon nitride at 1400°C: A novel fatigue-induced crack-tip bridging phenomenon.—137
Fatigue mechanisms in graphite/SiC composites at room and high temperature.—792
Fatigue of thick thermal barrier coatings.—1863
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—3284
Mechanical and environmental factors in the cyclic and static fatigue of silicon nitride.—11531
Plasticity-induced fatigue damage in ceria-stabilized tetragonal zirconia polycrystals.—2025
Statistical analysis of the fatigue life distribution of monolithic silicon nitride.—514
ferrites,
Experimental evidence for Harper–Dorn creep in Mn-Zn ferrite.—3036
Inner stress induced by Cu metal precipitation at grain boundaries in low-temperature-fired Ni-Zn-Cu ferrite.—2873
ferroelectric materials/ferroelectrics,
Compositional effect on the liquid-phase formation in lead iron tungstate ferroelectric ceramics.—2529
Domain structure in excess-WO_3 lead complex perovskite.—1345
Metalorganic chemical vapor deposition of ferroelectric $Pb(Zr,Ti)O_3$ thin films.—1799
Oxygen displacement through the ferroelcctric phase transition of barium titanate—High-temperature ^{17}O NMR.—3263
fiber reinforcement,
Bend strength versus tensile strength of fiber-reinforced ceramics.—221
Fabrication of continuous-fiber-reinforced polycrystalline oxide composites via molten salt infiltration.—1361
fibers,
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers.—2669
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—Correction.—3294
Characterization of dip-coated boron nitride on silicon carbide fibers.—1011
Chemically corroded pristine silica fibers: Blunt or sharp flaws—Correction.—861
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—3232
Fiber frictional sliding in fiber bundle pushout test.—2076
In situ fiber strengths in ceramic matrix composites from fracture mirrors.—1075
Slow crack growth in sapphire fibers at 800° to 1500°C—Correction.—2495
Strength versus gauge length in ceramic matrix composites.—1072
Tensile properties of alumina fibers using hot-grips.—2609
Transverse strength of SCS-6 silicon carbide fibers—Correction.—860
fibrous materials,
Elevated-temperature fracture characterization of advanced fibrous ceramic thermal insulators.—2703
films,
Calcium concentration dependence of the intergranular film thickness in silicon nitride.—911
Development of cell structure due to Benard–Marangoni-type convection in RuO_2-glass thick films.—847
Hydrothermal strontium titanate films on titanium: An XPS and AES depth-profiling study.—1601
Instability of polycrystalline bridges that span cracks in powder films densified on a substrate.—787
Observation of hydrogenated amorphous carbon films by atomic force microscopy.—1385
Origin of orientation in sol–gel-derived lead titanate films.—Correction—2240
Preparation and characterization of Tl-Ba-Ca-Cu-O superconducting films by spray pyrolysis and Tl-diffusion technique.—27
Rapid formation of zinc oxide films by an atmospheric-pressure chemical vapor deposition method.—505
Vibrational technique for stress measurement in films: I, Ideal membrane behavior.—625
Vibrational technique for stress measurement in films: II, Extensions and complicating effects.—636
filters/filtration,
Pore sizes and filtration rates from two alumina slips.—1777
Porous ceramic filters produced by hot isostatic pressing.—2437
flexural strength,
Flexural properties of brittle multilayer materials: I, Modeling.—689
Flexural properties of brittle multilayer materials: II, Experiments.—2081
flow,
Numerical flow simulation of viscoplastic slurries and design criteria for a tape casting unit.—254
fluidized bed,
Effects of hydrogen and temperature on the kinetics of the fluidized-bed nitridation of silicon.—186
fluorides,
Effect of Yb^{3+}-codoping on the upconversion emission intensity in Er^{3+}-doped ZBLAN fluoride glasses under 800-nm excitation.—2433
Interaction of yttria with uranium fluoride gases (UF_n, $n = 4$, 6) at high temperatures.—1624
Preferred orientation of ß-lead fluoride grains formed within micropores of porous alumina.—2470
Scattering-loss mechanism in CaF_2-film-assisted diffusion bonding of MgF_2 ceramics.—1401
formation,
Metal organic resin derived barium titanate: II, Kinetics of $BaTiO_3$ formation.—2940
forsterite,
Crystallization of precursors to forsterite and chromium-doped forsterite.—33
fracture,
Brittle–ductile transition and dislocation mobility in sapphire.—3099
Deformation and fracture by sharp rolling contacts.—1263
Effect of moisture on the structure and fracture strength of ceramic green bodies.—3077
Elevated-temperature fracture characterization of advanced fibrous ceramic thermal insulators.—2703
Erosion wear properties of tetragonal $ZrO_2(Y_2O_3)$-toughened Al_2O_3 composites.—666
Fracture behavior of CVD SiC-coated graphite: II, Conditions for the onset of multiple cracking.—717
Fracture behavior of cyclically loaded PZT.—2603
Fracture strength–fracture resistance response and damage resistance of sintered Al_2O_3–ZrO_2 (12 mol% CeO_2) composites.—2689
In situ fiber strengths in ceramic matrix composites from fracture mirrors.—1075
New development of the *J*-based fracture testing technique for ceramic matrix composites.—1553
Notch effects in carbon matrix composites.—2817
Prediction of fracture and detection of fatigue in ceramic composites from electrical resistivity measurements.—10571
Tensile properties of alumina fibers using hot-grips.—2609
fracture mechanics,
Determination of bridging stresses in reinforced Al_2O_3.—3267
fracture toughness,
Crack-growth resistance of in-situ-toughened silicon nitride.—1042
Crack-shape–wake-area effects on ceramic fracture toughness and strength.—2479
Effect of notch-root radius on the fracture toughness of a fine-grained alumina.—606
Features of notch preparation for fracture toughness measurements in partially stabilized zirconia.—600
High-temperature fracture toughness of sapphire.—3030
Mechanical property evolution during autoclaving process of aerated concrete using slag: II, Fracture toughness and microstructure.—2093
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—3270
Relationship between fracture toughness and phase assemblage in Mg-PSZ.—571
friction,
Fiber frictional sliding in fiber bundle pushout test.—2076
Frequency dependence of fatigue life and internal heating of a fiber-reinforced/ceramic-matrix composite.—3284
Internal friction in lithium aluminosilicate glass-ceramics.—1169
gallates,
Improving stabilized zirconia with strontium gallate.—1954
gallium oxide,
Color and selected properties of PbO–$BiO_{1.5}$–$GaO_{1.5}$ glasses.—1017
garnets,
Composition microheterogeneity of uvarovite–grossularite garnets.—2097
gels,
Application of selective ^{29}Si isotopic enrichment to studies of the structure of calcium silicate hydrate (C-S-H) gels.—593
Citrate-gel syntheses in the Y(O)-Ba(O)-Cu(O) system.—547
Effect of preliminary mechanical treatment on the microhomogenization during heating of hydrous gels as precursors for lead titanate.—278
Osmotic consolidation of suspensions and gels.—2473
germanates,
Properties of BaO–R_2O_3–Ga_2O_3–GeO_2 (R = Y, Al, La, and Gd) glasses.—697
glass,
Color and selected properties of PbO–$BiO_{1.5}$–$GaO_{1.5}$ glasses.—1017
Compositional dependence of absorption spectra of Ti^{3+} in silicate, borate, and phosphate glasses.—3113
Correlation between radiative transition probabilities of Nd^{3+} and composition in silicate, borate, and phosphate glasses—Correction.—1408
Determination of crack velocity as a function of stress intensity from static fatigue data.—2445
Development of cell structure due to Benard–Marangoni-type convection in RuO_2-glass thick films.—847
Effect of etching and imaging mode on the measurement of subsurface damage in microground optical glasses.—3277
Effect of glass additions on BaO–TiO_2–WO_3 microwave ceramics.—1909
Effect of network modifier on spontaneous emission probabilities of Er^{3+} in oxide glasses.—2132
Effect of Yb^{3+}-codoping on the upconversion emission intensity in Er^{3+}-doped ZBLAN fluoride glasses under 800-nm excitation.—2433
Erosion of glass as modeled by indentation theory.—1676
Evolution of interfacial microstructure between barium titanate and binary glasses.—852
Experimental measurement of residual stress field around a sharp indentation in glass.—524
Interaction between barium titanate and binary glasses.—493
Molten glass corrosion resistance of immersed combustion-heating tube materials in soda–lime–silicate glass.—1613
Nanostructural characterization of silicon oxycarbide glasses and glass-ceramics.—3012
Pentacoordinate silicon complexes as precursors to silicate glasses and ceramics.—875
Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics—Correction.—3292
Plasma-sprayed lead zirconate titanate-glass composites.—1973
Properties of BaO–R_2O_3–Ga_2O_3–GeO_2 (R = Y, Al, La, and Gd) glasses.—697
Refractive-index dispersion of tellurite glasses in the region from 0.40 to 1.71 μm.—2455
glass-ceramics,
Crystallization in a barium-containing magnesium aluminosilicate glass-ceramic—Correction.—1406
Glass-ceramic coatings for titanium aluminides.—1098
Interfacial microstructure and chemistry of SiC/BN dual-coated Nicalon fiber-reinforced glass-ceramic matrix composites.—1329
Internal friction in lithium aluminosilicate glass-ceramics.—1169
Nanostructural characterization of silicon oxycarbide glasses and glass-ceramics.—3012
glassmaking furnaces,
Numerical model of polydispersed silica grain dissolution in glass-melting furnaces.—1921
grain boundaries,
Calculated structures and energies of grain boundaries in α-Al_2O_3.—349
Characterization of grain boundaries in superplastically deformed Y-TZP ceramics.—2632
Coherency strain energy and the direction of chemically induced grain-boundary migration in Al_2O_3–Cr_2O_3 and Al_2O_3–Fe_2O_3.—1301

Grain-boundary defect chemistry of acceptor-doped titanates: Space charge layer width.—235
Groove angles and surface mass transport in polycrystalline alumina.—954
High-resolution transmission electron microscopy studies of a near Σ11 grain boundary in α-alumina.—339
Qualitative and quantitative evaluation of silicon nitride grain-boundary phase by cryogenic specific heat measurements.—1101
Stability and surface energies of wetted grain boundaries in aluminum oxide.—444
grain growth,
Critical concentration of MgO for the prevention of abnormal grain growth in alumina.—2499
Fabrication of barium titanate single crystals by solid-state grain growth.—1107
Grain growth kinetics in alumina–zirconia (CeZTA) composites.—939
grain size,
Effect of grain size on Hertzian contact damage in alumina.—1825
Grain sizes of ceramics by automatic image analysis.—589
Hardness–grain size relation in ceramics.—2539
Piezospectroscopic determination of residual stresses in polycrystalline alumina.—298
Role of grain size in strength variability of alumina.—1928
grains,
Texture development via grain rotation in β-silicon nitride.—947
graphite,
Fatigue mechanisms in graphite/SiC composites at room and high temperature.—792
Fracture behavior of CVD SiC-coated graphite: II, Conditions for the onset of multiple cracking.—717
Joining of carbon–carbon composites by graphite formation.—1419
Preparation of porous $BaTiO_3$ PTC thermistors by adding graphite porosifiers.—2154
Self-combustion reactions induced by mechanical activation: Formation of aluminum nitride from aluminum–graphite powder mixture.—3227
green body,
Effect of moisture on the structure and fracture strength of ceramic green bodies.—3077
grinding,
Aspects in grinding of ceramics.—2443
Grinding forces and elastic recovery in ceramic materials.—1653
growth,
Diffusion-controlled growth or dissolution of spheres with variable temperature.—999
Effects of melt composition on the growth behavior of 211 particles in the Y-Ba-Cu-O system.—2223
Nucleation and growth of β′-SiAlON.—1719
hafnia,
Effective ionic radius of Y^{3+} determined from lattice parameters of fluorite-type HfO_2 and ZrO_2 solid solutions.—597
Hall effect,
High-temperature Hall measurements on cerium dioxide thin films.—1969
hardness,
Hardness–grain size relation in ceramics.—2539
holmium,
Phase relations in the system Cu-Ho-O and stability of $Cu_2Ho_2O_5$.—133
hot isostatic pressing,
Comparison of the creep and creep rupture performance of two HIPed silicon nitride ceramics.—657
Effect of processing variables on interfacial properties of an SiC-fiber-reinforced reaction-bonded Si_3N_4 matrix composite.—2561
Nd_2O_3-doped SiAlONs with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—3087
Porous ceramic filters produced by hot isostatic pressing.—2437
hot-pressing,
Densification and grain growth of porous alumina compacts.—3137
Processing, microstructure, and wear behavior of silicon nitride hot-pressed with alumina and yttria.—883
Reaction hot-pressing of α′- and β′-SiAlON ceramics.—165
humidity,
Effect of relative humidity on repetitive impact behavior of machined silicon nitride.—683
hydration,
Impedance spectroscopy of hydrating cement-based materials: Measurement, interpretation, and application.—2789
hydrofluoric acid,
Growth of α-Al_2O_3 platelets in the HF–γ-Al_2O_3 system.—2977
hydrogen,
Chemical etching of silicon (100) by hydrogen.—2949
Effects of hydrogen and temperature on the kinetics of the fluidized-bed nitridation of silicon.—186
hydrogenation,
Observation of hydrogenated amorphous carbon films by atomic force microscopy.—1385
hydrolysis,
Characteristics of yttrium iron garnet ultrafine particles prepared by the alkoxide method.—1787
Effect of carboxylic acid adsorption on the hydrolysis and sintered properties of aluminum nitride powder.—1793
hydrothermal process,
Growth of strontium titanate thin films of controlled thickness by the hydrothermal–electrochemical method.—2889
Hydrothermal strontium titanate films on titanium: An XPS and AES depth-profiling study.—1601
hydroxides,
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—Comment.—1116
Activation of ground blast-furnace slag by alkali-metal and alkaline-earth hydroxides—Reply.—1117
Calcium hydroxide deposition in the near interfacial zone in plain concrete.—193
hydroxyapatite,
Bonelike hydroxyapatite induction by a gel-derived titania on a titanium substrate.—1307
imaging,
Grain sizes of ceramics by automatic image analysis.—589
impact,
Effect of relative humidity on repetitive impact behavior of machined silicon nitride.—683
inclusions,
Predictability of the mechanical properties of inclusion-containing ceramics.—1901
indentation,
Experimental measurement of residual stress field around a sharp indentation in glass.—524
Indentation studies on Y_2O_3-stabilized ZrO_2: I, Development of indentation-induced cracks.—1185
indium tin oxide,
Deposition of indium tin oxide films on acrylic substrates by radio-frequency magnetron sputtering.—1740
Sintering and electrical properties of titania- and zirconia-containing In_2O_3–SnO_2 (ITO) ceramics.—843
infiltration,
AlN matrix composites fabricated via an infiltration and reaction approach.—1917
Infiltration of reaction-bonded silicon nitride with equilibrium Y-Si-O-N melt.—499
infrared techniques,
Far-infrared reflection spectra of dielectric ceramics for microwave applications.—149
injection molding,
Homogeneity effects on feedstock viscosity in powder injection molding.—283
intercalation,
CO_2 decomposition by oxide ceramics intercalated in layered compound.—161
interfaces,
Evolution of interfacial microstructure between barium titanate and binary glasses.—852
intermetallics,
SHS combustion characteristics of several ceramics and intermetallic compounds.—778
ion implantation,
Chemical states of implanted aluminum ions in silica and silicon ions in alumina.—3019
ionic conductors/ionic conduction,
Influence of oxygen ion conduction on nitric oxide decomposition.—2771
ions,
Electronic and ionic trapping at domain walls in $BaTiO_3$.—2753
iron,
Use of boron phosphate in the solid-state preparation of crystalline iron(III) phosphate and manganese(II) diphosphate.—1372
iron oxides,
CO_2 decomposition by oxide ceramics intercalated in layered compound.—161
Ion-beam mixing of iron oxide marker layers in doped and undoped alumina thin films.—268
joining,
Active brazing alloy containing carbon fibers for metal–ceramic joining.—2712
Joining of carbon–carbon composites by graphite formation.—1419
Wetting and joining of mullite ceramics by active-metal braze alloy.—271
kaolinite,
Time–temperature–transformation curves for kaolinite–α-alumina.—1545
lanthanides,
Crystal structures of the high-temperature forms of $Ln_2Si_2O_7$ (Ln = La, Ce, Pr, Nd, Sm) revisited.—2968
lanthanum,
Oxygen tracer diffusion in lanthanum-doped single-crystal strontium titanate.—2188
Stress-induced phase transformation in the systems $(Ho_{1-x}La_x)_4Al_2O_9$ and $(Y_{1-x}La_x)_4Al_2O_9$.—2489
Synthesis and dielectric properties of substituted lanthanum aluminate.—3125
Thermogravimetric analysis and defect models of the oxygen nonstoichiometry in $La_{2-x}Sr_xCuO_{4-y}$.—2727
lanthanum oxide,
Subsolidus relations in the La_2O_3–CuO–CaO phase diagram and the La_2O_3–CuO binary join.—2199
lead,
Effects of silver and lead on the phase stability of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ above and below the solidus temperature.—2305
Grain-boundary-phase identification of a lead-based relaxor by X-ray photoelectron spectroscopy.—2229
Resistivity and permittivity for $(Ba,Pb)TiO_3$ PTCR ceramics.—2419
lead lanthanum zirconate titanate (PLZT),
Characterization of PLZT films deposited by spray pyrolysis.—3142
Lead oxide coatings on sol–gel-derived lead lanthanum zirconium titanate thin layers for enhanced crystallization into the perovskite structure.—1242
Ultrahigh strain ceramics with multiple field-induced phase transitions.—3042
lead magnesium niobates (PMN),
Effect of heating rate on the dielectric properties of the PMN–PT relaxor ceramics.—3255
lead oxide,
Color and selected properties of PbO–$BiO_{1.5}$–$GaO_{1.5}$ glasses.—1017
Lead oxide coatings on sol–gel-derived lead lanthanum zirconium titanate thin layers for enhanced crystallization into the perovskite structure.—1242
Sol–gel preparation and optical nonlinearity of lead(II) oxide–titanium(IV) oxide amorphous monoliths.—673
lead titanate,
Effect of heating rate on the dielectric properties of the PMN–PT relaxor ceramics.—3255
Effect of preliminary mechanical treatment on the microhomogenization during heating of hydrous gels as precursors for lead titanate.—278
Evolution of microstructure and V-shaped positive temperature coefficient of resistivity of $(Pb_{0.6}Sr_{0.4})TiO_3$ materials.—1340
Modified lead calcium titanate ceramics with a relatively large dielectric constant for hydrophone applications.—857
Origin of orientation in sol–gel-derived lead titanate films—Correction.—2240
lead zirconate titanate (PZT),
Control of leakage resistance in $Pb(Zr,Ti)O_3$ thin films by donor doping.—3000
Dielectric properties of $(Pb_{1-x}X_x)(Zr_{0.7}Ti_{0.3})O_3$ (X = Ca, Sr, Ba) ceramics.—2620
Electric fatigue in lead zirconate titanate ceramics.—211
Fabrication and characterization of PZT/thermoplastic polymer composites for high-frequency phased linear arrays.—2481
Fracture behavior of cyclically loaded PZT.—2603
Lead zirconate titanate hollow-sphere transducers.—1669
Metalorganic chemical vapor deposition of ferroelectric $Pb(Zr,Ti)O_3$ thin films.—1799
Modified envelope method for obtaining optical properties of weakly absorbing thin films and its application to thin films of $Pb(Zr,Ti)O_3$ solid solutions.—929
Plasma-sprayed lead zirconate titanate-glass composites.—1973
Stability of PTZ piezoelectric ceramics under vibration level change.—2429
Structure development study of $Pb(Zr,Ti)O_3$ thin films by an optical method.—1486
Temperature–time texture transition of $Pb(Zr_{1-x}33Ti_x)O_3$ thin films: I, Role of Pb-rich intermediate phases.—2332
Temperature–time texture transition of $Pb(Zr_{1-x}33Ti_x)O_3$ thin films: II, Heat treatment and compositional effects.—2337
Use of transmission electron microscopy for the characterization of rapid thermally annealed, solution–gel, lead zirconate titanate films.—1209
liquid phase,
Compositional effect on the liquid-phase formation in lead iron tungstate ferroelectric ceramics.—2529
lithium,
Electrical properties of β-$Li_xV_2O_5$ thin layers prepared by the sol–gel process.—891
lithium fluoride,
Shape changes by {100} lithium fluoride ridge-channel arrays and of lithium fluoride particles at sintering temperatures.—2319
load,
Crack propagation behavior of polycrystalline alumina under static and cyclic load.—1324
Mechanical and environmental factors in the cyclic and static fatigue of silicon nitride.—1153
Stable crack growth in polycrystalline magnesia under monotonic and cyclic loads.—961
luminescence,
Phase development and luminescence in chromium-doped yttrium aluminum garnet (YAG:Cr) phosphors.—2866
machining,
Porosity effects on machining direction—Strength anisotropy and failure mechanisms.—2232
Simple technique for observing subsurface damage in machining of ceramics.—1388
magnesia,
Activity of NiO in (Ni,Mg)O solid solutions.—2491
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—3073
Critical concentration of MgO for the prevention of abnormal grain growth in alumina.—2499
Dislocation activity, stable crack motion, and the warm-prestressing effect in magnesium oxide.—1457
Dissolution of MgO in CaO–"FeO"–CaF_2–SiO_2 slags under static conditions.—970
Effect of oxygen partial pressure during sintering on the microstructure of Mg-PSZ with strontia and silica additions.—2001
Formation of N-phase and phase relationships in MgO–Si_3N_4–Al_2O_3 system.—3251
Microstructure of $KTa_xNb_{1-x}O_3$ thin films on MgO(100) single crystals.—2450
Oxide matrix composite by directional oxidation of a commercial aluminum–magnesium alloy.—1296
Precipitate coarsening by liquid film migration in (Mg,Ca)-PSZs.—2657
Rutherford backscattering and channeling studies of cleaved, polished, and annealed MgO(100) single crystals.—230
Stable crack growth in polycrystalline magnesia under monotonic and cyclic loads.—961
Unstable neck formation during initial-stage sintering.—1987
magnesium,
Recent attempts to detect magnesium in a heavily doped sapphire bicrystal by spatially resolved electron energy-loss spectroscopy.—2273
Scattering-loss mechanism in CaF_2-film-assisted diffusion bonding of MgF_2 ceramics.—1401
magnetoplumbite,
Magnetoplumbite–corundum phase equilibria in the system Sr-Fe-Al-O at 1100°C.—244
manganates,
Doped perovskite oxide, $PrMnO_3$, as a new cathode for solid-oxide fuel cells that decreases the operating temperature.—1682

manganese,
Experimental evidence for Harper–Dorn creep in Mn-Zn ferrite.—3036
Use of boron phosphate in the solid-state preparation of crystalline iron(III) phosphate and manganese(II) diphosphate.—1372
manganese oxide,
Electrical properties of manganese-doped titanium dioxide.—3281
Stabilization of cubic zirconia with manganese oxide.—2758
manufacturing,
Rapid process for manufacturing aluminum nitride powder.—3
mechanical properties,
Ambient-temperature mechanical response of alumina–fluoromica laminates.—1699
Coating additives for improved mechanical reliability of optical fiber.—73
Effect of a silicon carbide "nano-dispersion" on the mechanical properties of silicon nitride.—3039
Effects of fiber volume fraction on mechanical properties of SiC-fiber/Si_3N_4-matrix composites.—1897
Fibrous monolithic ceramics: III, Mechanical properties and oxidation behavior of the silicon carbide/boron nitride system.—1249
Fibrous monolithic ceramics: IV, Mechanical properties and oxidation behavior of the alumina/nickel system.—1256
Fracture toughness and time-dependent strength behavior of low-doped silicon nitrides for applications at 1400°C.—553
High-temperature mechanical properties and chemical stability of $Ba_{1.48}Zr_4P_{6-2x}Si_{2x}O_{24}$ low-thermal-expansion ceramics.—1965
Low-temperature processing of ceramic woven fabric/ceramic matrix composites.—97
Mechanical characterization of Si-C(O) fiber/SiC (CVI) matrix composites with a BN-interphase.—649
Mechanical properties of partially dense alumina produced from powder compacts.—2113
Microstructure and mechanical properties of the in situ ß-Si_3N_4/α′-SiAlON composite.—2345
Microstructure and properties of plasma ceramics.—1274
Model of the nonlinear mechanical behavior of 2D SiC–SiC chemical vapor infiltration composites.—2118
Predictability of the mechanical properties of inclusion-containing ceramics.—1901
Presintering heat treatment, densification, and mechanical properties of silicon carbide.—1685
Processing–microstructure–property relationships of Al_2O_3-fiber-reinforced high-temperature superconducting $(Bi,Pb)_2Sr_2Ca_2Cu_3O_y$ composite.—2833
Reaction bonding and mechanical properties of mullite/silicon carbide composites.—2898
Short-crack mechanical properties and failure mechanisms of Si_3N_4-matrix/SiC-fiber composites.—1889
Short-crack mechanical properties and failure mechanism of Si_3N_4-matrix/SiC fiber composite—Correction.—3048
Strength and toughness of slip-cast fused-silica composites.—1673
melilite,
Aluminum-containing nitrogen melilite phases.—143
melter/melting,
Effect of Al/Fe ratio in belite on the microtexture induced by the remelting reaction.—3027
melts,
Effects of melt composition on the growth behavior of 211 particles in the Y-Ba-Cu-O system.—2223
membranes,
Sol–gel route to synthesis of microporous ceramic membranes: Preparation and characterization of microporous TiO_2 and ZrO_2 xerogels.—1939
Synthesis of nanoparticle silica composite membranes by the pressurized sol–gel technique.—3093
metals,
Growth of alumina/metal composites into porous ceramics by the oxidation of aluminum.—2599
mica,
Ambient-temperature mechanical response of alumina–fluoromica laminates.—1699
microcracking,
Fracture behavior of cyclically loaded PZT.—2603
Microstructural mechanics model of anisotropic-thermal-expansion-induced microcracking.—1123
microstructure,
Densification and microstructure of sodium-doped colloidal mullite.—1377
Development of textured microstructures in ceramics with large thermal expansion anisotropy.—454
Direct observation of preceramic and organic binder decomposition in 2-D model microstructure.—1839
Effect of microstructural scale on thermal shock resistance of aluminum-reinforced alumina.—701
Effect of oxygen partial pressure during sintering on the microstructure of Mg-PSZ with strontia and silica additions.—2001
Effect of processing parameters on phase and microstructure evolution in RBAO ceramics.—2509
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—Comment.—1113
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—Reply.—1115
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—3215
Elastic properties of two-phase composites.—1178
Electron channeling pattern of ceramic platelets.—2465
Formation of zirconia solid solutions containing alumina prepared by new preparation method.—1391
In situ-toughened silicon carbide.—519
Interfacial microstructure and chemistry of SiC/BN dual-coated Nicalon fiber-reinforced glass-ceramic matrix composites.—1329
Microstructure and chemical reaction in an Si_3N_4–TiC composite.—705
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—3270
Microstructure characterization of gas-pressure-sintered ß-silicon nitride containing large ß-silicon nitride seeds.—1093
Microstructure control of silicon nitride by seeding with rodlike ß-silicon nitride particles.—1857
Microstructure of $KTa_xNb_{1-x}O_3$ thin films on MgO(100) single crystals.—2450
Microstructure/process relations in sol–gel-prepared $KNbO_3$ thin films on (100) MgO.—820
Microstructures of Y_2O_3-stabilized ZrO_2 electron beam-physical vapor deposition coatings on Ni-base superalloys.—984
Model for the developing microstructure in portland cement pastes.—3161
Processing and microstructure development in alumina–silicon carbide intragranular particulate composites.—2157
Residual α-Si_3N_4 in O′ crystals in CeO_2-doped O′ + ß′ SiAlON ceramics.—2213
Role of oxygen in microstructure development at solid-state diffusion-bonded Cu/α-Al_2O_3 interfaces.—2036
Structure and properties of $(Ba,Ca)TiO_3$ ceramics prepared using $(Ba,Ca)CO_3$ precursors: I, Crystallographic and microstructural studies.—1813
Superplastic forming of SiAlON ceramics.—2575
TEM examination of heat-treated nanocrystalline ZnS.—3273
Use of transmission electron microscopy for the characterization of rapid thermally annealed, solution–gel, lead zirconate titanate films.—1209
microwaves,
Effect of glass additions on BaO–TiO_2–WO_3 microwave ceramics.—1909
Effect of Sn substitution on cation ordering in $(Zr_{1-x})Sn_xTiO_4$ microwave dielectric ceramics.—1441
Effects of glass additions on $(Zr,Sn)TiO_4$ for microwave applications.—2485
Far-infrared reflection spectra of dielectric ceramics for microwave applications.—149
Microwave joining of yttrium-based superconductor and its microstructure features.—1090
mills/milling,
Colloid mills: Theory and experiment.—769
Phase transformations in monoclinic zirconia caused by milling and subsequent annealing.—1525
mixtures,
Time–temperature–transformation curves for kaolinite–α-alumina.—1545
modeling/models,
α-Al_2O_3 (0001) surfaces: Atomic and electronic structures.—323
Analytical modeling of the propagation of a thermal reaction front in condensed systems.—202
Analytical modeling of the propagation of thermal reaction front in condensed systems—Correction.—1980
Cluster models of bulk, surface, and impurity structure in α-Al_2O_3.—398
Colloid mills: Theory and experiment.—769
Degradation of stressed optical fibers in water: New worst-case lifetime estimation model.—1531
Effects of deposition mechanisms in the modeling of forced-flow/temperature-gradient chemical vapor infiltration.—849
Erosion of glass as modeled by indentation theory.—1676
Fiber frictional sliding in fiber bundle pushout test.—2076
Flexural properties of brittle multilayer materials: I, Modeling.—689
Interband electronic structure of α-alumina up to 2167 K.—412
Microstructural mechanics model of anisotropic-thermal-expansion-induced microcracking.—1123
Model for the developing microstructure in portland cement pastes.—3161
Modeling of point defects in corundum crystals.—2505
Numerical model of polydispersed silica grain dissolution in glass melting furnaces.—1921
Processing conditions for boron nitride coatings in fiber bundles via chemical vapor deposition.—3081
Proposed phenomenological PTCR model and accompanying phenomenological PTCR chart.—286
Structure and properties of $(Ba,Ca)TiO_3$ ceramics prepared using $(Ba,Ca)CO_3$ precursors: II, Diffuse phase transition behavior.—1819
modulus of elasticity,
Effective elastic moduli of porous ceramic materials—Comment.—2779
Effective elastic moduli of porous ceramic materials—Reply.—2782
moisture,
Effect of moisture on the structure and fracture strength of ceramic green bodies.—3077
molecular dynamics,
Molecular orbital study of an environmentally enhanced crack growth process in silica.—2179
molybdenum disilicide,
Effect of carbon addition on elevated temperature crack growth resistance in $(Mo,W)Si_2$–SiC_p composite.—2681
Sintering of silicon carbide/molybdenum disilicide composites using boron oxide as an additive.—2751
Stability of molybdenum disilicide in combustion gas environments.—1162
morphology,
Characterization of PLZT films deposited by spray pyrolysis.—3142
Morphology and crystallography of aluminum nitride whiskers.—977
Unstable neck formation during initial-stage sintering.—1987
mullite,
Catalytic process for mullite whiskers.—1083
Densification and microstructure of sodium-doped colloidal mullite.—1377
Fabrication of oriented SiC-whisker-reinforced mullite matrix composites by tape casting.—2586
Reaction bonding and mechanical properties of mullite/silicon carbide composites.—2898
Stoichiometry of fluorotopaz and of mullite made from fluorotopaz.—1087
Wetting and joining of mullite ceramics by active-metal braze alloy.—271
multilayer,
Flexural properties of brittle multilayer materials: II, Experiments.—2081
multilayer capacitor,
Dielectric properties of $(Pb_{1-x}X_x)(Zr_{0.7}Ti_{0.3})O_3$ (X = Ca, Sr, Ba) ceramics.—2620
Inner stress induced by Cu metal precipitation at grain boundaries in low-temperature-fired Ni-Zn-Cu ferrite.—2873
nanocomposites,
Nanocomposite Si/C/N powder production by laser–aerosol interaction.—993
New route for the synthesis of tungsten carbide–cobalt nanocomposites.—2777
R-curve behavior and stable crack growth at elevated temperature (1500°–1650C) in an Si_3N_4/SiC nanocomposite.—3237
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—3153
Tensile creep behavior of alumina/silicon carbide nanocomposite.—3259
neodymium,
Correlation between radiative transition probabilities of Nd^{3+} and composition in silicate, borate, and phosphate glasses—Correction.—1408
Crystal chemistry and phase equilibrium studies of the $BaO(BaCO_3)_{1-}1/2R_2O_3$–$CuO_x$ systems in air: VI, R = neodymium.—2354
neodymium oxide,
Influence of Nd_2O_3 doping on the reaction process and sintering behavior of $BaCeO_3$ ceramics.—2523
Nicalon,
Interfacial microstructure and chemistry of SiC/BN dual-coated Nicalon fiber-reinforced glass-ceramic matrix composites.—1329
Subcritical crack growth in CVI silicon carbide reinforced with Nicalon fibers: Experiment and model.—2381
Ultrasonic characterization of oxidation mechanisms in Nicalon/C/SiC composites.—2554
nickel oxide,
Activity of NiO in (Ni,Mg)O solid solutions.—2491
niobates,
Microstructure/process relations in sol–gel-prepared $KNbO_3$ thin films on (100) MgO.—820
Preparation of uniform submicrometer particles of calcium titanate and lead niobate by replacement reactions.—1950
niobium,
Effect of sintering atmosphere on interface migration of niobium-doped strontium titanate during infiltration of oxide melts.—1688
First-principles calculations for niobium atoms on a sapphire surface.—431
nitrates,
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—3209
nitrogen,
Nanocomposite Si/C/N powder production by laser–aerosol interaction.—993
nitrogen oxides,
Influence of oxygen ion conduction on nitric oxide decomposition.—2771
nonstoichiometry,
Nonstoichiometry and the long-range cation ordering in crystals of $(Na_{1/2}Bi_{1/2})TiO_3$.—2641
nuclear magnetic resonance (NMR),
^{29}Si NMR spectroscopy of silicate anions in hydrothermally formed CSH.—765
^{29}Si and ^{27}Al MAS-NMR of NaOH-activated blast-furnace slag.—2363
Structure and dynamics in calcium aluminate liquids: High-temperature ^{27}Al NMR and Raman spectroscopy.—1832
Synthesis and characterization of amorphous Si_2N_2O.—2699
nuclear materials,
α-decay damage effects in curium-doped titanate ceramic containing sodium-free high-level nuclear waste.—2255
nuclear waste,
Freudenbergite: A possible synroc phase for sodium-bearing high-level waste.—1576
nucleation,
Nucleation and growth of α′-SiAlON on α-Si_3N_4.—1711
Nucleation and growth of ß′-SiAlON.—1719
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments.—2043
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments—Correction.—3293
Nucleation and growth of diamond in detonation products.—1104
opal,
Alkali–silica reaction in a monolithic opal.—2849
optical fibers,
Coating additives for improved mechanical reliability of optical fiber.—73
Degradation of stressed optical fibers in water: New worst-case lifetime estimation model.—1531
optical properties,
First-principles calculation of electronic, optical, and structural properties of α-Al_2O_3.—404
Modified envelope method for obtaining optical properties of weakly absorbing thin films and its application to thin films of $Pb(Zr,Ti)O_3$ solid solutions.—929

organometallic,
Metal-organic surfactants as sintering aids for silicon nitride in an aqueous medium.—2926
orientation,
Effect of crystal-axis orientation on dielectric properties of ceramics prepared from fibrous barium titanate.—2327
Preferred orientation of ß-lead fluoride grains formed within micropores of porous alumina.—2470
oxalates,
Thermodynamic properties of cerium oxalate and cerium oxide—Comment.—2783
YBCO oxalate coprecipitation in alcoholic solutions.—1436
oxidation,
Active-to-passive transition and bubble formation for high-temperature oxidation of chemically vapor deposited silicon carbide in CO–CO_2 atmosphere.—1079
Alumina/aluminum composites formed by the directed oxidation of aluminum using magnesia as a surface dopant.—1761
Alumina/aluminum composites formed by the directed oxidation of aluminum using sodium hydroxide as a surface dopant.—1771
Effect of treatment of reactive aggregate by H_2O_2 on the alkali–silica reaction.—1522
Fibrous monolithic ceramics: IV, Mechanical properties and oxidation behavior of the alumina/nickel system.—1256
Growth of alumina/metal composites into porous ceramics by the oxidation of aluminum.—2599
High-temperature active oxidation and active-to-passive transition of chemically vapor-deposited silicon nitride in N_2–O_2 and Ar–O_2 atmospheres.—2369
High-temperature oxidation of chemically vapor-deposited silicon nitride in a carbon monoxide–carbon dioxide atmosphere.—2921
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: I, Experiemntal approach.—2049
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: II, Theoretical approach.—2058
Novel reaction path to $BaTiO_3$ by the oxidation of a solid metallic precursor.—721
Oxidation behavior and flexural strength of aluminum nitride exposed to air at elevated temperatures.—1037
Oxidation kinetics of chemically vapor-deposited silicon carbide in wet oxygen.—730
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: I, An experimental approach.—459
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: II, Modeling.—467
Oxide matrix composite by directional oxidation of a commercial aluminum–magnesium alloy.—1296
oxides,
Raman spectrometric determination of the oxygen self-diffusion coefficients in oxides.—2648
oxycarbides,
Nanostructural characterization of silicon oxycarbide glasses and glass-ceramics.—3012
oxygen,
Influence of oxygen content on formation of yttrium α-SiAlON ceramics.—2425
palladium,
Silver–palladium thick-film conductors.—3051
particle size,
Effect of particle size on binary reactions common to the Y-Ba-Cu-O system.—2738
Effect of particle size on the room-temperature crystal structure of barium titanate.—3186
particles,
Characteristics of yttrium iron garnet ultrafine particles prepared by the alkoxide method.—1787
Influence of interparticle forces on the rheological behavior of pressure-consolidated alumina particle slurries.—216
Preparation of uniform submicrometer particles of calcium titanate and lead niobate by replacement reactions.—1950
Pressure sensitivity for particle packing of aqueous Al_2O_3 slurries vs interparticle potential.—1357
Simulation of the viscous sintering of coated particles.—2237
Thermodynamics and kinetics of surface area changes of faceted particles.—2314
Ultrafine-grained dense monoclinic and tetragonal zirconia.—1706
peptization,
Effect of peptization on densification and phase-transformation behavior of sol–gel-derived nanostructured titania.—1396
permeability,
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers.—2669
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—Correction.—3294
permittivity,
Resistivity and permittivity for $(Ba,Pb)TiO_3$ PTCR ceramics.—2419
perovskites,
Domain structure in excess-WO_3 lead complex perovskite.—1345
Kinetics and deformation during the reaction of yttrium-aluminum perovskite and alumina to yttrium-aluminum garnet.—1473
phase diagrams,
Low-temperature phase equilibria by the flux method and the metastable–stable phase diagram in the ZrO_2–CeO_2 system.—1869
Phase relations in the system Ce_2O_3–$Ce_2Sr_2O_7$ in the temperature range 1150° to 1970°C in reducing and inert atmospheres.—2953
Solid–liquid reaction in the system Si_3N_4–$Y_3Al_5O_{12}$–$Y_2Si_2O_7$ under 1 MPa of nitrogen.—2763
Subsolidus relations in the La_2O_3–CuO–CaO phase diagram and the La_2O_3–CuO binary join.—2199
phase equilibria,
Crystal chemistry and phase equilibrium studies of the $BaO(BaCO_3)$–$1/2R_2O_3$–CuO_x systems in air: VI, R = neodymium.—2354
Low-temperature synthesis and phase equilibria in the Y-Cu-O binary system.—1139
Magnetoplumbite–corundum phase equilibria in the system Sr-Fe-Al-O at 1100°C.—244
Microanalytical determination of ZnO solidus and liquidus boundaries in the ZnO–Bi_2O_3 system.—1499
Phase equilibria and crystal chemistry in portions of the system SrO–CaO·1/2Bi_2O_3–CuO: V, The system SrO–CaO·1/2Bi_2O_3.—2173
Phase equilibria of the bismuth oxide–copper oxide system in oxygen at 1 atm.—3119
Phase relations in the system Ce_2O_3–Al_2O_3 in inert and reducing atmospheres.—2961
Solid–liquid reactions in the system Si_3N_4–ß-SiAlON–$Y_3Al_5O_{12}$.—2653
Thermodynamics and phase equilibria in the Ca-Cu-O system.—41
phase transformations,
Characterization of three-dimensional through-thickness transformaton zone in 9-mol% Ce-TZP ceramics.—2203
Quantitative determination of the cubic-to-monoclinic phase transformation in fully stabilized zirconias by Raman spectroscopy.—2191
Stress-induced phase transformation in the systems $(Ho_{1-x}La_x)Al_2O_3$ and $(Y_{1-x}La_x)Al_2O_3$.—2489
Use of thin-film substrates to study enhanced solid-state phase formations.—3287
X-ray diffraction study of the *t*-to-*m* phase transformation in 12-mol%-ceria-doped zirconia at low temperatures.—2458
phase transitions,
Oxygen displacement through the ferroelectric phase transition of barium titanate—High-temperature ^{17}O NMR.—3263
Raman scattering study of cubic–tetragonal phase transition in $Zr_{1-x}Ce_xO_2$ solid solution.—1067
Ultrafine-grained dense monoclinic and tetragonal zirconia.—1706
Ultrahigh strain ceramics with multiple field-induced phase transitions.—3042
phases,
Aluminum-containing nitrogen melilite phases.—143
Phase characterization of precipitated zirconia.—1649
Quantitative powder X-ray diffractometry phase analysis of silicon nitride materials by a multiline, mean-normalized-intensity method.—2195
Relationship between fracture toughness and phase assemblage in Mg-PSZ.—571
Use of two-phase standards of unknown compositions to determine calibration constants for powder XRD by linear regression.—2226
phosphates,
Thermal degradation behavior of WOP_2O_7/phenanthroline complex.—2536
Use of boron phosphate in the solid-state preparation of crystalline iron(III) phosphate and manganese(II) diphosphate.—1372
phosphides,
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—3153
piezoelectric materials,
Electric-field-induced fatigue crack growth in piezoelectrics.—1783
Stability of PTZ piezoelectric ceramics under vibration level change.—2429
plasma spraying,
Microstructure and properties of plasma ceramics.—1274
plasticizers/plasticity,
Experimental study of stress-induced localized transformation plastic zones in tetragonal zirconia polycrystalline ceramics.—1352
Poisson's ratio,
Effective elastic moduli of porous ceramic materials—Comment.—2779
Effective elastic moduli of porous ceramic materials—Reply.—2782
polycrystalline materials,
Sigmoidal indentation–strength characteristics of polycrystalline alumina.—303
polymerization,
Characterization of CSH from highly reactive ß-dicalcium silicate prepared from hillebrandite.—1313
polymers,
Fabrication and characterization of PZT/thermoplastic polymer composites for high-frequency phased linear arrays.—2481
pore size distribution,
Pore sizes and filtration rates from two alumina slips.—1777
Wicking technique for determination of pore size in ceramic materials.—2220
pores/porosity,
Porosity effects on machining direction—Strength anisotropy and failure mechanisms.—2232
porosimetry,
Porosimeter as a means to measure the compactibility of powders.—1369
porous materials,
Effective elastic moduli of porous ceramic materials—Comment.—2779
Effective elastic moduli of porous ceramic materials—Reply.—2782
Wicking technique for determination of pore size in ceramic materials.—2220
portland cement,
Interpretation of compositional patterns found by quantitative energy dispersive X-ray analysis for cement paste constituents.—1875
Model for the developing microstructure in portland cement pastes.—3161
positive temperature coefficient of resistivity (PTCR),
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—Comment.—1113
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—Reply.—1115
Evolution of microstructure and V-shaped positive temperature coefficient of resistivity of $(Pb_{0.6}Sr_{0.4})TiO_3$ materials.—1340
Proposed phenomenological PTCR model and accompanying phenomenological PTCR chart.—286
potassium tantalum niobate,
Microstructure of $KTa_xNb_{1-x}O_3$ thin films on MgO (100) single crystals.—2450
powders,
Chemical synthesis and characterization of calcium aluminate powders.—531
Chemical synthesis and characterization of calcium aluminate powders—Correction.—1982
Homogeneity effects on feedstock viscosity in powder injection molding.—283
Instability of polycrystalline bridges that span cracks in powder films densified on a substrate.—787
Novel equipment for the study of the compaction of fine powders.—1005
Porosimeter as a means to measure the compactibility of powders.—1369
Rapid process for manufacturing aluminum nitride powder.—3
Rheology and particle packing of chem- and phys-adsorbed, alkylated silicon nitride powders.—922
Sinterability of ß-calcium orthophosphate powder prepared by spray pyrolysis.—801
Synthesis of yttria powders by electrospray pyrolysis.—3244
praseodymium,
Doped perovskite oxide, $PrMnO_3$, as a new cathode for solid-oxide fuel cells that decreases the operating temperature.—1682
precipitation/precipitators,
Phase characterization of precipitated zirconia.—1649
precursors,
Effect of polynuclear complex content on the synthesis of aluminum nitride from aluminum polynuclear complex.—1633
Pentacoordinate silicon complexes as precursors to silicate glasses and ceramics.—875
Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics—Correction.—3292
preparation,
Preparation of silicon carbide fiber from activated carbon fiber and gaseous silicon monoxide.—1691
pressure,
Effect of pressure on plasma-assisted chemical vapor deposition of silicon oxide(s).—1366
Pressure sensitivity for particle packing of aqueous Al_2O_3 slurries vs interparticle potential.—1357
processing,
Low-temperature processing of ceramic woven fabric/ceramic matrix composites.—97
pyrolysis,
Comparison of the pyrolysis products of dichlorodimethylsilane in the chemical vapor deposition of silicon carbide on silica in hydrogen or argon.—2721
X-ray diffraction analysis of the pyrolytic conversion of perhydropolysilazane into silicon nitride.—1729
***R*-curve,**
Crack-growth resistance of in-situ-toughened silicon nitride.—1042
Effect of thermoelastic anisotropy on the *R*-curve behavior of monolithic alumina.—2283
Flat *R*-curve from stable propagation of indentation-cracks in coarse-grained alumina.—315
Flat and rising *R*-curves for elliptical surface cracks from indentation and superposed flexure.—172
R-curve behavior and stable crack growth at elevated temperature (1500°–1650°C) in an Si_3N_4/SiC nanocomposite.—3237
radiation,
Correlation between radiative transition probabilities of Nd^{3+} and composition in silicate, borate, and phosphate glasses—Correction.—1408
Radiation damage effects in alumina.—368
Raman spectroscopy,
Quantitative determination of the cubic-to-monoclinic phase transformation in fully stabilized zirconias by Raman spectroscopy.—2191
Raman spectrometric determination of the oxygen self-diffusion coefficients in oxides.—2648
Structure and dynamics in calcium aluminate liquids: High-temperature ^{27}Al NMR and Raman spectroscopy.—1832
reaction bonding,
Effect of processing parameters on phase and microstructure evolution in RBAO ceramics.—2509
Infiltration of reaction-bonded silicon nitride with equilibrium Y-Si-O-N melt.—499
reactions,
Interaction between barium titanate and binary glasses.—493
reduction,
Internal reduction of chromium-doped α-alumina.—423
Kinetics of CeO_2 surface area reduction in a mixture of HCl, H_2O, and O_2.—1537
Kinetics of the reduction of carbon/alumina powder mixture in a flowing nitrogen stream.—1753
refractive index,
Refractive-index dispersion of tellurite glasses in the region from 0.40 to 1.71 μm.—2455
refractories,
Thermal stress analysis of fused-cast AZS refractories during production: I, Industrial study.—1505
Thermal stress analysis of fused-cast AZS refractories during production: II, Development of thermoelastic stress model.—1512

relaxors,
Grain-boundary-phase identification of a lead-based relaxor by X-ray photoelectron spectroscopy.—2229
Temperature-stable lead-relaxor-based ceramic dielectrics with chemical inhomogeneity.—1451
research,
Robert L. Coble: A retrospective.—293
resins,
Metal organic resin derived barium titanate: II, Kinetics of $BaTiO_3$ formation.—2940
resistivity,
Effect of soaking time on the temperature coefficient of resistivity of semiconducting barium titanate PTCR ceramics.—2461
Resistivity and permittivity for $(Ba,Pb)TiO_3$ PTCR ceramics.—2419
resistors,
Thin glass film between ultrafine conductor particles in thick-film resistors.—1143
rheology,
Influence of interparticle forces on the rheological behavior of pressure-consolidated alumina particle slurries.—216
Rheology and particle packing of chem- and phys-adsorbed, alkylated silicon nitride powders.—922
Tensile creep in an in situ reinforced silicon nitride.—2408
rollers,
Deformation and fracture by sharp rolling contacts.—1263
roughness,
Effect of interfacial roughness parameters on the fiber pushout behavior of a model composite.—3232
rupture,
Creep and creep rupture of an advanced silicon nitride ceramic.—867
Creep and stress rupture behavior of an advanced silicon nitride: I, Experimental observations.—1217
Creep and stress rupture behavior of an advanced silicon nitride: II, Creep rate behavior.—1228
Creep and stress rupture behavior of an advanced silicon nitride: III, Stress rupture and the Monkman–Grant relationship.—1235
ruthenium oxide,
Development of cell structure due to Benard–Marangoni-type convection in RuO_2-glass thick films.—847
Thin glass film between ultrafine conductor particles in thick-film resistors.—1143
Rutherford backscattering,
Rutherford backscattering and channeling studies of cleaved, polished, and annealed MgO (100) single crystals.—230
salts,
Forces between alumina surfaces in salt solutions: Non-DLVO forces and the implications for colloidal processing.—437
sapphire,
Brittle–ductile transition and dislocation mobility in sapphire.—3099
Defect clustering and color in Fe,Ti: α-Al_2O_3.—356
Design of a hot tensile stage for an ultra-high-voltage electron microscope and its application to in situ deformation of sapphire at 1620 and 1720 K.—839
Effect of cleaning and abrasion-induced damage on the Weibull strength distribution of sapphire fiber.—2017
First-principles calculation of electronic, optical, and structural properties of α-Al_2O_3.—404
First-principles calculations for niobium atoms on a sapphire surface.—431
Forces between alumina surfaces in salt solutions: Non-DLVO forces and the implications for colloidal processing.—437
High-temperature fracture toughness of sapphire.—3030
Internal reduction of chromium-doped α-alumina.—423
Microstructural observations on constrained densification of alumina powder containing a periodic array of sapphire fibers.—1976
New experimental setup for wettability characterization under monitored oxygen activity: II, Wettability of sapphire by silver–oxygen melts.—197
Recent attempts to detect magnesium in a heavily doped sapphire bicrystal by spatially resolved electron energy-loss spectroscopy.—2273
Slip and twinning in sapphire (α-Al_2O_3).—385
Slow crack growth in sapphire fibers at 800° to 1500°C—Correction.—2495
scanning electron microscopy (SEM),
Electron channeling pattern of ceramic platelets.—2465
seeding,
Microstructure characterization of gas-pressure-sintered ß-silicon nitride containing large ß-silicon nitride seeds.—1093
Microstructure control of silicon nitride by seeding with rodlike ß-silicon nitride particles.—1857
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—3105
self-propagating high-temperature synthesis (SHS),
SHS combustion characteristics of several ceramics and intermetallic compounds.—778
semiconductors,
Effect of soaking time on the temperature coefficient of resistivity of semiconducting barium titanate PTCR ceramics.—2461
Semiconducting barium titanate ceramics prepared by boron-containing liquid-phase sintering.—829
sensors,
Characterization of TiO_2-based sensor materials using immittance spectroscopy.—481
Factors determining the carbon monoxide sensing properties of tin oxide thick films calcined at different temperatures.—2935
High-temperature immittance response in anatase-based sensor materials.—3145
New gas-sensing method for detecting carbon monoxide by use of the complex impedance of a CuO/ZnO heterocontact under a dc bias voltage.—1961
shaping,
Shape changes by {100} lithium fluoride ridge-channel arrays and of lithium fluoride particles at sintering temperatures.—2319
shear,
In-plane shear properties of 2-D ceramic matrix composites.—2569
SiAlON,
Aluminum-containing nitrogen melilite phases.—143
Influence of oxygen content on formation of yttrium α-SiAlON ceramics.—2425
Microstructure and mechanical properties of the in situ ß-Si_3N_4/α'-SiAlON composite.—2345
Nd_2O_3-doped SiAlONs with ZrO_2/ZrN additions formed by sintering and hot isostatic pressing.—3087
Nucleation and growth of α'-SiAlON on α-Si_3N_4.—1711
Nucleation and growth of ß′-SiAlON.—1719
Reaction hot-pressing of α'- and ß′-SiAlON ceramics.—165
Residual α-Si_3N_4 in O′ crystals in CeO_2-doped O′+ß′ SiAlON ceramics.—2213
Solid–liquid reactions in the system Si_3N_4–ß-SiAlON–$Y_3Al_5O_{12}$.—2653
Superplastic forming of SiAlON ceramics.—2575
silica,
Chemically corroded pristine silica fibers: Blunt or sharp flaws—Correction.—861
Effect of pressure on plasma-assisted chemical vapor deposition of silicon oxide(s).—1366
Molecular orbital study of an environmentally enhanced crack growth process in silica.—2179
Numerical model of polydispersed silica grain dissolution in glass-melting furnaces.—1921
Preparation and optical nonlinear property of sol–gel-derived Cu–SiO_2 thin films.—1110
Strength and toughness of slip-cast fused-silica composites.—1673
Synthesis of nanoparticle silica composite membranes by the pressurized sol–gel technique.—3093
silicates,
Crystal structures of the high-temperature forms of $Ln_2Si_2O_7$ (Ln = La, Ce, Pr, Nd, Sm) revisited.—2968
High-temperature mechanical properties and chemical stability of $Ba_{1.25}Zr_4P_{6.2}Si_{2.2}O_{24}$ low-thermal-expansion ceramics.—1965
High-temperature stability of $Ca_2ZrSi_4O_{12}$.—3033
Pentacoordinate silicon complexes as precursors to silicate glasses and ceramics.—875
Pentacoordinate silicon complexes as pecursors to silicate glasses and ceramics—Correction.—3292
Phase relations in the system Ce_2O_3–$Ce_2Si_2O_7$ in the temperature range 1150° to 1970°C in reducing and inert atmospheres.—2953
Polar-oriented crystallization of fresnoite ($Ba_2TiSi_2O_8$) on glass surface due to ultrasonic treatment with suspensions.—2905
Seeding effects on crystallization of $KAlSi_3O_8$, $RbAlSi_3O_8$, and $CsAlSi_3O_8$ gels and glasses.—3105
Solid–liquid reaction in the system Si_3N_4–$Y_3Al_5O_{12}$–$Y_2Si_2O_7$ under 1 MPa of nitrogen.—2763
Thermal expansion of Y_2SiO_5 single crystals—Correction.—1979
Thin glass film between ultrafine conductor particles in thick-film resistors.—1143
silicon,
Chemical etching of silicon (100) by hydrogen.—2949
Chemical states of implanted aluminum ions in silica and silicon ions in alumina.—3019
Nanocomposite Si/C/N powder production by laser–aerosol interaction.—993
silicon carbide,
Active-to-passive transition and bubble formation for high-temperature oxidation of chemically vapor deposited silicon carbide in CO–CO_2 atmosphere.—1079
Anomalous temperature dependence of cyclic fatigue-crack growth in a silicon carbide matrix composite.—2911
Aspects in grinding of ceramics.—2443
Carbon dioxide laser cutting of a carbon-fiber–silicon carbide-matrix composite.—89
Carbon dioxide laser synthesis of ultrafine silicon carbide powders from diethoxydimethylsilane.—1662
Characterization of dip-coated boron nitride on silicon carbide fibers.—1011
Comparison of the pyrolysis products of dichlorodimethylsilane in the chemical vapor deposition of silicon carbide on silica in hydrogen or argon.—2721
Creep anisotropy of a continuous-fiber-reinforced silicon carbide/calcium aluminosilicate composite.—1745
Diffusional crack growth and creep rupture of silicon carbide doped with alumina.—678
Effect of a silicon carbide "nano-dispersion" on the mechanical properties of silicon nitride.—3039
Effect of carbon addition on elevated temperature crack growth resistance in (Mo,W)Si_2–SiC_p composite.—2681
Effect of processing variables on interfacial properties of an SiC-fiber-reinforced reaction-bonded Si_3N_4 matrix composite.—2561
Effects of α-SiC versus ß-SiC starting powders on microstructure and fracture toughness of SiC sintered with Al_2O_3–Y_2O_3 additives.—1655
Effects of fiber volume fraction on mechanical properties of SiC-fiber/Si_3N_4-matrix composites.—1897
Electrophoretic deposition forming of SiC–TZP composites in a nonaqueous sol media.—1946
Evaluation of whisker alignment in axisymmetric SiC_w-reinforced Al_2O_3 composite materials.—2828
Evidence for anelastic creep recovery in silicon carbide whisker-reinforced alumina.—1679
Fabrication and microstructure of Al_2O_3–SiC–YAG hybrid composites prepared by particulate dispersion.—1375
Fabrication of oriented SiC-whisker-reinforced mullite matrix composites by tape casting.—2586
Fatigue mechanisms in graphite/SiC composites at room and high temperature.—792
Fibrous monolithic ceramics: III, Mechanical properties and oxidation behavior of the silicon carbide/boron nitride system.—1249
Flat and rising *R*-curves for elliptical surface cracks from indentation and superposed flexure.—172
Fracture behavior of CVD SiC-coated graphite: II, Conditions for the onset of multiple cracking.—717
High-temperature crack growth in monolithic and SiC_w-reinforced silicon nitride under static and cyclic loads.—2985
In situ-toughened silicon carbide.—519
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: I, Experiemntal approach.—2049
Kinetics and mechanisms of oxidation of 2D woven C/SiC composites: II, Theoretical approach.—2058
Lubricated rolling wear of SiC-whisker-reinforced Al_2O_3 composites against M2 tool steel.—179
Mechanical characterization of Si-C(O) fiber/SiC (CVI) matrix composites with a BN-interphase.—649
Microstructure and fracture toughness of hot-pressed silicon carbide reinforced with silicon carbide whisker.—3270
Model of the nonlinear mechanical behavior of 2D SiC–SiC chemical vapor infiltration composites.—2118
Notch effects in carbon matrix composites.—2817
Origin of density gradients in sintered ß-silicon carbide parts.—2879
Oxidation kinetics of chemically vapor-deposited silicon carbide in wet oxygen.—730
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: I, An experimental approach.—459
Oxidation mechanisms and kinetics of 1D-SiC/C/SiC composite materials: II, Modeling.—467
Preparation of silicon carbide fiber from activated carbon fiber and gaseous silicon monoxide.—1691
Presintering heat treatment, densification, and mechanical properties of silicon carbide.—1685
Processing and microstructure development in alumina–silicon carbide intragranular particulate composites.—2157
R-curve behavior and stable crack growth at elevated temperature (1500°–1650°C) in an Si_3N_4/SiC nanocomposite.—3237
Reaction bonding and mechanical properties of mullite/silicon carbide composites.—2898
Residual stresses in silicon carbide–zircon composites from thermal expansion measurements and fiber pushout tests.—3221
Short-crack mechanical properties and failure mechanisms of Si_3N_4-matrix/SiC-fiber composites.—1889
Short-crack mechanical properties and failure mechanism of Si_3N_4-matrix/SiC fiber composite—Correction.—3048
Sintering of silicon carbide/molybdenum disilicide composites using boron oxide as an additive.—2751
Subcritical crack growth in CVI silicon carbide reinforced with Nicalon fibers: Experiment and model.—2381
Tensile creep and creep rupture behavior of monolithic and SiC-whisker-reinforced silicon nitride ceramics—Correction.—1981
Tensile creep behavior of alumina/silicon carbide nanocomposite.—3259
Toughness properties of a silicon carbide with an in situ-induced heterogeneous grain structure.—2518
Transverse strength of SCS-6 silicon carbide fibers—Correction.—860
Tribological characteristics of SiC ceramics in high-temperature and high-pressure water.—1851
Ultrasonic characterization of oxidation mechanisms in Nicalon/C/SiC composites.—2554
silicon nitride,
Aspects in grinding of ceramics.—2443
Calcium concentration dependence of the intergranular film thickness in silicon nitride.—911
Comparison of the creep and creep rupture performance of two HIPed silicon nitride ceramics.—657
Corrosion kinetics of silicon nitride in dry air containing sodium nitrate vapors.—3209
Crack-growth resistance of in-situ-toughened silicon nitride.—1042
Creep and creep rupture of an advanced silicon nitride ceramic.—867
Creep and stress rupture behavior of an advanced silicon nitride: I, Experimental observations.—1217
Creep and stress rupture behavior of an advanced silicon nitride: II, Creep rate behavior.—1228
Creep and stress rupture behavior of an advanced silicon nitride: III, Stress rupture and the Monkman–Grant relationship.—1235
Development of short-range repulsive potentials in aqueous, silicon nitride slurries.—1047
Effect of a silicon carbide "nano-dispersion" on the mechanical properties of silicon nitride.—3039
Effect of processing variables on interfacial properties of an SiC-fiber-reinforced reaction-bonded Si_3N_4 matrix composite.—2561
Effect of relative humidity on repetitive impact behavior of machined silicon nitride.—683
Effects of fiber volume fraction on mechanical properties of SiC-fiber/Si_3N_4-matrix composites.—1897
Effects of hydrogen and temperature on the kinetics of the fluidized-bed nitridation of silicon.—186
Fatigue crack growth of silicon nitride at 1400°C: A novel fatigue-induced crack-tip bridging phenomenon.—137
Fracture toughness and time-dependent strength behavior of low-doped silicon nitrides for applications at 1400°C.—553
Grinding forces and elastic recovery in ceramic materials.—1653
High-temperature active oxidation and active-to-passive transition of chemically vapor-deposited silicon nitride in N_2–O_2 and Ar–O_2 atmospheres.—2369

High-temperature crack growth in monolithic and SiC_w-reinforced silicon nitride under static and cyclic loads.—2985
High-temperature oxidation of chemically vapor-deposited silicon nitride in a carbon monoxide–carbon dioxide atmosphere—2921
High-temperature strength of fluorine-doped silicon nitride.—275
Improvement of tensile creep displacement measurements.—2767
Infiltration of reaction-bonded silicon nitride with equilibrium Y-Si-O-N melt.—499
Mechanical and environmental factors in the cyclic and static fatigue of silicon nitride.—1153
Metal-organic surfactants as sintering aids for silicon nitride in an aqueous medium.—2926
Microstructure and chemical reaction in an Si_3N_4–TiC composite.—705
Microstructure and mechanical properties of the in situ ß-Si_3N_4/α′-SiAlON composite.—2345
Microstructure characterization of gas-pressure-sintered ß-silicon nitride containing large ß-silicon nitride seeds.—1093
Microstructure control of silicon nitride by seeding with rodlike ß-silicon nitride particles.—1857
Nucleation and growth of α′-SiAlON on α-Si_3N_4.—1711
Processing, microstructure, and wear behavior of silicon nitride hot-pressed with alumina and yttria.—883
Qualitative and quantitative evaluation of silicon nitride grain-boundary phase by cryogenic specific heat measurements.—1101
Quantitative powder X-ray diffractometry phase analysis of silicon nitride materials by a multiline, mean-normalized-intensity method.—2195
R-curve behavior and stable crack growth at elevated temperature (1500°–1650°C) in an Si_3N_4/SiC nanocomposite.—3237
Rheology and particle packing of chem- and phys-adsorbed, alkylated silicon nitride powders.—922
Shock-compacted Si_3N_4 nanocrystalline ceramics: Mechanisms of consolidation and of transition from α- to ß-form.—487
Short-crack mechanical properties and failure mechanisms of Si_3N_4-matrix/SiC-fiber composites.—1889
Short-crack mechanical properties and failure mechanism of Si_3N_4-matrix/SiC fiber composite—Correction.—3048
Solid–liquid reaction in the system Si_3N_4–$Y_3Al_5O_{12}$–$Y_2Si_2O_7$ under 1 MPa of nitrogen.—2763
Solid–liquid reactions in the system Si_3N_4–ß-SiAlON–$Y_3Al_5O_{12}$.—2653
Statistical analysis of the fatigue life distribution of monolithic silicon nitride.—514
Tensile creep and creep rupture behavior of monolithic and SiC-whisker-reinforced silicon nitride ceramics—Correction.—1981
Tensile creep in an in situ reinforced silicon nitride.—2408
Texture development via grain rotation in ß-silicon nitride.—947
Thermal shock behavior of silicon nitride flexure beam specimens with indentation cracks.—835
Tribological characteristics of Si_3N_4 ceramic in high-temperature and high-pressure water.—580
X-ray diffraction analysis of the pyrolytic conversion of perhydropolysilazane into silicon nitride.—1729

silicon oxynitride,
Formation of N-phase and phase relationships in MgO–Si_2N_2O–Al_2O_3 system.—3251
Synthesis and characterization of amorphous Si_2N_2O.—2699

silver,
Effects of silver and lead on the phase stability of $Bi_2Sr_2Ca_1Cu_2O_{8+x}$ and $Bi_2Sr_2Ca_2Cu_3O_{10+x}$ above and below the solidus temperature.—2305
Silver–palladium thick-film conductors.—3051

single crystals,
Electron channeling pattern of ceramic platelets.—2465
Fabrication of barium titanate single crystals by solid-state grain growth.—1107
Optical, electron microscopic, and X-ray topographic studies of ferroic domains in barium titanate crystals grown from high-temperature solution.—3193
Rutherford backscattering and channeling studies of cleaved, polished, and annealed MgO (100) single crystals.—230
Synthesis of single-crystal barium titanium isopropoxide complex to form barium titanate.—603
Thickness of cubic surface phase on barium titanate single-crystalline grains.—1665
An unusual twin structure in transformed precipitates in Y-PSZ single crystals.—57
An unusual twin structure in transformed precipitates in Y-PSZ single crystals—Correction.—862

sinter/sintering,
Dense Al_2O_3/ZrO_2 particulate composites by free sintering of coated powders.—815
Effect of alumina on sintering behavior and electrical conductivity of high-purity yttria-stabilized zirconia.—2217
Effect of calcination on the sintering of gel-derived, zirconia-toughened alumina.—2376
Effect of sintering atmosphere on interface migration of niobium-doped strontium titanate during infiltration of oxide melts.—1688
Formation and sintering of yttria-doped tetragonal zirconia with 50 mol% alumina prepared by the hydrazine method.—1694
Impedance spectroscopy study of sintering in Bi-doped ZnO.—1493
Origin of density gradients in sintered ß-silicon carbide parts.—2879
Robert L. Coble: A retrospective.—293
Semiconducting barium titanate ceramics prepared by boron-containing liquid-phase sintering.—8292
Shape changes by {100} lithium fluoride ridge-channel arrays and of lithium fluoride particles at sintering temperatures.—2319
Simulation of the viscous sintering of coated particles.—2237
Sintering and electrical properties of titania- and zirconia-containing In_2O_3–SnO_2 (ITO) ceramics.—843
Unstable neck formation during initial-stage sintering.—1987

slags,
Dissolution of MgO in CaO–"FeO"–CaF_2–SiO_2 slags under static conditions.—970
Interaction of CaO–FeO–SiO_2 slags with partially stabilized zirconia.—611

slip casting,
Graded casting of materials with continuous gradients.—2747

slurries,
Development of short-range repulsive potentials in aqueous, silicon nitride slurries.—1047

soda–lime–silica,
Molten glass corrosion resistance of immersed combustion-heating tube materials in soda–lime–silicate glass.—1613

sodium,
Densification and microstructure of sodium-doped colloidal mullite.—1377
Nonstoichiometry and the long-range cation ordering in crystals of $(Na_{1/2}Bi_{1/2})TiO_3$.—2641
Superconductivity in the $(YBa_2Cu_3)_{1-x}Na_xO_{7-\delta}$ system.—1025

sodium oxide,
Viscosity of molten Na_2O–B_2O_3 slags.—1032

sol–gel,
Alkoxide–hydroxide route for the preparation of γ-$LiAlO_2$-based ceramics.—249
Composition microheterogeneity of uvarovite–grossularite garnets.—2097
Effect of peptization on densification and phase-transformation behavior of sol–gel-derived nanostructured titania.—1396
Interrelationship between densification, crystallization, and chemical evolution in sol–gel titania thin films.—1592
Origin of orientation in sol–gel-derived lead titanate films—correction.—2240
Preparation and optical nonlinear property of sol–gel-derived Cu–SiO_2 thin films.—1110
Preparation by a sol–gel process of borosilicate glasses containing microcrystals of tellurium and zinc telluride.—2885
Sol–gel preparation and optical nonlinearity of lead(II) oxide–titanium(IV) oxide amorphous monoliths.—673
Sol–gel route to synthesis of microporous ceramic membranes: Preparation and characterization of microporous TiO_2 and ZrO_2 xerogels.—1939
Synthesis of nanoparticle silica composite membranes by the pressurized sol–gel technique.—3093
Synthesis of single-crystal barium titanium isopropoxide complex to form barium titanate.—603
Thio sol–gel process for the synthesis of titanium disulfide.—1381
Ultrasonic sol/gel processing of aluminoborosilicate glass and its composite with carbon fiber reinforcement.—1550
Use of transmission electron microscopy for the characterization of rapid thermally annealed, solution–gel, lead zirconate titanate films.—1209

solid oxide fuel cell,
Doped perovskite oxide, $PrMnO_3$, as a new cathode for solid-oxide fuel cells that decreases the operating temperature.—1682

solid solutions,
Activity of NiO in (Ni,Mg)O solid solutions.—2491
Composition microheterogeneity of uvarovite–grossularite garnets.—2097
Effective ionic radius of Y^{3+} determined from lattice parameters of fluorite-type HfO_2 and ZrO_2 solid solutions.—597
Metastable phase selection and partitioning for $Zr_{(1-x)}Al_xO_{(2-x/2)}$ materials synthesized with liquid precursors.—2069
Modified envelope method for obtaining optical properties of weakly absorbing thin films and its application to thin films of Pb(Zr,Ti)O_3 solid solutions.—929
Synthesis of metastable tetragonal (*t′*) zirconia–ceria solid solutions by the polymerized complex method.—2773

solubility,
Suppression of acceptor solubilities in $BaTiO_3$ densified in highly reducing atmospheres.—3173

solutions,
Solution of MgO, CaO, and TiO_2 in α-Al_2O_3.—378

specific heat,
Qualitative and quantitative evaluation of silicon nitride grain-boundary phase by cryogenic specific heat measurements.—1101

spectroscopy,
Characterization of TiO_2-based sensor materials using immittance spectroscopy.—481
EELS study of oxygen diffusion in aluminum nitride.—737
Impedance spectroscopy of hydrating cement-based materials: Measurement, interpretation, and application.—2789
Recent attempts to detect magnesium in a heavily doped sapphire bicrystal by spatially resolved electron energy-loss spectroscopy.—2273

spheres,
Diffusion-controlled growth or dissolution of spheres with variable temperature.—999

spray drying,
Characteristics of alumina powders prepared by spray drying of boehmite sol.—1597
Spray drying of metal alkoxide sol for strontium titanate ceramics.—129

spray pyrolysis,
Characterization of PLZT films deposited by spray pyrolysis.—3142
Sinterability of ß-calcium orthophosphate powder prepared by spray pyrolysis.—801
Synthesis of yttria powders by electrospray pyrolysis.—3244

sputtering,
Deposition of indium tin oxide films on acrylic substrates by radio-frequency magnetron sputtering.—1740
Preparation of apatite thin films through rf-sputtering from calcium phosphate glasses.—2401

stability,
Phase stability of chemically derived enstatite ($MgSiO_3$) powders.—2625
Stability diagram for the system $YBa_2Cu_3O_{7-x}$.—753
Stability of molybdenum disilicide in combustion gas environments.—1162
Stability of PTZ piezoelectric ceramics under vibration level change.—2429

stabilization,
Effect of dopants on zirconia stabilization—An X-ray absorption study: I, Trivalent dopants.—118
Effect of dopants on zirconia stabilization—An X-ray absorption study: II, Tetravalent dopants.—1281
Effect of dopants on zirconia stabilization—An X-ray absorption study: III, Charge-compensating dopants.—1289
Further investigation of the stabilization of ß-cristobalite.—49
Stabilization of cubic zirconia with manganese oxide.—2758
Stabilization of ordered zirconium titanates through the chemical substitution of Ti^{4+} by Al^{3+}/Ta^{5+}.—743

stoichiometry,
Stoichiometry of fluorotopaz and of mullite made from fluorotopaz.—1087

strain,
Critical appraisal of limiting strain rates for compression testing of ceramics in split Hopkinson pressure bar.—263
Methodology for relating the tensile constitutive behavior of ceramic matrix composites to constituent properties.—1425
Ultrahigh strain ceramics with multiple field-induced phase transitions.—3042

strength,
Bend strength versus tensile strength of fiber-reinforced ceramics.—221
Crack-shape-wake-area effects on ceramic fracture toughness and strength.—2479
Die pressing test for the estimation of agglomerate strength.—806
High-temperature strength of fluorine-doped silicon nitride.—275
Oxidation behavior and flexural strength of aluminum nitride exposed to air at elevated temperatures.—1037
Porosity effects on machining direction—Strength anisotropy and failure mechanisms.—2232
Role of grain size in strength variability of alumina.—1928
Sigmoidal indentation–strength characteristics of polycrystalline alumina.—303
Strength versus gauge length in ceramic matrix composites.—1072
Transverse strength of SCS-6 silicon carbide fibers—Correction.—860

stress,
Experimental measurement of residual stress field around a sharp indentation in glass.—524
Inner stress induced by Cu metal precipitation at grain boundaries in low-temperature-fired Ni-Zn-Cu ferrite.—2873
Methodology for relating the tensile constitutive behavior of ceramic matrix composites to constituent properties.—1425
Neutron diffraction measurements of the residual stresses in Al_2O_3–ZrO_2 (CeO_2) ceramic composites.—1569
Piezospectroscopic determination of residual stresses in polycrystalline alumina.—298
Residual stresses in polycrystalline diamond compacts.—1562
Residual stresses in silicon carbide–zircon composites from thermal expansion measurements and fiber pushout tests.—3221
Vibrational technique for stress measurement in films: I, Ideal membrane behavior.—625
Vibrational technique for stress measurement in films: II, Extensions and complicating effects.—636
Viscosity and yield stress of alumina slurries containing large concentrations of electrolyte.—19

strontium,
Evolution of microstructure and V-shaped positive temperature coefficient of resistivity of $(Pb_{0.6}Sr_{0.4})TiO_3$ materials.—1340
Improving stabilized zirconia with strontium gallate.—1954
Synthesis and characterization of $Sr_2Ce_2Ti_5O_{16}$ in the system SrO–CeO_2–TiO_2.—1659
Thermogravimetric analysis and defect models of the oxygen nonstoichiometry in $La_{2-x}Sr_xCuO_{4-y}$.—2727

strontium oxide,
Phase equilibria and crystal chemistry in portions of the system SrO–CaO-1/2Bi_2O_3–CuO: V, The system SrO–CaO-1/2Bi_2O_3.—2173

strontium titanate,
Effect of sintering atmosphere on interface migration of niobium-doped strontium titanate during infiltration of oxide melts.—1688
Growth of strontium titanate thin films of controlled thickness by the hydrothermal–electrochemical method.—2889
Hydrothermal strontium titanate films on titanium: An XPS and AES depth-profiling study.—1601
Oxygen tracer diffusion in lanthanum-doped single-crystal strontium titanate.—2188
Spray drying of metal alkoxide sol for strontium titanate ceramics.—129

structure,
Application of selective ^{29}Si isotopic enrichment to studies of the structure of calcium silicate hydrate (CSH) gels.—593
Calculated structures and energies of grain boundaries in α-Al_2O_3.—349
Cluster models of bulk, surface, and impurity structure in α-Al_2O_3.—398

Domain structure in excess-WO_3 lead complex perovskite.—1345
Structure and energetics of alumina surfaces calculated from first principles.—335
Structure development study of $Pb(Zr,Ti)O_3$ thin films by an optical method.—1486
substitution,
Properties of $BaO–R_2O_3–Ga_2O_3–GeO_2$ (R = Y, Al, La, and Gd) glasses.—697
Quantum chemical determination of the Al-substituted site in tobermorite.—3023
substrates,
Devitrification of the grain boundary glassy phase in a high-alumina ceramic substrate.—2593
Low-temperature fabrication of anorthite ceramics.—833
Oxygen transport in aluminum nitride substrates.—2841
Use of thin-film substrates to study enhanced solid-state phase formations.—3287
sulfides,
Thio sol–gel process for the synthesis of titanium disulfide.—1381
superconductors,
Effect of particle size on binary reactions common to the Y-Ba-Cu-O system.—2738
Microwave joining of yttrium-based superconductor and its microstructure features.—1090
Point defect modeling of La_2CuO_4-based superconductors.—81
Preparation and characterization of Tl-Ba-Ca-Cu-O superconducting films by spray pyrolysis and Tl-diffusion technique.—27
Stability diagram for the system $YBa_2Cu_3O_{7-x}$.—753
Superconductivity in the $(YBa_2Cu_3)_{1-x}Na_xO_{7-\delta}$ system.—1025
YBCO oxalate coprecipitation in alcoholic solutions.—1436
YBCO oxalate coprecipitation in alcoholic solutions—Correction.—2494
superplastic,
Superplastic forming of SiAlON ceramics.—2575
surface,
Ceramic surface reactions and carbon retention during nonoxidative binder removal: Al_2O_3/poly(methyl methacrylate) at 20°-700°C.—2243
Simple technique for observing subsurface damage in machining of ceramics.—1388
Structure and energetics of alumina surfaces calculated from first principles.—335
surface area,
Kinetics of CeO_2 surface area reduction in a mixture of HCl, H_2O, and O_2.—1537
Thermodynamics and kinetics of surface area changes of faceted particles.—2314
surfactants,
Metal-organic surfactants as sintering aids for silicon nitride in an aqueous medium.—2926
suspensions,
Osmotic consolidation of suspensions and gels.—2473
synroc,
Freudenbergite: A possible synroc phase for sodium-bearing high-level waste.—1576
synthesis,
Carbon dioxide laser synthesis of ultrafine silicon carbide powders from diethoxydimethylsilane.—1662
Chemical synthesis and characterization of calcium aluminate powders.—531
Chemical synthesis and characterization of calcium aluminate powders—Correction.—1982
Citrate-gel syntheses in the Y(O)-Ba(O)-Cu(O) system.—547
Effect of polynuclear complex content on the synthesis of aluminum nitride from aluminum polynuclear complex.—1633
Synthesis of metastable tetragonal (t′) zirconia–ceria solid solutions by the polymerized complex method.—2773-
systems,
Formation of N-phase and phase relationships in $MgO–Si_2N_2O–Al_2O_3$ system.—3251
Phase relations in the system Cu-Ho-O and stability of $Cu_2Ho_2O_5$.—133
tantalates,
Effect of $BaWO_4$ on the microwave dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics.—1062
tantalum oxide,
Development of tantalum pentoxide coatings by chemical vapor deposition.—2298
tape casting,
Fabrication of oriented SiC-whisker-reinforced mullite matrix composites by tape casting.—2586
Numerical flow simulation of viscoplastic slurries and design criteria for a tape casting unit.—254
Processing of tape-cast laminates prepared from fine alumina/zirconia powders.—2145
Tape casting of fine alumina/zirconia powders for composite fabrication.—2137
technology,
Robert L. Coble: A retrospective.—293
tellurides,
Preparation by a sol–gel process of borosilicate glasses containing microcrystals of tellurium and zinc telluride.—2885
tellurites,
Refractive-index dispersion of tellurite glasses in the region from 0.40 to 1.71 μm.—2455
testing,
Critical appraisal of limiting strain rates for compression testing of ceramics in split Hopkinson pressure bar.—263
Die pressing test for the estimation of agglomerate strength.—806
Elastic–plastic indentation of hard, brittle materials with spherical indenters.—3177
Improvement of tensile creep displacement measurements.—2767
New development of the *J*-based fracture testing technique for ceramic matrix composites.—1553
texture,
Effect of Al/Fe ratio in belite on the microtexture induced by the remelting reaction.—3027
Structure and microtexture changes in phosphorous-bearing Ca_2SiO_4 solid solutions.—2615
Temperature–time texture transition of $Pb(Zr_{1-x}33Ti_x)O_3$ thin films: I, Role of Pb-rich intermediate phases.—2332
Temperature–time texture transition of $Pb(Zr_{1-x}33Ti_x)O_3$ thin films: II, Heat treatment and compositional effects.—2337
Texture development via grain rotation in ß-silicon nitride.—947
Texture measurement on materials containing platelets using stereology.—2127
thermal barriers,
Fatigue of thick thermal barrier coatings .—1863
thermal conductivity,
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers.—2669
Calculation of the thermal conductivity and gas permeability in a uniaxial bundle of fibers—Correction.—3294
Effect of yttria on the thermal conductivity of aluminum nitride.—1846
Thermal conductivity of a particulate-diamond-reinforced cordierite matrix composite.—1757
thermal decomposition,
Controlling crystallinity during processing of nanocrystalline titania.—1957
Spray drying of metal alkoxide sol for strontium titanate ceramics.—129
Thermal decomposition of tricalcium silicate hydrate.—2277
thermal expansion,
Development of textured microstructures in ceramics with large thermal expansion anisotropy.—454
Effect of thermoelastic anisotropy on the *R*-curve behavior of monolithic alumina.—2283
High-temperature mechanical properties and chemical stability of $Ba_{1+x}Zr_4P_{6-2x}Si_{2x}O_{24}$ low-thermal-expansion ceramics.—1965
Microstructural mechanics model of anisotropic-thermal-expansion-induced microcracking.—1123
Thermal expansion of Y_2SiO_5 single crystals—Correction.—1979
thermal insulation,
Elevated-temperature fracture characterization of advanced fibrous ceramic thermal insulators.—2703
thermal shock,
Thermal shock behavior of silicon nitride flexure beam specimens with indentation cracks.—835
thermal shock resistance,
Effect of microstructural scale on thermal shock resistance of aluminum-reinforced alumina.—701
thermistors,
Preparation of porous $BaTiO_3$ PTC thermistors by adding graphite porosifiers.—2154
thermochemical properties,
Development of tantalum pentoxide coatings by chemical vapor deposition.—2298
thermodynamics,
Thermodynamic equilibria in two-phase, elastically stressed ionic crystals.—1581
Thermodynamic properties of cerium oxalate and cerium oxide—Comment.—2783
Thermodynamics and kinetics of surface area changes of faceted particles.—2314
Thermodynamics and phase equilibria in the Ca-Cu-O system.—41
thermogravimetry,
Thermogravimetric determination of carbon, nitrogen, and oxygen in aluminum nitride.—2265
thermomechanical properties,
Microstructure and properties of plasma ceramics.—1274
thickness,
Thickness of cubic surface phase on barium titanate single-crystalline grains.—1665
thin films,
Ion-beam mixing of iron oxide marker layers in doped and undoped alumina thin films.—268
Microstructure/process relations in sol–gel-prepared $KNbO_3$ thin films on (100) MgO.—820
Structure development study of $Pb(Zr,Ti)O_3$ thin films by an optical method.—1486
Temperature–time texture transition of $Pb(Zr_{1-x}33Ti_x)O_3$ thin films: I, Role of Pb-rich intermediate phases.—2332
Temperature–time texture transition of $Pb(Zr_{1-x}33Ti_x)O_3$ thin films: II, Heat treatment and compositional effects.—2337
Use of thin-film substrates to study enhanced solid-state phase formations.—3287
tile,
Deflocculation of concentrated aqueous clay suspensions with sodium polymethacrylates.—509
tin,
Effect of Sn substitution on cation ordering in $(Zr_{1-x})Sn_xTiO_4$ microwave dielectric ceramics.—1441
Optical study of domains in $Ba(Ti,Sn)O_3$ ceramics.—2809
tin oxide,
Effect of antimony addition on electrical and optical properties of tin oxide film.—915
Factors determining the carbon monoxide sensing properties of tin oxide thick films calcined at different temperatures.—2935
titanates,
α-decay damage effects in curium-doped titanate ceramic containing sodium-free high-level nuclear waste.—2255
Development of textured microstructures in ceramics with large thermal expansion anisotropy.—454
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—Comment.—1113
Effect of sintering aids on microstructures and PTCR characteristics of $(Sr_{0.2}Ba_{0.8})TiO_3$ ceramics—Reply.—1115
Effect of Sn substitution on cation ordering in $(Zr_{1-x})Sn_xTiO_4$ microwave dielectric ceramics.—1441
Effects of glass additions on (Zr,Sn)TiO_4 for microwave applications.—2485
Effects of La_2O_3/ZrO_2 additives on microstructure and microwave dielectric properties of $Zr_{0.8}Sn_{0.2}TiO_4$ ceramics.—3215
Freudenbergite: A possible synroc phase for sodium-bearing high-level waste.—1576
Grain-boundary defect chemistry of acceptor-doped titanates: Space charge layer width.—235
Stabilization of ordered zirconium titanates through the chemical substitution of Ti^{4+} by Al^{3+}/Ta^{5+}.—743
Synthesis and characterization of $Sr_2Ce_2Ti_5O_{16}$ in the system $SrO–CeO_2–TiO_2$.—1659
titania,
Bonelike hydroxyapatite induction by a gel-derived titania on a titanium substrate.—1307
Characterization of TiO_2-based sensor materials using immittance spectroscopy.—481
Controlling crystallinity during processing of nanocrystalline titania.—19570
Effect of peptization on densification and phase-transformation behavior of sol–gel-derived nanostructured titania.—1396
Electrical properties of manganese-doped titanium dioxide.—3281
High-temperature immittance response in anatase-based sensor materials.—3145
Interrelationship between densification, crystallization, and chemical evolution in sol–gel titania thin films.—1592
Porous ceramic filters produced by hot isostatic pressing.—2437
Sol–gel preparation and optical nonlinearity of lead(II) oxide–titanium(IV) oxide amorphous monoliths.—673
Sol–gel route to synthesis of microporous ceramic membranes: Preparation and characterization of microporous TiO_2 and ZrO_2 xerogels.—1939
titanium,
Glass-ceramic coatings for titanium aluminides.—1098
Polar-oriented crystallization of fresnoite ($Ba_2TiSi_2O_8$) on glass surface due to ultrasonic treatment with suspensions.—2905
Thio sol–gel process for the synthesis of titanium disulfide.—1381
titanium carbide,
Microstructure and chemical reaction in an Si_3N_4–TiC composite.—705
titanium diboride,
Anomalous temperature dependence of cyclic fatigue-crack growth in a silicon carbide matrix composite.—2911
Chemical vapor infiltration of TiB_2-matrix composites.—2395
tobermorite,
Mechanical properties evolution during autoclaving process of aerated concrete using slag: I, Tobermorite formation and reaction behavior of slag.—2088
Quantum chemical determination of the Al-substituted site in tobermorite.—3023
toughening,
In situ-toughened silicon carbide.—519
toughness,
Indentation studies on Y_2O_3-stabilized ZrO_2: II, Toughness determination from stable growth of indentation-induced cracks.—1194
Toughness properties of a silicon carbide with an in situ-induced heterogeneous grain structure.—2518
transducers,
Lead zirconate titanate hollow-sphere transducers.—1669
transformations,
Experimental study of stress-induced localized transformation plastic zones in tetragonal zirconia polycrystalline ceramics.—1352
Growth of α-Al_2O_3 platelets in the HF–γ-Al_2O_3 system.—2977
Massive transformation in the $Y_2O_3–Bi_2O_3$ system.—1638
Time–temperature–transformation curves for kaolinite–α-alumina.—1545
transition metals,
Effects of transition-metal additions on the properties of AlN.—1991
transitions,
Shock-compacted Si_3N_4 nanocrystalline ceramics: Mechanisms of consolidation and of transition from α- to ß-form.—487
transmission electron microscopy (TEM),
High-resolution transmission electron microscopy studies of a near Σ11 grain boundary in α-alumina.—339
TEM examination of heat-treated nanocrystalline ZnS.—3273
transparent materials,
Fabrication of transparent γ-Al_2O_3 from nanosize particles.—2107
transport,
Groove angles and surface mass transport in polycrystalline alumina.—954
tribology,
Tribological characteristics of Si_3N_4 ceramic in high-temperature and high-pressure water.—580
Tribological characteristics of SiC ceramics in high-temperature and high-pressure water.—1851
tungstates,
Compositional effect on the liquid-phase formation in lead iron tungstate ferroelectric ceramics.—2529
Effect of $BaWO_4$ on the microwave dielectric properties of $Ba(Mg_{1/3}Ta_{2/3})O_3$ ceramics.—1062
Thermal degradation behavior of WOP_2O_7/phenanthroline complex.—2536
tungsten,
Effect of carbon addition on elevated temperature crack growth resistance in (Mo,W)Si_2–SiC_p composite.—2681
tungsten carbide,
New route for the synthesis of tungsten carbide–cobalt nanocomposites.—2777

Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments.—2043
Nucleation and growth of diamond films on Ni-cemented tungsten carbide: Effects of substrate pretreatments—Correction.—3293

twinning,
Slip and twinning in sapphire (α-Al_2O_3).—385
An unusual twin structure in transformed precipitates in Y-PSZ single crystals.—57
An unusual twin structure in transformed precipitates in Y-PSZ single crystals—Correction.—862

uranium,
Interaction of yttria with uranium fluoride gases (UF_n, n = 4, 6) at high temperatures.—1624

vanadates,
Electrical properties of ß-$Li_xV_2O_5$ thin layers prepared by the sol–gel process.—891

vaporization,
Laser diagnostics of zirconium carbide vaporization.—1411

varistors,
Deep level transient spectroscopy of zinc oxide varistors doped with aluminum oxide and/or silver oxide.—2663
Electrical properties of multilayer-chip ZnO varistors in a moist-air environment.—3006

vibration,
Lead zirconate titanate hollow-sphere transducers.—1669
Vibrational technique for stress measurement in films: I, Ideal membrane behavior.—625
Vibrational technique for stress measurement in films: II, Extensions and complicating effects.—636

viscosity,
Homogeneity effects on feedstock viscosity in powder injection molding.—283
Viscosity and yield stress of alumina slurries containing large concentrations of electrolyte.—19
Viscosity of molten Na_2O–B_2O_3 slags.—1032

water,
Degradation of stressed optical fibers in water: New worst-case lifetime estimation model.—1531
Tribological characteristics of SiC ceramics in high-temperature and high-pressure water.—1851

wear,
Erosion wear properties of tetragonal $ZrO_2(Y_2O_3)$-toughened Al_2O_3 composites.—666
Processing, microstructure, and wear behavior of silicon nitride hot-pressed with alumina and yttria.—883

Weibull statistics,
Effect of cleaning and abrasion-induced damage on the Weibull strength distribution of sapphire fiber.—2017

wettability,
New experimental setup for wettability characterization under monitored oxygen activity: II, Wettability of sapphire by silver–oxygen melts.—197

wetting,
Wetting and joining of mullite ceramics by active-metal braze alloy.—271

whiskers,
Catalytic process for mullite whiskers.—1083
Evaluation of whisker alignment in axisymmetric SiC_w-reinforced Al_2O_3 composite materials.—2828
Morphology and crystallography of aluminum nitride whiskers.—977
Stoichiometry of fluorotopaz and of mullite made from fluorotopaz.—1087

X-ray diffraction,
Quantitative powder X-ray diffractometry phase analysis of silicon nitride materials by a multiline, mean-normalized-intensity method.—2195
X-ray diffraction analysis of the pyrolytic conversion of perhydropolysilazane into silicon nitride.—1729

X-ray photoelectron spectroscopy,
Synthesis and characterization of amorphous Si_2N_2O.—2699

Young's modulus,
Bulk modulus and Young's modulus of nanocrystalline γ-alumina.—2917

yttria,
BaO–1/2Y_2O_3–CuO_x eutectic melting in air.—1883
Effect of yttria on the thermal conductivity of aluminum nitride.—1846
Effects of α-SiC versus ß-SiC starting powders on microstructure and fracture toughness of SiC sintered with Al_2O_3–Y_2O_3 additives.—1655
Interaction of yttria with uranium fluoride gases (UF_n, n = 4, 6) at high temperatures.—1624
Massive transformation in the Y_2O_3–Bi_2O_3 system.—1638
Synthesis of yttria powders by electrospray pyrolysis.—3244

yttrium,
Influence of oxygen content on formation of yttrium α-SiAlON ceramics.—2425
Low-temperature synthesis and phase equilibria in the Y-Cu-O binary system.—1139
Thermal expansion of Y_2SiO_5 single crystals—Correction.—1979

yttrium aluminum garnet (YAG),
Fabrication and microstructure of Al_2O_3–SiC–YAG hybrid composites prepared by particulate dispersion.—1375
Kinetics and deformation during the reaction of yttrium-aluminum perovskite and alumina to yttrium-aluminum garnet.—1473
Phase development and luminescence in chromium-doped yttrium aluminum garnet (YAG:Cr) phosphors.—2866
Solid–liquid reactions in the system Si_3N_4-ß-SiAlON–$Y_3Al_5O_{12}$.—2653

yttrium barium copper oxide (Y-Ba-Cu-O),
Citrate-gel syntheses in the Y(O)-Ba(O)-Cu(O) system.—547
Effect of particle size on binary reactions common to the Y-Ba-Cu-O system.—2738
Effects of melt composition on the growth behavior of 211 particles in the Y-Ba-Cu-O system.—2223
Generation and mobility of electronic charge carriers in $Y_1Ba_2Cu_3O_x$.—3131
Microwave joining of yttrium-based superconductor and its microstructure features.—1090
Stability diagram for the system $YBa_2Cu_3O_{7-x}$.—753
Superconductivity in the $(YBa_2Cu_3)_{1-x}Na_xO_{7-\delta}$ system.—1025
YBCO oxalate coprecipitation in alcoholic solutions.—1436
YBCO oxalate coprecipitation in alcoholic solutions—Correction.—2494

yttrium iron garnet (YIG),
Characteristics of yttrium iron garnet ultrafine particles prepared by the alkoxide method.—1787

zinc,
Experimental evidence for Harper–Dorn creep in Mn-Zn ferrite.—3036

zinc oxide,
Deep level transient spectroscopy of zinc oxide varistors doped with aluminum oxide and/or silver oxide.—2663
Electrical properties of multilayer-chip ZnO varistors in a moist-air environment.—3006
Extended defects in ZnO ceramics containing $Bi_4Ti_3O_{12}$ additive.—1202
Impedance spectroscopy study of sintering in Bi-doped ZnO.—1493
Microanalytical determination of ZnO solidus and liquidus boundaries in the ZnO–Bi_2O_3 system.—1499
New gas-sensing method for detecting carbon monoxide by use of the complex impedance of a CuO/ZnO heterocontact under a dc bias voltage.—1961
Rapid formation of zinc oxide films by an atmospheric-pressure chemical vapor deposition method.—505

zinc sulfide,
Synthesis and characterization of zinc sulfide/gallium phosphide nanocomposite powders.—3153
TEM examination of heat-treated nanocrystalline ZnS.—3273

zircon,
Residual stresses in silicon carbide–zircon composites from thermal expansion measurements and fiber pushout tests.—3221

zirconate,
Mechanical properties and microstructure of Ca_2SiO_4–$CaZrO_3$ composites.—65

zirconia,
Aspects in grinding of ceramics.—2443
Creep of duplex microstructures.—2857
Dense Al_2O_3/ZrO_2 particulate composites by free sintering of coated powders.—815
Dynamic compaction of Al_2O_3–ZrO_2 compositions.—1605
Effect of dopants on zirconia stabilization—An X-ray absorption study: I, Trivalent dopants.—118
Effect of dopants on zirconia stabilization—An X-ray absorption study: II, Tetravalent dopants.—1281
Effect of dopants on zirconia stabilization—An X-ray absorption study: III, Charge-compensating dopants.—1289
Effective ionic radius of Y^{3+} determined from lattice parameters of fluorite-type HfO_2 and ZrO_2 solid solutions.—597
Effects of solids loading and dispersion schedule on the state of aqueous alumina/zirconia dispersions.—2693
Formation of zirconia solid solutions containing alumina prepared by new preparation method.—1391
Fracture strength–fracture resistance response and damage resistance of sintered Al_2O_3–ZrO_2 (12 mol% CeO_2) composites.—2689
Graded casting of materials with continuous gradients.—2747
Low-temperature phase equilibria by the flux method and the metastable–stable phase diagram in the ZrO_2–CeO_2 system.—1869
Mechanically induced zone darkening of alumina/ceria-stabilized zirconia composites.—2971
Metastable phase selection and partitioning for $Zr_{(1-x)}Al_xO_{(2-x/2)}$ materials synthesized with liquid precursors.—2069
Neutron diffraction measurements of the residual stresses in Al_2O_3–ZrO_2 (CeO_2) ceramic composites.—1569
Phase characterization of precipitated zirconia.—1649
Phase transformations in monoclinic zirconia caused by milling and subsequent annealing.—1525
Processing of tape-cast laminates prepared from fine alumina/zirconia powders.—2145
Quantitative determination of the cubic-to-monoclinic phase transformation in fully stabilized zirconias by Raman spectroscopy.—2191
Sol–gel route to synthesis of microporous ceramic membranes: Preparation and characterization of microporous TiO_2 and ZrO_2 xerogels.—1939
Stabilization of cubic zirconia with manganese oxide.—2758
Synthesis of metastable tetragonal (t') zirconia–ceria solid solutions by the polymerized complex method.—2773
Tape casting of fine alumina/zirconia powders for composite fabrication.—2137
Thermal stress analysis of fused-cast AZS refractories during production: I, Industrial study.—1505
Thermal stress analysis of fused-cast AZS refractories during production: II, Development of thermoelastic stress model.—1512
Ultrafine-grained dense monoclinic and tetragonal zirconia.—1706
X-ray diffraction study of the t-to-m phase transformation in 12-mol%-ceria-doped zirconia at low temperatures.—2458

zirconia: partially stabilized (PSZ),
At-temperature neutron diffraction investigation of the aging process in magnesia-partially-stabilized zirconia.—3073
Creep of Mg-PSZ at room temperature.—617
Effect of oxygen partial pressure during sintering on the microstructure of Mg-PSZ with strontia and silica additions.—2001
Features of notch preparation for fracture toughness measurements in partially stabilized zirconia.—600
Interaction of CaO–FeO–SiO_2 slags with partially stabilized zirconia.—611
Precipitate coarsening by liquid film migration in (Mg,Ca)-PSZs.—2657
Relationship between fracture toughness and phase assemblage in Mg-PSZ.—571

zirconia: tetragonal polycrystals (TZP),
Characterization of three-dimensional through-thickness transformaton zone in 9-mol% Ce-TZP ceramics.—2203
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens.—105
Crack shielding in Ce-TZP/Al_2O_3 composites: Comparison of fatigue and sustained load crack growth specimens—Correction.—1119
Electrophoretic deposition forming of SiC–TZP composites in a nonaqueous sol media.—1946
Experimental study of stress-induced localized transformation plastic zones in tetragonal zirconia polycrystalline ceramics.—1352
Plasticity-induced fatigue damage in ceria-stabilized tetragonal zirconia polycrystals.—2025

zirconia-toughened alumina (ZTA),
Effect of calcination on the sintering of gel-derived, zirconia-toughened alumina.—2376
Erosion wear properties of tetragonal $ZrO_2(Y_2O_3)$-toughened Al_2O_3 composites.—666
Grain growth kinetics in alumina–zirconia (CeZTA) composites.—939

zirconia: yttria stabilized (YSZ),
Effect of alumina on sintering behavior and electrical conductivity of high-purity yttria-stabilized zirconia.—2217
Fatigue of thick thermal barrier coatings.—1863
Formation of alumina/zirconia (3 mol% yttria) composite powders prepared by the hydrazine method.—2207
Improving stabilized zirconia with strontium gallate.—1954
Indentation studies on Y_2O_3-stabilized ZrO_2: I, Development of indentation-induced cracks.—1185
Indentation studies on Y_2O_3-stabilized ZrO_2: II, Toughness determination from stable growth of indentation-induced cracks.—1194
Microstructures of Y_2O_3-stabilized ZrO_2 electron beam-physical vapor deposition coatings on Ni-base superalloys.—984
An unusual twin structure in transformed precipitates in Y-PSZ single crystals.—57
An unusual twin structure in transformed precipitates in Y-PSZ single crystals—Correction.—862

zirconia: yttria-stabilized tetragonal polycrystals (Y-TZP),
Characterization of grain boundaries in superplastically deformed Y-TZP ceramics.—2632
Formation and sintering of yttria-doped tetragonal zirconia with 50 mol% alumina prepared by the hydrazine method.—1694

zirconium,
High-temperature stability of $Ca_2ZrSi_4O_{12}$.—3033
Raman scattering study of cubic–tetragonal phase transition in $Zr_{1-x}Ce_xO_2$ solid solution.—1067
Stabilization of ordered zirconium titanates through the chemical substitution of Ti^{4+} by Al^{3+}/Ta^{5+}.—743

zirconium carbide,
Laser diagnostics of zirconium carbide vaporization.—1411